










Quantum

TILING PRODUCT EDITION 7














Welcome to our 26/27 product catalogue



Quantum Group specialises in the distribution of high-quality tiles, tiling tools, and accessories throughout the UK and Ireland. With headquarters in Northern Ireland and Scotland, the Quantum Group team is passionate about supplying in industry with an extensive, innovate range of class-leading tiling brands.

With decades of experience, Quantum is a forward-thinking business built with honesty, integrity and trust at its code. We are proud of our reputation for offering industry expertise and an exceptional level of service.

We operate on a trade only basis through our network of retailers, wholesalers and tile merchants. To find out more about stocking our products, or to find your nearest supplier of the Quantum range, please contact our team today.

 TILING TRIMS & MOVEMENT JOINTS 06-35	 MOVEMENT & WATERPROOF MATTING 36-45	 TILE BACKERBOARDS AND ACCESSORIES 46-55
 WATERPROOFING KITS & ACCESSORIES 56-61	 ESSENTIAL TILING TOOLS 62-73	 TILE SPACERS & LEVELLING KITS 74-83
 PPE & TILE HANDLING 84-89	 TILE CLEANING ACCESSORIES 92-95	 BLADES, DRILL BITS & ACCESSORIES 96-101
 ADHESIVE, GROUTS AND SEALANTS 102-111	 ELECTRIC TILE SAWS 112-115	 CLEARERS, SEALERS AND POLISHES 116-129
 UNDERFLOOR HEATING 130-135	 NAVARRO TILES 136-139	 STOCK CODES 140-143

Quantum

AquaTank

The AquaTank range includes everything needed for a complete waterproofing system, from tanking membrane to tanking tape.

aquaboardeco
TILE WITH CONFIDENCE

Aquaboard Eco magnesium oxide boards & accessories are designed to provide a stable base for over-boarding chipboard, concrete and timber floors.

BASEBOARD
waterproofing | dry-lining | insulation

Lightweight tile backer boards and pre-formed shower trays built for strength, waterproofing and insulation.

STRUCTAMAT

A performance range of decoupling and waterproof movement matting.

EXACTAMAT
A ONE STEP MATTING SYSTEM

A decoupling and movement membrane designed to prevent cracks in tiled surfaces and moisture damage.

NAVARRO TILES
ENDLESS LUXURY

A premium tile brand offering a wide range of ceramic, porcelain, wood effect and luxury Italian tiles.

Tylix
tiling tools

Professional grade tiling tools and levelling systems, designed to save time, improve precision and enhance quality.

QTRIM

Wide range of tile trims and movement joints in aluminium, stainless steel, PVC, and colour matched finishes.

The Quantum Mission

To supply the finest quality tiles, materials, tools and equipment to those in the tiling industry.

Reasons to choose Quantum Group:



Unrivalled Customer Service

Our friendly, knowledgeable team is always on hand to help, whether you need technical support, product advice, or assistance with your order.



Next-Day Delivery Across the UK & Ireland

With warehouses in Northern Ireland and mainland UK, we offer fast, reliable delivery to keep your business moving even on short deadlines.



Excellent Stock Levels You Can Depend On

We maintain strong stock holdings across our full product range, so you can get exactly what you need, when you need it.



Trusted Industry Partner Since 1983

With over 40 years of experience, we've built a reputation for reliability, product knowledge, and long-term partnerships that help our customers grow.



Access to Leading Brands All in One Place

Choose from our exclusive Quantum brands Navarro Tiles, QTrim, AquaTank, Baseboard, AquaBoard Ecom StructaMat, and Tylix plus a wide selection of trusted third-party products.



Local Area Account Managers

Our dedicated sales team covers all regions of the UK & Ireland, offering personalised support, site visits, and expert product recommendations tailored to your needs.



Complete Tiling Systems from Subfloor to Surface

We supply everything from backer boards and waterproofing kits to adhesives, grout, trims, and tools making us your one stop tiling supplier.




Marketing Support to Drive Sales

We offer a full suite of sales support materials, including: POS stands, in-store brochures and samples, high-resolution product imagery, promo videos, datasheets and technical documentation.



Built for Merchants, Showrooms & Trade Counters

We understand your business and what your customers need - our product ranges are curated specifically for the UK & Irish tile and bathroom markets.



TRIM MERCHANDISING STAND	10
ALUMINIUM, STAINLESS STEEL & BRASS STRAIGHT EDGE TRIMS	12-13
FORMABLE TRIMS	14
PVC STRAIGHT EDGE TRIMS	14-15
STONE FINISHED ALUMINIUM STRAIGHT EDGE TRIMS	16-17
COLOURED ALUMINIUM STRAIGHT EDGE TRIMS	18-19
ROUND EDGE TRIMS	20-22
SKIRTING TRIMS	22-23
SHOWER SHELVES	23-24
METAL QBEC BOX TRIMS	25
JOINT COVER TRIMS	26
TRANSITION TRIMS	27-28
MOVEMENT JOINTS	29
FLAT BAR TRIMS	30
STAIR NOSINGS & PROTECTIVE EDGINGS	31-32
PANEL PROFILES	33-35

Tiling Trims &
Movement Joints




PREMIUM, HIGH-QUALITY TILE TRIMS AND MOVEMENT JOINTS

We are proud to provide a comprehensive range of tile trims and movement joints designed to protect and enhance tiled surfaces. Our trims are available in various materials, including high-quality aluminium, stainless steel, and durable PVC, ensuring optimal performance in residential, commercial, and industrial applications. Whether you're looking for corrosion-resistant profiles for exterior use or decorative trims for interior applications, we offer solutions tailored to meet every tiling need.




Straight Edge

Designed to provide a neat finish to tiled corners and edges.




Round Closed Profile

A closed rounded decorative edge to finish tiled corners and edges.




Round Open Profile

Protects and neatly finishes tiled corners and edge.



Formable Edge Trim

Formable design provides protection and neat finish to curved tile edges.



QBec Box

A right angled edge, provides a decorative finish to edges or tile borders.



Movement Joints

Suitable for both wall and floor applications.



Transition Profile

Provides a join between floor coverings of different heights.




Round Edge Stair Trim

Protective round stair edge trim to provide edge covering and added grip.



FINISHES



White



Jasmine



Grey



Black



Light Grey



Limestone



Sandstone



Granite



Basalt



Brass



Copper



Bronze



Chrome

EFFECTS



Mill



Satin



Polished



Brushed



Matt

Tiling Trims & Movement Joints


We are proud to provide a comprehensive range of tile trims and movement joints that protect and enhance tiled surfaces while offering exceptional quality and performance.

Trim Merchandising Stand

This freestanding merchandise unit holds over 250 products, offering a comprehensive display of our trim profiles. Designed to maximise product visibility and range diversity, it allows customers to easily compare finishes, sizes, and styles. The stand's organised layout makes selection simple and efficient, while its compact footprint ensures it fits seamlessly into any retail environment.

* This stand has a lead time, please check with our sales team

Stock Code.
POS004



Effects



Appearance: Subtle linear texture with a low-sheen, industrial look

Best For: Industrial, modern, or Scandi-inspired spaces

Features: Brushed trims have a directional grain finish that softens light reflection and hides fingerprints or surface blemishes. Ideal for understated elegance and long-term durability.

Appearance: Smooth and slightly reflective with a subtle sheen

Best For: Modern bathrooms, kitchens, and commercial interiors

Features: Satin offers a mid-level sheen that works well with most tiles. It softens light reflection and gives a clean, contemporary finish without the mirror-like shine of polished chrome.



Appearance: Highly reflective, mirror-like surface

Best For: High-end bathrooms, hotel installations, and luxury tile designs

Features: The most eye-catching finish, polished trims provide a crisp, modern edge. Perfect for pairing with glossy tiles or to match polished chrome fittings like taps and showerheads.

Appearance: Uncoated and slightly reflective with a natural silver tone

Best For: Hidden or behind-the-scenes installations, budget-conscious projects

Features: This is the 'raw' finish direct from the mill, with no additional polishing or coating. While functional and cost-effective, it's typically used where the trim won't be visible or will be painted on site.




Appearance: Flat, non-reflective surface

Best For: Minimalist interiors, colour-matched trim designs, and wall edges

Features: With a completely dull surface, matt trims are perfect when you want the trim to blend in or coordinate with matt tiles or grout. Available in colours like black, white, grey, or anthracite for seamless integration.

Straight Edge Trims

Straight edge trims provide a clean, modern finish to tiled surfaces by protecting exposed tile edges and creating a smooth, professional transition between materials. Ideal for walls, floors, and worktops, they help prevent chipping while enhancing the overall aesthetic with a sleek, linear edge detail.



Satin Anodised Aluminium Straight Edge 2.5m

- Straight edge trim, designed for the protection and neat finishing of tiled corners and edges.
- Protected from corrosion by natural matt anodisation.
- Suitable for use in bathrooms, but not within submerged areas.
- Suitable for exterior use.



Stock Code.	Internal Height mm
4488	8
4490	10
4492	12.5
4493*	15

Chrome Straight Edge Trim 2.5m

- High-quality bright anodised aluminium trim.

Stock Code.	Internal Height mm	Material / Finish
4551	8	Bright Chrome
4552	10	Bright Chrome
4553	12.5	Bright Chrome
4504	15	Bright Chrome
4505	18	Bright Chrome
4507	22	Bright Chrome
4508	8	Brushed Chrome
4510	10	Brushed Chrome
4512	12.5	Brushed Chrome
4549	15	Brushed Chrome

Brushed Chrome



Bright Chrome



Stainless Steel Straight Edge Trim

- 304 grade straight edge trim, designed for the protection and neat finishing of tiled corners and edges.
- Suitable for exterior use and industrial contract applications.
- Recommended wherever there is heavy exposure to wear, or if a high level of corner protection is required, e.g. commercial premises and other industrial areas.

Stock Code.	Internal Height mm	Length m	Material / Finish
4448	8	2.5m	Stainless Steel
4450	10	2.5m	Stainless Steel
4452	12.5	2.5m	Stainless Steel
4454*	15	2.5m	Stainless Steel
4456*	18.5	2.5m	Stainless Steel
4458*	20	2.5m	Stainless Steel
4460*	22.5	2.5m	Stainless Steel
4451*	8	2.5m	Brushed S/steel
4467*	10	2.5m	Brushed S/steel
4478*	11	2.5m	Brushed S/steel
4469*	12.5	2.5m	Brushed S/steel
4471*	15	2.5m	Brushed S/steel

Polished Stainless Steel



Brushed Stainless Steel



Solid Brass Straight Edge 2.5m

- Straight edge trim, designed for the protection and neat finishing of tiled corners.
- Designed for areas which are subjected to high mechanical stress, e.g. edge protection for expansion joints.
- Resistant to most chemicals and suitable for exterior use.

Stock Code.	Internal Height mm
4408	8
4410	10
4412	12.5



* Product has a lead time, please check with our sales team

Tiling Trims & Movement Joints

Formable Straight Edge Trim 2.5m

A wide range of quality formable trims.

Designed for the protection and neat finishing of curved tiled edges.

Anchorage points to fix the desired shape prior to tiling.

Minimum recommended radius is 1 metre.



Stock Code.	Internal Height mm	Type
4538	8	Stainless Steel
4540	10	Stainless Steel
4542	12.5	Stainless Steel



PVC Straight Edge 2.5m

Straight edge PVC trim, designed to provide a protective and neat finish to tiled corners and edges.

Stock Code.	Depth mm	Colour
4343	8	White
4344	10	White
4358	12	White
4364	8	Jasmine
4379	10	Jasmine
4383	12	Jasmine
4445	8	Grey
4447	10	Grey
4449	12	Grey
4371	8	Black
4372	10	Black
4373	12	Black



* Product has a lead time, please check with our sales team

Tiling Trims & Movement Joints

Stone Finished Aluminium Straight Edge Trims 2.5m


- A comprehensive range of aluminium profiles designed to protect edges of tiles. Available in a variety of stone-effect finishes, these modern profiles offer a practical and aesthetic solution, ideal for walls and floors.
- Supplied with transparent protective film offering added protection during transport, storage and installation.

Stock Code	Colour	Depth mm
6082	Limestone	8
6093	Limestone	10
6104	Limestone	12
6083	Sandstone	8
6094	Sandstone	10
6105	Sandstone	12
6081	Granite	8
6092	Granite	10
6103	Granite	12
6080	Basalt	8
6091	Basalt	10
6102	Basalt	12
6085	Matt Black	8
6096	Matt Black	10
6107	Matt Black	12
6084	Matt White	8
6095	Matt White	10
6106	Matt White	12

Matt White



Matt Black



Limestone



Sandstone



Granite



Basalt






Bright Brass



Brushed Brass



Bright Copper



Brushed Copper



Bronze



Coloured Aluminium Straight Edge Trims
2.5m

- A comprehensive range of aluminium profiles designed to protect edges of tiles. Available in a variety of stone-effect finishes, these modern profiles offer a practical and aesthetic solution, ideal for walls and floors.
- Supplied with transparent protective film offering added protection during transport, storage and installation.

Titanium




Stock Code.	Colour	Depth mm
6088	Bright Brass	8
6099	Bright Brass	10
6110	Bright Brass	12
6087	Brushed Brass	8
6098	Brushed Brass	10
6109	Brushed Brass	12
6090	Bright Copper	8
6101	Bright Copper	10
6112	Bright Copper	12
6089	Brushed Copper	8
6100	Brushed Copper	10
6111	Brushed Copper	12
ESA100.89	Bronze	10
ESA120.89	Bronze	12
6115	Titanium/Gunmetal	10
6116	Titanium/Gunmetal	12.5



Round Edge Trims

Our Round Edge Trims are the perfect choice for creating soft, curved finishes on external corners and exposed tile edges. Designed to add both visual appeal and essential protection, these trims are ideal for bathrooms, kitchens, and commercial spaces where a rounded profile can enhance safety and elevate design. Available in a range of finishes and depths, they offer a clean, professional look while shielding tile edges from chips, cracks, and everyday wear




PVC Round Profile 2.5m

- Extremely high-quality PVC edge trims, designed to protect and neatly finish tiled corners and other tiled edges.
- Available in 4 sizes and 3 potential colour finishes.
- Box quantity: 100

Stock Code	Depth mm	Colour
4014	8	White
4015	10	White
4018	12	White
4023	8	Jasmine
4024	10	Jasmine
4025	12	Jasmine
4030*	8	Light Grey
4031*	10	Light Grey

White



Jasmine



Light Grey



* Product has a lead time, please check with our sales team

Tiling Trims & Movement Joints

Round Edge Trim Open Profile 2.5m


- High-quality anodised aluminium round edge trims, designed for protecting and neatly finishing tiled corners
- and edges.
- Very reflective surface which results in a tough finish.

Stock Code.	Depth mm	Finish
4381	9	Chrome
4385	10.5	Chrome
4394	12	Chrome



Skirting Trim






Skirting trims provide a clean, functional transition between tile installations and flexible floor coverings such as vinyl or Altro flooring. Whether used in commercial kitchens, healthcare environments, or domestic bathrooms, skirting trims ensure a hygienic, seamless join that meets practical and design requirements alike.



PVC Skirting Trim 2.5m

- PVC trim for neatly and hygienically joining Altro flooring at skirting level to wall tiling.
- Also known as 'H' trim or 'Tile to Vinyl Capping'.
- Box quantity: 50

Stock Code.	Internal Height mm	Finish
4360	8	White
4361	8	Black
4362	8	Grey
EVC100.01	10	White
4357	8	White
4363	12	White



Shower Shelves


The reversible shower shelves are a premium, versatile storage solution designed to elevate both the functionality and aesthetics of any shower space. Expertly crafted from high-quality materials and available in a range of stunning finishes, they combine durability with contemporary style. Additional finishes are available upon request—please contact our sales team for more information.

- The shelf attaches in the grout joint with silicone - no drilling required.
- Shelf is installed during the application of tiles
- Fits in 90 degree corners.
- Grade 304 stainless steel, rust and corrosion-resistant, with powder coated options available.
- Unique reversible design with option of tile-in finish.
- No sharp edges.
- Holes for water drainage



Stock Code.	Colour
KBREV.102	Brushed Stainless Steel
KBREV.117	Black
KBREV.187	Gold
KBREV.414	Bath Stone

Brushed Stainless Steel




Gold



Black




Bath Stone



Metal QBec Box Trim

Our Qbec box-shaped trims deliver a bold, architectural finish for modern interiors. Designed with crisp lines and a square profile, they create sharp, contemporary transitions between panels, tiles, and other wall or floor finishes. Ideal for edges, joints, and feature detailing, these trims provide both protection and a refined visual statement.



Metal QBec Box Trim 2.5m

- A profile which forms a right-angled edge, whilst providing a stylish and protective finish to tiled corners.
- Can also be used as a border feature between tiles.
- Available in a wide range of finishes to suit every installation

Stock Code.	Internal Height mm	Finish
4567	10	Chrome Aluminium
4577	12.5	Chrome Aluminium
4865	10	Brushed Chrome
4866	12.5	Brushed Chrome

Chrome Aluminium




Brushed Chrome



Joint Cover Trims

These T-shaped transition profiles provide an effective solution for bridging and concealing floor joints. The anchoring leg is set into a silicone-filled cavity, ensuring stable placement and a clean, professional appearance.



T-Bar Trims 2.5m

- T-shaped bridge profiles for covering transitional joints.
- Available in stainless steel, aluminium and brass.
- Simply fill the cavity with silicone and insert anchoring leg.

Stock Code.	Internal Height mm	Visible Width mm	Finish
4791	9	22	Matt Aluminium
4605	9	22	Matt Brass
4609	9	20	Stainless Steel
4595.M.G	9	14	Bright Brass
4603	9	14	Satin Anodised Aluminium
4604	9	14	Polished Aluminium



Transition Trims

Self-adhesive Angle Edge

- Aluminium metal angled edging, which provides a neat and clean finish in areas where two floor coverings meet at different levels.
- Available in multiple finishes, such as bronze which is available as a special order.

Stock Code	Length m	Height mm	Finish	Box Qty
AE83SAS	0.9	10	Silver	10
AE83SAG	0.9	10	Gold	10
AE83SAO	0.9	10	Oak	10
AE83SAB	0.9	10	Matt Black	10
AE89SAS	2.7	10	Silver	10
AE89SAG	2.7	10	Gold	10
AE89SAO	2.7	10	Oak	10
AE89SAB	2.7	10	Matt Black	10
AE149SAS	2.7	15	Silver	10
AE149SAG	2.7	15	Gold	10
AE149SAO	2.7	15	Oak	10

Transition Trims create a smooth, visually striking connection between floor surfaces. Available in a range of contemporary finishes, they offer a precise, high-quality detail for modern interiors.



Euro Cover Strip

- A handy, self-adhesive door threshold with no screws required, so ideal for floors with underfloor heating.
- Available in multiple finishes.
- Fitting tip: Cut to length with a sharp hacksaw.



Stock Code.	Length m	Visible Width mm	Finish	Box Qty
ECS3SASP	0.9	40	Silver	10
ECS3SAGP	0.9	40	Gold	10
ECS3SAOP	0.9	40	Oak	10
ECS3SABR	0.9	40	Bronze	10
ECS3SAB	0.9	40	Matt Black	10
ECS9SAS	2.7	40	Silver	10
ECS9SAG	2.7	40	Gold	10
ECS9SAO	2.7	40	Oak	10
ECS9SABR	2.7	40	Bronze	10
ECS9SAB	2.7	40	Matt Black	10

ZIG ZAG
Carpet to Tile Strip

- Aluminium metal edging, which provides a neat transition between tiles and carpeted areas.
- Available in 2 colours; matt silver and gold.
- Self-adhesive.

Stock Code.	Length m	Finish	Box Qty
ZZC3A	0.9	Silver	10
ZZC3G	0.9	Gold	10



Silver



Gold



Transition Profile 2.5m


- An economically priced profile, suitable for a step free transition between floor coverings of different heights.
- Sloping ramp section prevents a 'trip' hazard and protects adjacent floor coverings.

Stock Code.	Internal Height mm	Visible Width mm	Finish
4663	10	20	Aluminium
4664	12	23	Aluminium



Movement Joints


Designed to absorb movement caused by thermal change and structural settlement, Movement Joints protect floor finishes while maintaining a clean, continuous appearance in both residential and commercial environments.



PVC Movement Joints 2.5m

- A thin yet highly durable PVC movement joint, featuring a blend of PVC and rubber within the infill section.
- Thin 5mm or standard 9mm infills available.
- Can be used within both wall and floor tiling.
- Suitable for both pedestrian and light mechanical traffic.

Stock Code.	Integral Height mm	Infill Thickness (mm)	Infill Colour
MLT100.16*	10	5	Black
MLT120.16*	12.5	5	Black
MLT100.35*	10	5	Grey
MLT120.35*	12.5	5	Grey
4844	10	9	Grey
4845	12	9	Grey
4847	10	9	Black
4848	12	9	Black



Metal Movement Joints 2.5m

- Industrial movement joints with synthetic rubber inserts.
- Visible width of joint is 10-12mm (depending on type).
- Suitable for high traffic industrial and commercial applications.



Stock Code.	Internal Height mm	Infill Colour	Finish
4743	10	Grey	Stainless Steel
4752*	12.5	Grey	Stainless Steel
4746*	10	Black	Stainless Steel
4753*	12.5	Black	Stainless Steel
4793	10	Grey	Aluminium
4795	12.5	Grey	Aluminium
4794	10	Black	Aluminium
4796	12.5	Black	Aluminium

* Product has a lead time, please check with our sales team

Flat Bar Trims

Flat Bar Profiles are versatile metal trims designed to create clean, defined borders between granite, marble, and other wall and floor tiles. Commonly used as decorative borders, edge details, and stair tread inserts, they provide a neat finish while enhancing durability and design definition.

Flat Bar

- Flat profile, which is ideal as a dividing feature or as a border strip between granite, marble, and terrazzo wall and floor tiles.
- Mill finish.

Stock Code.	Cross Section mm	Length m	Finish
4686*	10x3	2	Stainless Steel
4687	9.5x3.2	1.83	Brass



Listello Bar 2.5m

- Flat decorative aluminium profile, designed to create a feature in ceramic wall tile installations.
- Can be used to provide a finished edge where tiling is not wall to wall.

Stock Code.	Width mm	Depth mm	Finish
4421	10	8	Chrome
TTMLS20B	20	8	Chrome
LFA100.94	10	8	Brushed Chrome
LFA200.94	20	8	Brushed Chrome
LFA100.86	10	8	Brass
LFA200.86	20	8	Brass
LFA200.90	20	8	Brushed Brass



Stair Nosings & Protective Edgings

From heavy-duty stair nosings for commercial environments to self-adhesive solutions for quick installation, these profiles protect vulnerable edges while providing a clean, finished appearance. Available in metal and PVC options,

Self-adhesive Stair Nosing

- A one-piece stair nosing with a long riser, providing decoration and robust protection for the floor covering.
- Available in 3 colours; silver, gold and oak.

Stock Code.	Length m	Finish	Box Qty
M74P3AMA	0.9	Silver	10
M74P3GMA	0.9	Gold	10
M74P3WOA	0.9	Oak	10
M74.9AMA	2.7	Silver	10
M74.9GMA	2.7	Gold	10
M74.9WOA	2.7	Oak	10



Heavy Duty Stair Nosing

- Fitted onto the nose of each step, these help to clearly define the steps on a stair to prevent slips, falls and oversteps.
- Complies with Document M of Building Regulations 2000.
- Other finishes available on request, please ask the sales team for more information.

Stock Code.	Width mm	Depth mm	Finish
NTC10.16*	55	10	Black
NTC10.43*	55	10	Dolphin Grey
NTC10.47*	55	10	Yellow
NTC12.16*	55	12	Black
NTC12.43*	55	12	Dolphin Grey
NTC12.47*	55	12	Yellow



Heavy Duty Round Edge Stair Trim 2.5m

- Aluminium protective round stair edge with a ribbed top to aid grip.

Stock Code.	Internal Height mm	Length m
4932	10	2.5



PVC Stair Edge 2.5m

- PVC profile for finishing and protecting tiled step edges.
- Ribbed rubber tread with a 16mm visible width.
- Does not comply with Document M of Building Regulations 2000.

Stock Code.	Internal Height mm	Length m	Finish
NIB106.16	10	2.5	Black
NIB126.16	12	2.5	Black



Panel Profiles

Panel profiles are an essential finishing element for PVC wall cladding, delivering clean lines, seamless joins, and long-lasting protection in both residential and commercial spaces. Designed to enhance the appearance of the installation while ensuring a neat, watertight finish, these profiles provide the perfect solution for corners, edges, joints, and terminations.



Protective Edging 2.5m

- Square section for corner or edge protection

Stock Code.	Size mm	Finish
4964	20x20	Brushed Aluminium
EAA206.16	20x20	Black Aluminium
EAA206.81	20x20	Satin Aluminium
EAA206.90	30x30	Brushed Brass Aluminium
4907	30x30	Polished Gold Stainless Steel
4908	30x30	Brushed Stainless Steel
4912	30x30	Polished Stainless Steel
EAS504.84	50x50	Polished Stainless Steel

Brushed Aluminium



Black Aluminium




Tiling Trims & Movement Joints



PXA External Corner 2.4m

- This profile is used to finish the external corner of a panel.


Stock Code.	Width mm	Depth mm	Finish
PXA118.91	30	11.50	Bright Silver
PXA118.17*	30	11.50	Matt Black
PXA118.90*	30	11.50	Brushed Brass



PHA H Joint 2.4m

- This Joint is a decorative profile that is used to join two sections of paneling.


Stock Code.	Width mm	Depth mm	Finish
PHA118.91	11	11.50	Bright Silver
PHA118.17*	11	11.50	Matt Black
PHA118.90*	11	11.50	Brushed Brass



PSA Scotia Retro Fit 2.4m

- The Retro fit is an aluminium profile that can be used on the corner of a panel, top edge or bottom edge.


Stock Code.	Width mm	Depth mm	Finish
PSA308.91	30	19	Bright Silver
PSA308.17*	30	19	Matt Black
PSA308.90*	30	19	Brushed Brass



PUA End Cap Profile 2.4m

- This profile is used to finish the end of a panel.


Stock Code.	Width mm	Depth mm	Finish
PUA118.91	6	11.50	Bright Silver
PUA118.17*	6	19	Matt Black
PUA118.90*	6	19	Brushed Brass




PIA Internal Corner 2.4m

- This Internal corner joint is a profile that is used on the internal corner of paneling.

Stock Code.	Width mm	Depth mm	Finish
PIA118.91	15	11.50	Bright Silver
PIA118.17*	15	11.50	Matt Black
PIA118.90*	15	11.50	Brushed Brass





Movement and Waterproof Matting

STRUCTAMAT MOVEMENT & SOUNDPROOFING	38-42
DURABASE CI++ MATTING	42
STRUCTAMAT WATERPROOFING CORNERS & TAPES	43
RAIMONDI SHEET PRESSER ROLLER	43
EXACTAMAT MATTING	44-45



Ultimate Solution for High Performance Matting

APPLICATIONS

Residential flooring installations: Ensures longevity and performance in homes

Commercial and office spaces: Provides reliable flooring solutions for high-traffic environments.

Wetrooms and Bathrooms: Offers waterproof protection in areas prone to moisture.

Multi-Story Buildings: Delivers effective soundproofing and noise control.

High-Traffic Areas: Durable enough to withstand frequent use without compromising integrity.

Projects Requiring Movement Accommodation and Waterproofing: Ideal for substrates prone to movement and areas requiring moisture protection..

KEY FEATURES

Multi-Purpose Movement Matting

Structamat's advanced matting systems are crafted to accommodate movement across all flooring types. They ensure the longevity and integrity of your flooring installations, particularly effective on substrates prone to movement, such as timber and cracked concrete.

Durable and Lightweight

Despite their robust performance, Structamat products remain lightweight and easy to install, making them a perfect choice for both professional installers and DIY enthusiasts. These matting solutions deliver long-lasting performance, even in high-traffic areas.

Eco-Friendly Options

Structamat is committed to sustainability, offering matting ranges that incorporate recycled materials wherever possible. These eco-friendly options support sustainable building practices without compromising on quality or performance.

Ultra-Thin Matting

For projects where height build-up is a critical consideration, Structamat offers ultra-thin matting solutions with a build-up starting from just 0.48mm. These low-profile options provide exceptional performance without adding unnecessary thickness to your flooring.

Waterproof Solutions

Perfect for ceramic tile substrates, Structamat waterproof matting options provide reliable moisture protection, making them ideal for wet areas such as bathrooms and wetrooms. These solutions prevent water ingress, safeguarding the underlying substrate.

Soundproofing Matting

Structamat's soundproofing matting solutions reduce sound transmission by up to 21dB, ensuring quieter environments by minimising impact noise. These products are ideal for multi-story buildings, apartments, and offices where noise control is essential.

Specialised Corner Pieces for Waterproofing

To ensure comprehensive waterproofing, Structamat offers specialised corner pieces designed to secure corners and niches effectively. These components integrate seamlessly with the matting system, providing full moisture protection in hard-to-reach areas.

Movement and Waterproof Matting

STRUCTAMAT Matting

This matting is a one-step underlayment system which can be used on the most common substrates, including timber floors and cracked concrete, although as it is a multi-purpose movement matting it is compatible with all floor tile types.

- Very durable, lightweight and easy to fit.
- Suitable for use on most substrates including timber floors and cracked concrete.
- Can be stuck down with standard flexible tile adhesive.
- It is manufactured using 70% recycled materials, meaning it is kinder to the environment than many alternative forms of movement mattings.
- Only 3mm thick.

Stock Code.	Roll Width m	Roll Length m
4983	1	5
4984	1	30



STRUCTAMAT XT Movement Matting

The Structamat XT movement matting is an innovative crack bridging, decoupling membrane that will provide brilliant protection from problem substrates, including timber, concrete and heated floors. As a versatile matting solution, it is compatible with all types of tiles and natural stone, whilst being lightweight, ultrathin and very easy to install.

- A crack bridging, decoupling membrane.
- Suitable for use on most substrates including timber floors & concrete.
- Superior protection against problem substrates.
- Innovative design, rot proof and durable.
- Ultra thin, with a thickness of less than 1mm.



Stock Code.	Roll Width m	Roll Length m
4990	1	30



STRUCAMAT PRO Waterproof and Movement Matting

- Innovative 3-ply waterproof membrane, for use on walls and floors.
- Minimal height build-up of just 0.87mm.
- Superior protection from substrate movement.
- Suitable for use on most substrates including timber floors & concrete.
- Suitable for use with underfloor heating.
- Tested to BS / EN Standards.



Stock Code.	Roll Width m	Roll Length m
4972	1	15



STRUCTAMAT WP Waterproof Matting

- This matting is a special waterproofing fabric, designed for use under tile substrates.
- Suitable for both walls and floors and provides a great pull strength.
- Minimal height build-up of just 0.48mm.
- Suitable for use with underfloor heating.

Stock Code.	Roll Width m	Roll Length m
4977	1	5
4978	1	30
4976	150mm (Tape)	50



Movement and Waterproof Matting

STRUCTAMAT Soundproofing Acoustic-SR

- Acoustic insulation matting designed for reducing footfall noise.
- Manufactured using rubber and cork granules bound with polyurethane, to offer up to 21dB reduction in impact sound transmission.
- Suitable for use under ceramic tiles, stone, laminate, parquet and hardwood floors.
- Good thermal insulation properties, and it can be used with underfloor heating.
- Adhere with JM400 Adhesive.

Stock Code.	Roll Width m	Roll Length m
5199*	1	20



DURABASE CI++ Matting

The Durabase CI++ matting is a multi-purpose solution designed to provide a one-step underlayment system for use within floor tiling. Thanks to its 3-layer construction, this matting system provides a variety of benefits, including decoupling, crack-bridging and optimised shearing force protection.

- Suitable for use on most substrates including timber floors and cracked concrete.
- Can be stuck down with a standard flexible tile adhesive
- Designed to cope with multi-directional lateral substrate movement.
- Only 3mm thick.



Stock Code.	Roll Width m	Roll Length m
QMP30	1	30

STRUCTAMAT Waterproofing Fleece Tape & Corners

Fleece backing provides reliable waterproofing in moisture-exposed areas. The corners are especially suitable for use under tiles in bathrooms, showers, balconies, terraces, and other wet areas. The sealing tapes are highly flexible, tear-resistant, and waterproof. They are used to permanently seal movement joints, connection joints, wall/floor transitions, and corner areas.

Stock Code.	Description
4995*	Fleece Tape 50m Roll 0.7mm
4979*	External corner piece
4980*	Internal corner piece



STRUCTAMAT Mesh/Rubber Sealing Tape & Corners

Flexible rubber waterproofing tape with reinforced mesh edges for superior adhesion and long-lasting watertight sealing of joints and transitions in wet areas.

Pre-formed rubber corners also available with mesh-reinforced flanges, designed to provide a reliable, crack-bridging waterproof seal at internal and external 90° junctions.


Stock Code.	Description
15301	50m Tape
15302	10m Tape
15313	Internal corner piece
15314	External corner piece



STRUCTAMAT Self-Adhesive Corners

- Self-adhesive corners for waterproofing niches.

Stock Code.	Description
5483	External corner piece
5811	Internal corner piece



Sheet Presser Roller

Designed to help lay decoupling mattings and preformed membranes quickly and easily.

- A height adjustable handle
- The roller design ensures full coverage of the matting in the adhesive.
- Comfortable double handles for easy rolling whilst standing.
- Folds away easily for transport
- Can be easily weighted down with a bag of adhesive.

Stock Code.
1172




* Product has a lead time, please check with our sales team



EXACTAMAT Pro-Matting

- This one-step underlayment solution is durable, lightweight and quick and simple to install, making it the ideal system for absorbing multidirectional stresses within a tiled surface.
- The system can be used on all sound substrates, including timber and concrete floors, where it will absorb movement by providing a de-coupling layer.
 - Designed to decouple or seal when laying ceramic tiles, porcelain tiles or stone to prevent tiles from cracking and moisture absorption.
 - Can be stuck down with standard flexible tile adhesive.

Stock Code.	Roll Width m	Roll Length m
4985	1	30



EXACTAMAT
A ONE-STEP MATTING SYSTEM

Overcome the risks of cracked and failing tiles with the innovative Exactamat underlayment system. This one-step solution is durable, lightweight and quick and simple to install, making it the ideal system for absorbing multidirectional stresses within a tiled surface

"The Exactamat one-step matting system can be used on all sound substrates, including timber and concrete floors, where it will absorb movement by providing a de-coupling layer."

Tiled surfaces are put under stress whenever there is movement within the substrate, which will lead to unsightly chips and cracks in the surface. Whether you are looking to tile on a cracked concrete surface, over newly poured screed or over under-floor heating which is subject to thermal fluctuations, this soft and flexible polyethene matting is the ideal solution.

At just 3mm thick our one-step matting system will ensure rigid tiled surfaces are able to withstand these stresses, by decoupling the layers and absorbing any movement.


This soft and flexible polyethene matting can be easily rolled completely flat across the substrate. where the dimpled design will reduce the amount of adhesive required, whilst also effectively reducing the overall tiling time.

ADVANTAGES

- Effectively bridges gaps and absorbs multilateral stresses
- A lightweight, flexible LDPE polyethene construction
- Can be used with superior modified adhesive
- Suitable for use over underfloor heating systems
- An innovative dimpled design that reduces the adhesive requirements, prevents void spaces and aids faster installation
- Can be used on firm, flat and even substrates with a good load-bearing capacity

FITTING INSTRUCTIONS

1. Prepare the substrate by removing dust, dirt and other contaminants, and ensure the surface is level. If the substrate is asorbent, a suitable primer will then need to be applied.
2. Lay and cut the Exactamat to size, then spread a suitable adhesive to bond the matting to the substrate below, using a 4 or 6mm notched trowel.
3. Press the matting into place using a grout float, so that the full surface is in contact with the adhesive. Whilst drying prevent placing any loads on the area.
4. Clean and dry the area, then apply tile adhesive and begin to tile the area using a thin bed method.



Tile Backer Boards & Accessories

BASEBOARD PANELS	48-49
BASEBOARD SHOWER TRAYS & DRAINS	50-51
BASEBOARD ACCESSORIES & FIXINGS	52
AQUABOARD ECO PANELS	53-54
AQUABOARD ECO ACCESSORIES	55

Tile Backer Boards & Accessories



BUILD SMARTER. BUILD STRONGER. BUILD WITH BASEBOARD.
THE ULTIMATE WET ROOM BACKING SYSTEM.

A complete waterproof tile backing and insulation system engineered for wet rooms, showers, and bathrooms.



Waterproof



Insulating



Lightweight



Versatile



BASEBOARD Panels

The Baseboard tile backer board systems are innovative boards which can be used to create a waterproof surface, that is suitable for use when fixing wall and floor tiles. The system is designed to be used instead of chipboard, ply or plasterboard, where it works to prevent water reaching the surface beneath the board.


These panels are cement coated and include a strengthened fibre glass mesh, which ensures they are suitable for use on metal, timber stud work and existing walls and floors. The result will be a strengthened and stabilised level surface which is ready for tiling.

- ✓ **WATERPROOF**
TOTALLY IMPERVIOUS TO MOISTURE, PROVIDING A STABLE AND READY TO TILE SUBSTRATE.
- ✓ **INSULATING**
HIGH THERMAL INSULATION PROPERTIES ENSURING MINIMAL HEAT TRANSFER TO ADJACENT SURFACES.
- ✓ **LIGHTWEIGHT**
NO EXTRA LOAD REQUIREMENTS. EASY TO HANDLE AND CUT.
- ✓ **VERSATILE**
SUITABLE FOR USE ON TIMBER AND METAL STUDWORKS, CONCRETE AND TIMBER FLOORS.
- ✓ **UNDERFLOOR HEATING**
SUITABLE FOR USE BENEATH UNDERFLOOR HEATING.

Stock Code.	Description	Length A	Width B	Thickness mm	Unit Qty
BB1004*	Panel	1200	600	4	15 pcs / Carton
BB1005	Panel	1200	600	6	10 pcs / Carton
BB1010	Panel	1200	600	10	10 pcs / Carton
BB1015	Panel	1200	600	12	10 pcs / Carton
BB1020	Panel	1200	600	20	10 pcs / Carton



* Product has a lead time, please check with our sales team



Tile Backer Boards & Accessories

BASEBOARD Shower Trays

The Baseboard shower tray range incorporates a wide variety of shapes and sizes, which makes it possible to create a level access walk-in shower area. Each tray has a preformed fall to the drain location.



Coated with cement, and strengthened with fibreglass mesh, the Baseboard shower trays are ready for the application of tiles. Compatible with electric underfloor heating.

Stock Code.	Description	Length A	Width B	Thickness mm	Drain Position
BB2115	Rectangular Tray	1200	900	20	Centre
BB2120	Rectangular Tray	1200	900	20	Offset - 450mm from edge on dim A, centred on dim B
BB2125	Rectangular Tray	1200	800	20	Offset - 450mm from edge on dim A, centred on dim B
BB2130	Rectangular Tray	1500	900	25	Offset - 450mm from edge on dim A, centred on dim B
BB2135	Rectangular Tray	1800	900	25	Offset - 450mm from edge on dim A, centred on dim B
BB2140	Rectangular Tray	1200	1000	20	Offset - 450mm from edge on dim A, centred on dim B
BB2145	Rectangular Tray	1500	800	25	Offset - 450mm from edge on dim A, centred on dim B
BB2210	Square Tray	900	900	20	Centre
BB2215	Square Tray	1000	1000	20	Centre
BB2220	Square Tray	1200	1200	20	Centre
BB2405	Channel/Linear Drain Tray	900	900	30	Offset - 230mm from edge on dim A, centred on dim B
BB2410	Channel/Linear Drain Tray	1200	900	30	Offset - 230mm from edge on dim A, centred on dim B
BB2415	Channel /Linear Drain Tray	1500	900	30	Offset - 230mm from edge on dim A, centred on dim B

Please Note: Products listed above are supplied c/w waste and stainless steel drain cover plates.

BBD	Standard Waste 120x120mm
BBLD	Channel/Linear Waste 600x70mm
BB2525	Tile on grate for linear shower trays
BB2526	Linear shower tray grate - Brushed brass finish
BB2527	Linear shower tray grate - Black finish

Baseboard Shower Tray



Linear Drain Tray



CHANNEL/LINEAR DRAIN TRAYS

Stock Code.

BB2405
BB2410
BB2415



STANDARD WASTE

Stock Code.

BBD
Coming Soon - Brushed Brass & Matt Black Grate



CHANNEL/LINEAR DRAIN WASTE

Stock Code.

BBLD



TILE ON LINEAR GRATE

Stock Code.


BBD2525



LINEAR SHOWER TRAY GRATE - BRUSHED BRASS

Stock Code.


BB2526



LINEAR SHOWER TRAY GRATE - BLACK

Stock Code.


BBD2527



BASEBOARD
Dowel Fixings

Suitable for fixing Baseboard panels to masonry walls or tiled surfaces.
Ideal for use in wet areas.
Use 12 dowels per 1200X600mm board.

Stock Code.	Length A	Box Qty
MIA860	60	50
MIA890	90	50
MIA8110	110	50
MIA8140	140	50



BASEBOARD
Washers

For use in conjunction with fixing screws when securing Baseboard to timber walls and floors.
Use 12 washers per 1200X600mm board.

Stock Code.	Description	Diameter mm	Box Qty
MIAD35	Aluminium	35	100
MIAD35SS*	Stainless Steel	35	100
MIAD500	Aluminium	35	500 Bucket



BASEBOARD
Screws

Featuring a sharp point, these zinc plated drywall screws can be used with washers to mechanically fix Baseboard panels to walls and floors.
Use 12 screws per 1200x600mm board.

Stock Code.	Description	Length A	Box Qty
00025DRY	Drywall Screws	25	1000
00032DRY	Drywall Screws	32	1000
00038DRY	Drywall Screws	38	1000
5215	Drywall Screws	25	500
5216	Drywall Screws	32	500



aquaboardeco
TILE WITH CONFIDENCE

Includes everything
professionals need to
install tile backer boards
with confidence



Tile Backer Boards & Accessories

Aquaboard Eco is a premium quality light-weight magnesium oxide board, which is ideal for over-boarding chipboard, concrete and stable timber floors.

A PERFECT SUBSTRATE FOR ALL TILE FINISHES

Aquaboard Eco

The Aquaboard Eco boards are a lightweight, incombustible and asbestos-free solution, which can be used to create a solid, stable and moisture resistant surface for fixing wall or floor tiles. The result is a strong and flat surface, which eliminates all problems associated with tiling onto plywood or gypsum.

These moisture resistant boards are able to withstand potential loose and cracked tiles due to wall or floor movement, whilst also preventing rotting timbers, swelling, degradation and mould. In addition, they are an ideal option for overlaying floors where wet underfloor heating is already fitted below the surface.

The fibre mesh boards are between 15-35% lighter than standard cement-based boards, whilst also being much stronger, making these an efficient choice for those looking for cost-effective and easy to install moisture resistant boards.



MOISTURE RESISTANT

THE BOARDS CREATE A SOLID MOISTURE RESISTANT SEGREGATION SYSTEM



SIMPLE INSTALLATION

BOARDS ARE EASY TO CUT AND INSTALL WITH NO SPECIALIST CUTTING TOOLS REQUIRED



LIGHTWEIGHT

THESE MAGNESIUM OXIDE BOARDS ARE EASY TO HANDLE, INCOMBUSTIBLE AND ASBESTOS FREE



UNDERFLOOR HEATING

IDEAL FOR LAYING OVER TIMBER FLOORING WHERE UNDERFLOOR HEATING IS ALREADY IN PLACE



PREVENTS LOOSE AND CRACKED TILES

CREATES A STABLE SURFACE TO PREVENT TILING ISSUES AND ROTTING SUBSTRATES

Stock Code.	Length mm	Width mm	Thickness mm	Pallet Qty
AQBE126	1200	600	6	160
AQBE1212*	1200	600	12	80

AQUABOARD ECO

EASY TO CUT & FIX IN PLACE

The Aquaboard Eco is available with a variety of complementary products, which allow the boards to be stuck securely to a surface ready for tiling.

Simply score and cut the board to size, apply a small amount of the XL adhesive to the board and manoeuvre into place. Next, use the specially designed XL screws to fix the board in place. Finally, the adhesive can be used along any joints and board edges to create a single

AquaBoard Eco Screws

Self-countersinking zinc plated screws, designed for the quick and easy installation of Baseboard panels.

- Pozi No. 2 head
- Self-drilling

Stock Code.	Size mm	Box Qty
5213	25	500
5214	30	500



AquaBoard Eco Adhesive

An adhesive which is capable of bonding wood to a wide range of substrates.

- Time to cure - 5 minutes.
- Fully waterproof to EN 204 D4 standards, with excellent weathering and aging properties.
- Resistant to chemicals and can be used in temperatures from -30 to +100°C.

Stock Code.	Size ml	Box Qty
5206	310	12




Reinforcement Mesh Tape

- A self-adhesive tape featuring an open-weave fabric mesh.
- Designed to strengthen joints within plasterboard panels to create a seamless and secure connection.

Stock Code.	Roll Height mm	Roll Length m
5184	100	90





Waterproofing Kits & Accessories

AQUATANK WATERPROOF TANKING KIT	58-59
AQUATANK PRIMER	60
AQUATANK NEO-FLEX MEMBRANE	60
AQUATANK P.O.S STAND	60
WATERPROOFING TAPES	61

AquaTank

THE COMPLETE WATERPROOFING KIT




**READY TO TILE
WITHIN 2 HOURS**


EASY TO APPLY


LOW VOC



01.
Ensure the application area is clean and dry. Apply AquaTank Pro-Tile Primer as instructed on the label.



02.
Once the primer is dry, tape all corners and joints with AquaTank SA Tape+.



03.
Next apply AquaTank Neo-Flex to the entire area, paying attention to corners and joints.



04.
Once the first coat of AquaTank Neo-Flex is dry, apply a second coat. Once complete and dry, installation and tiling can begin.

AquaTank Kit

The AquaTank kit is a complete waterproofing system, designed for the protection of substrates in wet areas, such as beneath ceramic, porcelain, natural stone and mosaic tiles. The kit comes with everything you need to completely waterproof a 5 or 10m sq. wall or floor area ready for tiling. This superior product provides the convenience of an all in one solution with complete waterproof protection.

Complete kit contains: AquaTank Neo-Flex Membrane, AquaTank Pro-Tile Primer, AquaTank SA Tape+, Paint Brush, Gloves and Instruction/Application Guide.

Stock Code.	Coverage M2	Tape Length m
5570	10	5m
5571	10	10m



AquaTank Pro -Tile Primer
Step 1

Professional grade, multi-purpose liquid latex.

For use as a water resistant primer, flexi-additive and bonding agent. Improves the water resistance, flexibility and long-term durability of renders, floor screeds, concrete and patching mortar.

Especially useful in areas subject to high humidity, dampness and continuous water contact. Always use when preparing wall and floor surfaces for tiling.

Stock Code.	Size
SBRP05L	500ml
SBR5L	5lt



AquaTank Neo-Flex Membrane
Step 4

A flexible liquid tanking membrane for waterproofing substrates or joints between panels when used in conjunction with the AquaTank SA Tape+. Water based and eco-friendly, AquaTank will provide total water-resistance in areas such as bathrooms, showers and wet-rooms.

- Striking colour for indication of completeness of coverage.
- For internal use.
- Coverage: Approx 2m² /kg

Stock Code.	Size
DBNF5	5kg
DBNF10	10kg
DBNF20	20kg



AquaTank
Kit Stand

The AquaTank Kit stand holds 3 tanking kits whilst providing customers with product information and application

Stock Code.
QTH4



AquaTank SA Tape+
Step 2 & 3

AquaTank SA Tape+ is a self-adhesive, flexible tape for use in conjunction with the AquaTank Neo-Flex Membrane. AquaTank SA Tape+ creates an effective waterproof layer in corners, connections between the floor and wall, joints between panels, pipes, balustrade junctions and bathroom outlets. At 76mm wide, the AquaTank SA Tape+ is easy to use and provides totally waterproof joints.

Stock Code.	Size
DBSA5	5m
DBSA10	10m



AquaTank Waterproof
Upstand Tape

- Double-sided fleece-coated, highly elastic sealing tape equipped with a self-adhesive butyl strip. The protection strip made of smooth NBR rubber under butyl prevents the capillary effect, whilst the fleece coating provides an excellent bond with all waterproofing materials used under tiles, such as polymer dispersions, mineral flexible sealing slurries and reaction resin seals.
- Creates an effective waterproof layer in corners, connections between the floor and wall, joints between panels, pipes, balustrade junctions and bathroom outlets.




Stock Code.	Roll height	Roll Length
WJT	mm	m
	100	10

AquaTank ShowerSeal Pro
Waterproofing Tape

- ShowerSeal Pro is a self-adhesive, pre-tiling waterproofing tape that creates a permanent watertight seal around the perimeter of shower trays and baths. It is applied after fitting the tray or bath but before tiling, ensuring that no water can seep through gaps between the wall and the fixture. With a strong adhesive backing and flexible construction, it easily conforms to different surfaces, eliminating the risk of leaks.



Stock Code.	Roll Length
5572	m
	10



Essential Tiling Tools

TYLIX TOOL STAND	66
TILE NIPPERS	67
SCRAPERS, KNIVES & BLADES	67
TYLIX TILING TROWELS	68-70
GROUT FLOATS & GROUT RAKES	70-71
SPIKED ROLLER	72
MOSAIC MESH	72
TILE MAGNETS	72
TAPE MEASURES	72
ADHESIVE WHISKS	73
CAULKING GUN	73
TUBS & BUCKETS	73



Tylix
tiling tools

Tools built for precision, reliability, and finish

PRECISION • DURABILITY • CONFIDENCE



Tylix is a premium tool brand built on real industry experience, with every product carefully designed and manufactured by trusted, world class suppliers.



A complete tiling solution

We deliver high performance tiling tools and products designed to support every tiling application.



Each item in the Tylix range is carefully selected for its **durability, reliability, safety, and outstanding value.**





TYLIX
Double Tile Tool Stand

The Forte double tool free standing mechanise unit showcases the variety of Forte products within shop showrooms, aiding customers in the selection of products.



TYLIX Heavy Duty Scrapers

- Multi-purpose scraper with die cast head and replaceable blade.
- Robust tubular metal handle with 'comfort' grip.



Stock Code.	Description	Length mm	Blade Width mm/in
1130	Heavy Duty Scraper	304/12	100/4
1132	Replacement blades for 1130 (pk 10)	-	100/4

TYLIX
Tile Nippers

- Tungsten carbide tipped nippers for nibbling and shaping ceramic tiles.
- Curved tile nippers are especially ideal for intricate shapes and mosaics.

Stock Code.	Description	Length mm/in	Box Qty
1050	Straight	215/8 1/2	12



Tylix
Scraper

- Wooden handle.
- Ideal for removing paint, wall paper coverings and more.

Stock Code.
1105



Heavy Duty Folding Utility Knife

This mini folding utility knife includes 10 blades and features a quick change blade mechanism for fast and safe blade changes without tools.

- Locking button opens and folds away the blade for increased safety

Stock Code.
2081

Box Qty
12



Professional Stanley Type Utility Blades

- Manufactured from high carbon steel for increased durability and cutting power.
- Suitable for use with all standard fixed blade and retractable utility knives.
- Includes handy plastic case for quick, convenient and safe storage
- A pack includes 10 utility blades

Stock Code.	Size	Blade Thickness mm	Box Qty
2085	19mm x 61mm	0.6mm	36



* Product has a lead time, please check with our sales team

TYLIX California
Pattern Notched Trowel

- Comfortable open handle design, riveted 4 times onto the blade.
- Strong steel blade; 280mm x 130mm.

Stock Code.	Notch Size mm	Box Qty
1306	6 x 6 x 6	12
1308	8 x 8 x 8	12
1310	10 x 10 x 10	12
1313	12 x 12 x 12	12



TYLIX Stainless Steel
Notched Trowel

- High-quality trowel with a stainless-steel blade.
- 'Comfort' soft grip handle.
- Blade Size - 278x112mm.

Stock Code.	Notch Size mm	Box Qty
1329*	4 x 4 x 4	12
1331	6 x 6 x 6	12
1332	8 x 8 x 8	12
1333	10 x 10 x 10	12
1334	12 x 12 x 12	12
1336	15 x 15 x 15	12



TYLIX Dual-Notched
Metal Trowel

- Strong steel blade trowel with a plastic handle.
- 6mm notches to one side and 10mm notches to the other.

Stock Code.	Notch Size mm	Box Qty
1335*	6 / 10	12



TYLIX
Combination Spreader

- Ideal for spreading tile adhesive on small areas.

Stock Code.	Size mm	Box Qty
1386	125 x 84	18



* Product has a lead time, please check with our sales team

* Product has a lead time, please check with our sales team

TYLIX
Large Bucket Trowel

- High-quality multi-purpose trowel with stainless steel blade and wooden handle.
- Flat end is ideal for cleaning out the bottom of buckets.

Stock Code.	Blade Length mm
1398	180



TYLIX
Bucket Trowel

- High-quality, multi-purpose trowel with stainless steel blade and wooden handle.
- Flat end is ideal for cleaning out the bottom of buckets.

Stock Code.	Type	Blade Length mm
1397	Small	160



TYLIX
Floor Squeegees

- Use for spreading grout in large areas.
- Metal galvanised frames and wooden poles.
- Foam/rubber squeegees.

Stock Code.	Description	Size mm
1455*	Black rigid rubber	560 wide
1460*	Black folded foam rubber	450 wide
1465*	Pole for 1455 rigid above	1200 long
1466*	Pole for 1460 folded above	1200 long



TYLIX
Quality Floor Grouter

- High-quality grouter with non-scratching plastic base.
- Long tapered design ideal for floor grouting.
- Dense rubber pad with bevelled edges.

Stock Code.	Pad Dim mm	Box Qty
1428	300 x 100	12



TYLIX Premium
Grouting Float

- Lightweight rubber faced tile grouter with aluminium base and bevelled edges.


Stock Code.	Pad Dim mm	Box Qty
1410	225 x 100	12



TYLIX Pentagon
Grout Rake

- The stainless-steel blade can be rotated as the side wears.

Stock Code.	Description	Box Qty
1489	Pentagon grout rake	12
1491*	Spare blade for Pentagon grout rake	12



* Product has a lead time, please check with our sales team


* Product has a lead time, please check with our sales team

Tiling Tools and Accessories

Tile Magnets

- For removable access panels.
- Set consists of 4 high-quality magnets and 4 counter plates.

Stock Code.	Box Qty (Sets)
3000	10



XTRADE Tape Measures

- The XTrade tape measures are quality tools that offer accuracy and precision at your fingertips. A product of the highest quality, this versatile tape measure is designed to meet the demands of both the professional and DIY enthusiast.
- Offers both metric and imperial measurements.
 - Non-slip, impact-resistant ABS covered TPR case for maximum durability. read measurements.
 - Auto-lock mechanism that secures your measurement in place, preventing the tape from retracting unexpectedly.
 - The clear, large-scale display ensures you can read measurements with ease, even in low-light conditions.
 - A strong built in magnetic tap for added convenience on the job.



Stock Code.	Length m	Blade Size mm	Box Qty
2045	5	19	8
2049	8	25	6

TYLIX Mosaic Mesh

- Self-adhesive mesh to make mosaic tiles rigid and very simple to handle.
- Easy to cut with a knife or scissors.
 - High-grip self-adhesive backing.
 - Box consists of 10 packs of 11 sheets.
 - Comes in a retail box when ordering full box quantities.

Stock Code.	Sheet Size mm	Pack Qty
1295.PK	300x300	10 packs of 11 sheets
1295	300x300	1 Sheet



Extreme Spiked Rollers

- For aerating and spreading self-levelling compound, releases trapped air and prevents bubbles forming on the surface.

Stock No.	Roller Width mm/in
1168	300/12
1169	500/18



TYLIX Adhesive Whisks

- Quality whisks with a highly durable finish.
- To be used with an electric drill for the fast and efficient mixing of powdered adhesives and grouts.

Stock Code.	Type	Size mm	Shaft Ø mm	Box Qty
2010	Standard	60 x 400	8	12
2011	Medium	100 x 590	10	12
2012	Large	120 x 590	10	12



SOUDAL Skeleton Caulking Gun

- Quality caulking gun.
- Suitable for 310ml cartridges.

Stock Code.	Integral Length mm/in
SG400	250/10



Flextubs

- Robust and flexible general purpose PVC tub in 3 sizes.
- Especially useful for mixing adhesives.

Stock Code.	Size L
1597	25
1595	40
1596	75



PVC Bucket


- Robust PVC 14 litre bucket with handle.

Stock Code.
1593



* Product has a lead time, please check with our sales team

* Product has a lead time, please check with our sales team




Tile Spacers & Levelling Kits

TYLIX SPACERS & WEDGES	77
TYLIX LEVELLING SYSTEM	78=79
LEVTEC LEVELLING SYSTEM	80-81
QUICK LEVEL SPIN SYSTEM	82
ADJUSTABLE PAVING PEDESTAL	83



TILE SPACERS & LEVELLING KITS

Achieve perfectly spaced and level tiles every time with our premium tile spacers and levelling kits.



Accurate Tile Spacing

High-quality plastic cross and T-shaped spacers for consistent grout lines



Efficient Levelling System

Wedge and clip system ensures tiles are level and eliminates lippage



Reliable Levelling Pliers

Durable pliers give precise adjustment and easy removal of wedges

PRECISE • EASY • EFFECTIVE



TYLIX Tile Spacers

- Strong and durable tile spacers, used to ensure a regular joint width and for a quick and accurate alignment of wall and floor tiles.
- If needed, spacer legs can be snapped to leave a smooth L or T shape.
- Spacers can be grouted over.



Standard			
Stock Code.	Spacer Width mm	Spacer Per Pack	Box Qty (Packs)
1210	1	250	100
1225	2	250	100
1230	2	500	100
1245	3	250	100
1250	3	500	100
1255	4	250	50
1265	5	200	100
1270	8	100	100
1271	10	100	100

Long Leg			
Stock Code.	Spacer Width mm	Spacer Per Pack	Box Qty (Packs)
1272	2	250	100
1274	2	500	50
1277	3	500	50
1274B2	2	2000	Bucket
1277B2	3	2000	Bucket
1274B5	2	5000	Bucket
1277B5	3	5000	Bucket

TYLIX 'T' Spacers

- T spacers used if a brickwork effect or random pattern is required.

Stock Code.	Spacer Width	Spacer Per Pack	Box Qty (Packs)
1279	2	200	40
1280	3	200	50
1283	5	500	40
1285	5	500	40



TYLIX Plastic Tile Wedges

- Very strong and durable plastic wedges.
- Ideal for the straight alignment of irregular & skirting tiles.
- 250 Wedges per pack.

Stock Code.	Width mm	Type	Box Qty (Packs)
1288	Up to 5	Plastic	100



Tile Spacers
& Levelling Kits

TYLIX Levelling Kit

- A fast and effective tile levelling system which is designed to create a perfectly level and lippage free finish.
- Clip acts as a 1.5mm spacer.
- Suitable for use with tile thicknesses between 3-12mm.

Stock Code.	Description
2203	Kit includes 100 Clips, 100 Wedges and 1 Applicator tool.



TYLIX
Clips & Wedges

- Suitable for use with tile thicknesses between 3-12mm
- Tall clips suitable for use with tile thicknesses between 12-20mm

Stock Code.	Type	Spacer Width mm	Qty Per Pack
2205	Clips	1.5	100
2200	Clips	1.5	500
2206	Clips	1.5	2000
2208	Clips	2	100
2204	Clips	2	500
2209	Clips	Tall 2mm	250
2201	Wedges	-	250
2207	Wedges	-	100



TYLIX
Levelling System Application Tool

- Designed to reduce laying time, with a perfect, lippage-free finish every time.
- For use with the Forte Levelling System Clips & Wedges

Stock Code.	Type	Box Qty (Packs)
2202	Application Tool	1



* Product has a lead time, please check with our sales team

* Product has a lead time, please check with our sales team



HOW TO CREATE A
PERFECT FINISH

- Step 1

Spread the tile adhesive and lay the tile, then position the LevTec clips beneath the edge of the tile. The clip will act as 1.5mm spacer when pressed firmly against the tile.
- Step 2


Set the adjacent tile firmly into the adhesive, and butt against the LevTec clip. Then slide the LevTec wedge through the clip until both tiles are firmly levelled.
- Step 3

Once the tiles are locked in place, the clips and wedges need to stay in position until the adhesive sets. The joint width can be adjusted slightly during setting, without disrupting the height of the tiles.
- Step 4

Once the adhesive is set, the wedges can be removed using a rubber mallet. The clips should be hit in the direction of the tile joint, where they will dislodge from the breakpoint below the tile, ready for grouting.

LEVTEC
Levelling System Kit

- A complete levelling system floor kit.



Stock Code.	Description
LTSK	Levelling System Floor Kit includes 100 Clips, 100 Wedges and 1 pair of Floor Pliers.

LEVTEC
stand

The LevTec merchandise free standing unit showcases the LevTec Levelling System, aiding customers with their purchase.



LEVTEC
Levelling System Clips

- Designed for tiles with thicknesses between 3 and 12mm.
- Snaps off leaving the tiles ready to grout.

Stock Code.	Size mm	Qty
2271	1.5	100 pack
LTC500	1.5	500 pack
LTC2000	1.5	2000 pack



LEVTEC
Levelling System Wedges

- Offers precisely spaced joints, making these the optimum system for levelling tiles and for the avoidance of lippage.

Stock Code.	Qty
LTW250	250 pack



LEVTEC
Levelling System Pliers

- Allows wedges to be inserted through clips easily, to ensure level floors and walls.

Stock Code.
LTP



Quick Level Spin System

- Featuring a cylinder and screw this quick and simple levelling system will remove inconsistencies.
- Scratch proof discs allow a secure installation without scratching the surface of the tiles.

Stock Code.	Description	Pack Qty
4400DK	Cylinder head	50
4401DK	1mm Screw	100
4402DK	2mm Screw	100
4403DK	3mm Screw	100



Arkimede Adjustable Paving Pedestal

The innovative ARKIMEDE Adjustable Paving Pedestal, is one of the latest products to join our extensive range of outdoor tiling equipment. These pedestals are the ideal choice for those looking to create a perfectly level outdoor surface, such as a raised tiled area, terrace or deck space.

The polypropylene pedestals are designed to be wound up and down, which allows the installer to achieve a perfectly level inish, whilst also ensuring slabs are evenly spaced. Not only do these pedestals provide a stunning finish, but the design will also aid drainage as rainwater is able to flow under the surface thanks to the free-flowing cavity. This means there are no issues with water pooling or damp ingress, and if maintenance is ever required, they can be removed easily.

- The adjustable height for an individual pedestal can range from 60-115cm, with 50 and 100mm extensions available to further increase the height. Simply remove the spacer tabs to lock the extension in place, with a maximum of 5 x 100mm extensions possible on each pedestal to give a total height of 500mm.
- The support base surface is 314cm2, with a recessed design that encourages the outflow of water. In addition, during installation the base can be easily cut to size to allow the pedestals to be used within corners and against walls.
- Pedestals include 4 spacer tabs which are designed to create a 4mm joint. These tabs can be removed during tiling to allow tiles to be installed against walls or around obstructions.
- Features a head diameter of 120mm and a laying surface of 113cm2.
- An anti-noise rubber top is included within each pedestal to minimise noise disruptions.
- The polypropylene design is able to hold very large weights, whilst also enduring fluctuating temperatures and changing weather.

Stock Code.	Size L
1143/P25	25mm Pedestal Extension
1143/P50	50mm Pedestal Extension
1143/4A4M	Pedestal with 4mm joint



* Product has a lead time, please check with our sales team



PPE & Tile Handling

KNEE PADS	86
TILING SANDALS	87
GLOVES	87
HAND & KNEE SUPPORT TOOLS	88
TYLIX SUCTION CUPS	89

Soft Yellow
Knee Pads

- An economical comfort pad, non-slip design and with double straps.

Stock Code.
2032



Hard Cap
Knee Pads

- Lightweight, durable knee protection.
- Heavy duty plastic caps on front for easy knee swivelling.
- Comfortable double straps with easy on/off fastener.
- Easy to put on and remove.
- Thick foam cushioning for ultimate comfort.

Stock Code.
DT70810



Tiling
Sandals

- Spiked shoes for walking over adhesive.
- Removable spikes and adjustable straps allow for any shoe size.
- Not to be used with underfloor heating.

Stock Code.	Size
09355	26mm



Work
Gloves

- Poly-cotton latex coated work gloves.

Stock Code.	Size	Box QTY.
JEGLM	Medium	12
JEGLL	Large	12
JEGXL	Extra Large	12



Vinyl
Gloves

- Disposable ambidextrous latex gloves, which stretch to size for either the left or right hand.
- Ideal for use with normal grout and adhesive.
- Powdered.

Stock No.	Size	Box Qty (Pairs)
1535	Large	50



Gel Filled
Knee Pads

- Non-marking and anti-slip gel knee pads.
- Sturdy PVC preformed shell.
- Foam core for maximum comfort.
- Two adjustable neoprene straps.

Stock Code.
X1900001



Concertina
Rubber Knee Pads

- Ribbed design which is useful when preparing sand or mortar (mud bed) layouts.
- Alongside protecting the knees, the ribbing is designed to flex with the knee to prevent sand and other particles from becoming trapped between the knee pad and knee.
- Features a removable soft foam insert

Stock Code.
2034



* Product has a lead time, please check with our sales team

* Product has a lead time, please check with our sales team

PPE &

Tile Handling

Hand Support

A comfortable, stable and safe support tool which is ideal for use when spreading adhesive, and placing, adjusting, and cleaning tiles.

Thanks to the ergonomic design, bodyweight is distributed evenly to relieve fatigue, whilst increasing the working area range of the tiler to reduce installation time.

It comes with 4 white removable rubber feet (ant-slip and anti-stain), and it can be used without feet on adhesive already spread without disturbing the adhesive bed or with feet on installed tiles

Stock Code.

1185



Multifunctional Tile Support Pad

An innovative and versatile rubber pad designed to simplify various tasks associated with tile handling and installation. This multifunctional support pad allows users to cut, drill, make incisions, spread glue, and more, all with ease and precision.

- 59 x 59 cm pad supports tiles up to 60 x 60 cm; multiple pads can support larger tiles.
- Supports up to 75 kg (evenly distributed).
- Made from abrasion and weather-resistant rubber.
- Cleans easily with water; rubber allows removal of cured adhesive.
- Features handles for easy transport and storage.


Stock Code.	Size m	Supports kg
0061	590x590	75



Single Suction Cup

- Ideal for the safe handling of marble and granite tiles.
- For the removal of misplaced or cracked tiles.
- Code 2005 is heavy duty version.

Stock Code.	Cap Ø mm	Lift Capacity kg
2004	118	35



Double Suction Cup

- Ideal for the safe handling of marble and granite tiles.
- For the removal of misplaced or cracked tiles.


Stock Code.	Cap Ø mm	Lift Capacity kg
2006	118	70



Triple Suction Cup

- Ideal for the safe handling of marble and granite tiles.
- For the removal of misplaced or cracked tiles.

Stock Code.	Cap Ø mm	Lift Capacity kg
2008	115	100





BEST
SELLER

- ✓ 24l Bucket
- ✓ Twin Wash Rollers
- ✓ Hydro Sponge with Holder

TYLIX
Washboy Bucket Set

- Quality bucket set with twin rollers, plastic base grid, castors, sponge and holder.
- Size 512 x 275 x 265mm.

Stock Code.
1632



TYLIX Washboy
Sponge & Handle


- 280mm x 140mm x 30mm (1, 2 & 3 roller).
- Square sponges & holders.
- Ergonomic white handled version.



Stock Code.	Description	Box Qty
1640	Washboy sponge and handle	1
1645	Replacement sponge	40

TYLIX
Hydro-Sponge

- Premium quality highly absorbent sponge.
- Ideal for cleaning tiles after grouting.
- Size 165 x 110 x 65mm.



Stock Code.	Box Qty
1475	50

Pedalo Washboy Set

High capacity washboy set for the fast cleaning of large areas with a foot operated sponge cleaning system, to reduce fatigue, backache and worn knees.

- For cleaning grout from floors and walls.
- The pole sponge enables you to work in an upright position on both floors and walls.
- The pedal eases the squeezing action of the sponge while allowing the user to remain upright.
- The sponge float with handle can be used on smaller areas.
- The high-capacity tank (40lt - 10.5 gal).



Stock Code.	Description
1680*	40L bucket set complete with hand & floor sponges, holders and pole fixing
1684*	Spare floor sponge only
1685*	Spare floor sponge with metal head
1683*	Holder for Skipper sponges+

* Product has a lead time, please check with our sales team

* Product has a lead time, please check with our sales team

Smart Washboy Set

- For cleaning grout from walls and floor.
- 10 litre Lightweight, impact resistant plastic bucket.
- Highly absorbent ‘Sweepex’ uncut sponge and holder.
- The special roller edges are made in relief for avoiding water dripping when squeezing the sponge float
- Equipped with ‘Sweepex’ sponge float, grating, handle for transport and wheels.

Stock Code.
1639*



Sweepex Sponge

- High-quality sponge with scourer pad.
- For removing stubborn dirt without scratching the tile.

Stock Code.	Description
1681*	'Sweepex' standard size sponge for Skipper - 300 x 130 mm



Quick Change Handle for Skipper Sponges

- Durable quick change handle for skipper sponges.

Stock Code.	Description
1683*	Handle for Skipper sponges



* Product has a lead time, please check with our sales team

Pad & Pad Holders

• Velcro pad holder.

Stock Code.	Size mm	Box Qty
1500	230 x 110	20



• Pad holder and pole.

Stock Code.	Size mm	Box Qty
1505	1300 long	1



• White for polishing & epoxy grout.

Stock Code.	Size mm	Box Qty
1510	250 x 115 x 20	25



• Blue for regular cleaning.

Stock Code.	Size mm	Box Qty
1515	250 x 115 x 20	25




• Black for scrubbing.

Stock Code.	Size mm	Box Qty
1520	250 x 115 x 20	25



• Green for epoxy grout.

Stock Code.	Size mm
1525	230 x 150 x 7



STIXX Protective Film


A low tack self-adhesive film roll to protect surfaces from scratches and splashes during refurbishments, decorating, and other construction activities.

- Available in multi-purpose rolls, carpet protection rolls and window protection rolls.
- Waterproof
- Durable
- Easy to apply and remove, leaves no residue.

Stock Code.	Size m	Application
3003	25 x 0.6	Window
3001	50 x 0.6	Carpet
3002	50 x 0.6	Hard Surface



* Product has a lead time, please check with our sales team



Blades, Drill Bits
& Cutting Accessories

TYLIX DIAMOND BLADES	98
CONTINUOUS RIM DIAMOND BLADE	98
DIAMOND3 BLADE	98
TYLIX WAX FILLED DRILL BITS	99
TYLIX DIAMOND HOLE CUTTERS	99
SPEAR SHAPED DRILL BITS	99
RAI-CUT SYSTEM	100
SIGMA & MONTOLIT TILE CUTTER SPARES	101

TYLIX
TTE115 Blade

- Ultra-thin, turbo diamond blades for porcelain cutting.
- Suitable for use on thin marble and granite.
- Dry cutting.

Stock Code.	Blade Ø mm
TTE115	115mm



TYLIX
115mm Diamond Disc Blade

- L15ST - Suitable for cutting hard materials such as porcelain, ceramic and granite.
- Max RPM: 13300

Stock Code.	Size mm
6416	115mm

BEST
SELLER!



Continuous Rim Diamond Blade

Specifically designed to cut through porcelain.
Measuring 250mm
25.4mm bore size.

Stock Code.	Blade Ø mm	Bore Size mm
6305	250	25.4



DIAMOND3 Yellow Blade

Premium quality diamond wet blade with continuous rim.
• Suitable for porcelain tiles.

Stock Code.	Blade Ø mm
6298	250
6299	300



TYLIX Wax Filled
Drill Bits

- Very effective method for drilling hard materials such as porcelain.
- The addition of wax reduces friction which therefore prolongs the life of the drill bit.

Stock Code.	Drilling Ø mm
DDTD5	5
DDTD6	6
DDTD7	7
DDTD8	8
DDTD10	10
DDTD12	12



TYLIX
Diamond Hole Cutters

- Proven range of high-quality diamond hole cutters for use on very hard ceramics, natural stones and porcelain.
- Sizes 6mm-12mm are wax filled.
- Vacuum brazed diamond.
- M14 thread with drill adapter available.



Heller Spear
Shaped Drill Bits

- Specifically for glass drilling.

Stock Code.	Drilling Ø mm
TDC06	6
TDC08	8
TDC10	10



Stock Code.	Drilling Ø mm
0830.006	6
0830.008	8
0830.010	10
0830.012	12
0830.020	20
0830.027	27
0830.030	30
0830.035	35
0830.040	40
0830.045	45
0830.050	50
0830.060	60
0830.070	70
0830.075	75
0830.105	105
0830.115	115
1553	M14 Adapter

Rai-Cut Frame

A specialised grooving tool designed to create precise slots in the back of tiles and slabs, facilitating the insertion of the RAI-FIX hooks. This tool is fundamental for ensuring secure mechanical fixing of tiles and stone slabs in wall installations.

- Suitable for tiles/slabs with a minimum thickness of 5mm.
- Fits almost all angle grinders (600 - 1100W) with M14 arbor attachment.
- Manufactured from stainless steel with a clutch hole for vacuum dust extractor connection.
- Supports adjustable depth settings for 6mm and 8mm steel plates.
- Includes 125mm (5") diamond disc for dry cutting.
- Maximum cut thickness: 3cm.

Stock Code.	Weight kg	Dimensions mm
1020	2.2	400 x 400 x 150



Rai-Fix Safety Hook

The RAI-FIX System is an essential solution for ensuring the safety and stability of large and heavy tile and stone installations. By providing a reliable mechanical fixing method, RAI-FIX hooks safeguard against the risks associated with adhesive failure due to building settlement, temperature changes, and extreme weather conditions.

- Made from Grade 316 stainless steel.
- Hooks are completely hidden once installed.
- Suitable for tiles/slabs with a minimum thickness of 5mm.
- Hooks grip into pre-cut grooves and come with holes for anchor screws.

Stock Code.	Qty
1021	70
1022	120
1023	500



MONTOLIT
Spare Cutting Wheels

- These new incision wheels are coated in Titanium which ensures a long life, perfect cuts, efficiency and fluidity, reducing all frictions.
- ART.245T cuts tiles to 2cm thickness and can be used on all kind of ceramic materials, whether smooth or rough.


Stock Code.	Description
ART245T	Titanium replacement wheel for Masterpiuma cutters
ART240T	Titanium replacement wheel for Flashline Cutter



Sigma
Spare Cutting Wheels

Stock Code.	Product No.	Description
0280	14A	12mm Ø for 3B4, 3C2, 3D4
0281	14T	12mm Ø Titanium wheel for long life on hard materials
0285	14C	16mm Ø for 2C, 2D and Klick Klock cutters (these cutters are discontinued)
0300	14MX	19mm Ø for use with all MAX cutters
0442	14N	16mm Ø wheel for all Series 4 NEX Cutters





Adhesives, Grouts & Sealants

ADHESIVES	104-106
SEALANT AND CAULKING GUNS	106
GROUTS	106-107
FLOOR LEVELLERS AND PRIMERS	108-109
EXTERNAL GROUT, PRIMER AND MORTAR	110
ULTRATILE COLOUR SWATCHES	111

A premium range of tiling adhesives and grouts



UltraTile ProRapid RS:
Flexible Rapid Set Tile Adhesive

Ultratile ProRapid RS: The trade-grade flexible rapid set tile adhesive. Designed for professionals, it offers enhanced adhesion and flexibility for ceramic, porcelain, and natural stone tiles.

- Flexible properties for use in wet areas and with underfloor heating
- 3-16mm bed thickness
- 60 minutes pot life
- 2.5 hours set time
- 20kg : 4.2 – 4.5L mixing ratio
- Conforms to C2 FT EN 12004 classification
- Colours: Grey and White
- Lifetime guarantee

Stock Code.	Size	Colour
8005	20 KG	Grey
8047	20 KG	White



UltraTile ProSS Flex:
Flexible Standard Set Tile Adhesive

UltraTile ProSS Flex is a single part, standard set, flexible adhesive for wall and floor tiles. It is specially formulated with enhanced adhesion and flexibility for use with ceramic, porcelain and natural stone tiles. UltraTile ProSS Flex is a polymer modified adhesive suitable for use with most common substrates. It is able to take light foot traffic within 16 hours of installation depending upon temperature and substrate.

- Ideal for use with ceramic and porcelain, wall and floor tiles
- Suitable for areas of movement and vibration
- Flexible properties for use in wet areas
- Can be used on timber and concrete floors
- 3-16mm bed thickness
- 2.5 hours pot life
- 16 hours set time
- Conforms to C2TE S1 EN 12004 and 12002 classification
- Colours: Grey and White
- Lifetime guarantee

Stock Code.	Size	Colour
8004	20 KG	White
8046	20 KG	Grey



UltraTile ProFlex SPES:
Standard Set Flexible Tile Adhesive

Ultratile ProFlex SPES: The ultimate standard set flexible tile adhesive. Specially formulated for trade professionals, it offers extended workability, enhanced adhesion, and flexibility. Classified as S1, it provides high deformation tolerance for areas with slight movement or vibration. Ideal for porcelain, mosaic, natural stone, and glass tiles

- S1 flexibility for timber floors, swimming pools and underfloor heating systems
- 3-20mm bed thickness
- 2 hours pot life
- 16 hours set time
- 20kg : 5.2 – 5.5L mixing ratio
- Conforms to C2TE S1 EN 12004 and 12002 classification
- Colours: Grey and White
- Lifetime guarantee

Stock Code.	Size	Colour
8050	20 KG	Grey
8001	20 KG	White



Stock Code.	Size	Colour
8024	20 KG	White
8000	20 KG	Grey



UltraTile ProFlex SP:
Rapid Set Flexible Tile Adhesive

The Ultratile ProFlex SP flexible rapid set tile adhesive is specially formulated for professional use, it offers enhanced adhesion and flexibility, making it perfect for areas with slight movement or vibration. Classified as S1, it provides high deformation tolerance.

- S1 flexibility for timber floors, swimming pools and underfloor heating systems
- 3-20mm bed thickness
- 60 minutes pot life
- 2.5 hours set time
- 20kg : 4.2 – 4.5L mixing ratio
- Conforms to C2TE S1 EN 12004 and 12002 classification
- Colours: Grey and White
- Lifetime guarantee

Stock Code.	Size	Colour
8023	20 KG	Grey



UltraTile ProFlex S2:
Fibre Reinforced Flexible Tile Adhesive

UltraTile ProFlex S2 is a single part, rapid setting, flexible, fibre reinforced adhesive for wall and floor tiles. It is specially formulated with FibreBond technology, enhanced adhesion and flexibility, making it ideal for areas where movement or vibration can occur.

- Ideal for use with all tile types including brick slips, resin backed and quartz
- Formulated with FibreBond technology
- Ultimate S2 flexibility for timber floors including plywood and chipboard overlays, swimming pools and underfloor heating systems
- 3-20mm bed thickness
- 60 minutes pot life
- 3.5 hours set time
- 20kg : 4.0L mixing ratio
- Conforms to C2F S2 EN 12004 and 12002 classification
- Lifetime guarantee

Stock Code.	Size	Colour
8002	20 KG	White
8003	20 KG	Grey



UltraTile ProGrip FX:
Fibre Reinforced Semi-Rapid Tile Adhesive

Ultratile ProGrip FX is the ultimate fibre-reinforced semi-rapid tile adhesive. Specially formulated for trade professionals, it provides enhanced adhesion and flexibility, perfect for areas with slight movement or vibration.

- Ideal for use with porcelain, mosaic and natural stone tiles
- Formulated with FibreBond technology
- Exceptional grab and enhanced body for large format tiles
- Extended pot life for greater fixing time
- 3-20mm bed thickness
- 2.5 hours pot life
- 7 hours set time
- 20kg : 4.2 – 4.5L mixing ratio
- Conforms to C2TE S1 EN 12004 and 12002 classification
- Colours: Grey and White
- Lifetime guarantee

UltraTile ProSuper Grip:
High Grab Acrylic Wall Tile Adhesive

UltraTile ProSuper Grip has been specially formulated for its non-slip, high grab properties, which allow the speedy application of standard and large format wall tiles. The product is suitable for intermittently wet conditions i.e. domestic showers, kitchens and bathrooms. It contains an antifungal additive, which prevents the build up of mould.

- Ideal for ceramic tiles and porcelain or natural stone mosaics
- Exceptional grip
- Shower proof
- Mould resistant
- Grout after 18 hours
- Conforms to D1 TE EN 12004 classification
- Lifetime guarantee

Stock Code.	Size	Colour
8005	15 KG	Off-White



UltraTile ProSealer Silicone Sealant

Ultratile Prosealer Silicone Sealant is the go-to choice for trade professionals seeking a reliable and high-performance sealant.

- Neutral cure product
- Low odour, no slump formulation
- Enhanced body and elasticity
- Ideal for all kitchen and bathroom applications
- Colour match finishing for tiling installations
- Resistant to UV due to ColourGuard technology
- High humidity areas
- Mould resistant
- Fully ISO compliant
- Internal and external use
- Size: 310ml

Stock Code.	Colour
7904	Jasmine
7903	Charcoal
7902	Mid-Grey
7906	Silver Grey
7901	Grey
7905	Limestone
7907	Clear
7908	Black
7909	Taupe
7910	Cream
7911	White



SOUDAL
Skeleton Caulking Gun

- Quality caulking gun.
- Suitable for 310ml cartridges.

Stock Code.	Integral Length mm/in
SG400	250/10



UltraTile ProGrout Epoxy

UltraTile ProGrout Epoxy is a water-based epoxy resin grout for waterproof, stain resistant grouting of porcelain tiles, ceramics, natural stone (compatibility to be checked prior to grouting) and glass mosaics to revolutionise your grouting requirements. Suitable for wall and floor tiling in environments where hygiene is key such as kitchens and hospitals, as well as, wetrooms and swimming pools.

- Classification: EN13888 CG2 RG
- Application Thickness: 2 – 12mm
- Pot Life: 30 – 40 minutes
- Light Foot Traffic: 24 hours
- Hard Set Time: 3 days
- Application Temperatures: 5°C to 30°C *Depending on temperatures, substrate and site conditions.

Stock Code.	Size	Colour	Box Qty.
8051	3 KG	Charcoal	2
8052	3 KG	Grey	2
8053	3 KG	Jasmine	2
8054	3 KG	Silver Grey	2
8055	3 KG	White	2



UltraTile ProGrout Flexible

The ProGrout Flexible is the ultimate grouting solution for trade professionals. Designed for all tile types, it ensures vibrant and durable finishes with ColourShield technology. Perfect for wetrooms, swimming pools, and underfloor heating, its easy wash-down feature requires minimal effort.

- 1-20mm joint thickness
- 30 – 60 minutes pot life
- 12 hours hard set
- Mould resistant
- Conforms to CG2 WA EN 13888 classification
- Lifetime guarantee

Stock Code.	Size	Colour
8021	3 KG	Grey
8011	3 KG	Charcoal
8013	3 KG	Jasmine
8015	3 KG	Vintage White
8012	3 KG	Almond
8009	3 KG	Mid-Grey
8010	3 KG	Silver Grey
8014	3 KG	Taupe
8025	3 KG	Mocha
8026	3 KG	Limestone
8027	3 KG	Ivory
8028	3 KG	Black
8018	10 KG	Silver Grey
8019	10 KG	Vintage White
8017	10 KG	Mid-Grey
8016	10 KG	Grey
8022	10 KG	Charcoal
8030	10 KG	Jasmine



UltraTile ProGrout Flowable

UltraTile ProGrout Flowable has been designed for areas where movement or vibration is likely. Polymer has been added to the formulation to increase flexibility and to provide a virtually impermeable set. UltraTile ProGrout Flowable is suitable for joint widths up to 20mm.

- Classification: EN13888 CG2 WA
- Application Thickness: 2mm – 30mm
- Initial Drying Time: 40-50 Minutes
- Pourable Time: 15 Minutes approx.
- Pot Life: 30-60 Minutes
- Light Foot Traffic: 3-4 Hours
- Hard Set Time: 12 Hours
- Application Temperatures: 5°C to 25°C

Stock Code.	Size	Colour
8063	15 KG	Limestone
8064	15 KG	Silver Grey
8062	15 KG	Grey
8061	15 KG	Charcoal



UltraTile ProLevel Fibre:
Reinforced Flexible Floor Leveller

This single-part, high-strength leveller features rapid drying and curing properties. Its advanced formulation includes graded fillers, cements, polymers, and fibres for enhanced strength and application ease. With FibreBond technology, achieve a strong, even base ready for tiling in just 8 hours

- Internal use
- Formulated with FibreBond technology
- Excellent flexibility for timber floors and underfloor heating systems
- 3-75mm depth
- 3 hours set time
- Tile after 8 hours
- 20kg : 3.4L mixing ratio
- Conforms to CT C35 F6 EN 13813 classification

Stock Code.	Size
8020	20 KG



Stock Code.	Size
8031	20 KG



UltraTile ProLevel Ultimate:
Semi-rapid Smoothing Underlayment

UltraTile ProLevel Ultimate is a semi-rapid curing, high performance free flowing single part smoothing underlayment. The product's unique formulation consists of a powdered blend of cements, polymers, graded fillers and additives. It incorporates Envirobead technology which is made with 20% recycled material for improved application and reduced environmental impact. UltraTile ProLevel Ultimate is suitable over a wide range of subfloors at depths between 2-12mm and up to 30mm over good solid substrates such as concrete.

- Designed for UHF
- Apply floor coverings after 4 hours
- Suitable for use over old adhesive residues
- Contains 20% recycled material
- Excellent adhesion to almost all substrates
- No need to prime.

UltraFloor Level IT Renovate

UltraFloor Level IT Renovate: The Water-Based Smoothing Underlayment for Renovation Projects

UltraFloor Level IT Renovate is the ultimate solution for refurbishing existing floors, both internally and externally. With its versatile depth range of 3-40mm, this water-based smoothing underlayment provides exceptional leveling properties, ensuring a smooth and even surface.

- For internal and external floors
- Can be used as a light duty wearing course
- Foot traffic in as little as 2-2.5 hours
- Ready to receive floor coverings after 4 hours
- Use over most strong and stable subfloors
- Fibre reinforced with flexible properties
- UFH compatible
- Low odour

Stock Code.	Size
8008	20 KG



Stock Code.	Size
8045	20 KG



UltraTile ProLevel Rapid:
Fibre Reinforced Flexible Floor Leveller

UltraTile ProLevel Rapid is a single part, high strength, rapid drying and curing cementitious smoothing underlayment. The product's formulation incorporates a blend of specially graded fillers, fine cements, polymers and fibres. Our specially formulated fibre technology aids application and strength resulting in a strong, sound and even base ready to commence the tiling process after only 45 minutes.

- Internal use
- Ideal for fast track projects with same day tiling
- Formulated with FibreBond technology
- Exceptional flexibility for timber floors and underfloor heating systems
- 2-15mm depth
- 30 minutes set time
- Tile after 45 minutes
- 20kg : 4.5L mixing ratio
- Conforms to CT C35 F7 EN 13813 classification
- Lifetime guarantee

UltraTile ProLevel Two:
Flexible Two Part Floor Leveller

Ultratile ProLevel Two is the ultimate solution for achieving smooth and level subfloors. This mid-strength smoothing underlayment is designed to provide exceptional results with ease. Its unique two-component system includes a powdered blend of cements, graded fillers, and additives, along with a pre-gauged polymer liquid, ensuring a convenient and efficient mixing process.

- For internal use
- Convenient to mix
- Moisture tolerant
- Excellent flexibility for timber floors and underfloor heating systems
- 2-15mm depth
- 2.5 hours set time
- Tile after 24 hours
- 1 bag : 1 bottle mixing ratio
- Conforms to CT C25 F5 EN 13813 classification

Stock Code.	Size
8006	20 KG Powder Blend
8007	4L Polymer Liquid



Stock Code.	Size
7940	1L
7941	5L



UltraTile ProPrimer

Ultratile ProPrimer is the ultimate solution for tiling professionals seeking an advanced primer with unmatched versatility. This advanced polymer primer offers exception bonding across multiple substrates:

- Can be used on walls or floors
- Designed for both porous and non-porous substrates
- Can be used internally and externally
- Enhances adhesion and reduces substrate porosity
- Suitable for calcium sulphate screeds
- Underfloor heating
- Lifetime guarantee

Adhesives,
Grouts & Sealants

UltraTile ProPave Grout:
External Tiling Grout

UltraTile ProPave Grout is a high specification, decorative, brush-in external tile jointing solution, suitable for use with granite, porcelain and other premium quality natural stone. The product is available in 4 bespoke colours – Cosmic Black, Natural Cashmere, Storm Grey and Pebble Grey – the perfect choice for a seamless transition for tiles inside, to outside living spaces.

- Ideal for use with 20mm porcelain tiles
- Colour shield technology for a vibrant finish
- Can be used in all weather
- Walk on in 24-48 hours
- No waste, left over material can be re-used
- Fills joints from 3-20mm
- Part of the ProPave External Tiling System

Stock Code.	Size	Colour
8039	15 KG	Natural Cashmere
8040	15 KG	Cosmic Black
8041	15 KG	Storm Grey
8042	15 KG	Pebble Grey



UltraTile ProPave Primer:
Slurry Primer

UltraTile ProPave Primer is a polymer modified cementitious slurry primer specifically formulated to provide exceptional bond between all types of stone surfaces and UltraTile ProPave Mortar. The product is suitable for application on driveways and patios. UltraTile ProPave Primer can be used with porcelain tiles, natural stone, concrete flags and clay pavers.

- Specifically formulated for Porcelain and Natural Stone
- Provides exceptional bond and durability
- Simply mix with water
- Quick and easy roller brush application
- Enhances lifetime performance of paved area
- Part of the ProPave External Tiling System

Stock Code.	Size
8043	17 KG



UltraTile ProPave Mortar:
Fibre Modified Cement Binder

UltraTile ProPave Mortar is a fibre modified cement binder which, when mixed with graded aggregates and water, can produce a rapid drying high strength bedding mortar ready to receive floor finishes such as porcelain/ natural stone tiles etc. UltraTile ProPave Mortar can be used to form falls within patios and driveways.

- For use with type 1 hardcore
- Fast track installation
- Fibre reinforced for added strength and durability
- Dual-mix ratio for heavy or light trafficked areas
- Maintains porosity to facilitate drainage
- Approved for use with Porcelain and Natural Stone
- Depth: 30-100mm
- Internal and external use
- Part of the ProPave External Tiling System

Stock Code.	Size
8044	20 KG



UltraTile ProPave Colour Swatches



Cosmic Black



Pebble Grey




Natural Cashmere




Storm Grey

UltraTile ProGrout Colour Swatches




Almond




Black



Charcoal




Mocha




Ivory



Grey



Jasmine




Limestone



Mid-Grey




Silver Grey



Taupe



Vintage White



Electric Tile Saws

DIAMOND3 TILE CUTTERS	114
DIAMOND3 TILE CUTTER ACCESSORIES	115

DIAMOND3
259 Wet Saw Tile Cutter

A durable machine designed to deliver fast and chip-free cutting on porcelain, glass, marble and granite tiles up to 90cm.

- Integrated plunge cutting and mitre cutting capabilities.
- Bridge designed to prevent debris build up.
- Manufactured using high-quality stainless steel.

Stock Code.	Cutting Length mm	Voltage V	Motor W
6875*	900	110	1500



DIAMOND3
Wet Saw Tile Cutter

A range of durable machines designed to deliver fast and chip-free cutting on porcelain, glass, marble and granite tiles.

- Includes 2 small wheels for quick and easy transportation.
- Integrated plunge cutting and mitre cutting capabilities.
- Bridge designed to prevent debris build up.
- Manufactured using high-quality stainless steel.

Stock Code.	Product Name	Cutting Length mm	Voltage V	Motor W
6906*	2512	1200	110	1500
6907*	2515	1500	110	1500
6909*	2518	1800	110	1500



DIAMOND3
ST Stainless Steel Side Table

A side table designed to extend the cutting bed.

- Can be used with all Diamond3 saws.
- Features a squaring arm and leg to improve stability and accuracy.

Stock Code.	Depth mm	Length mm
6900*	400	400



DIAMOND3
Stainless Steel Side Roller Table

A side roller table designed for use with Diamond3 wet saws.

- Easy connection to water bin.

Stock Code.	Depth mm	Length mm
6891*	380	643



DIAMOND3
Water Pump

Replacement water pump for use with Diamond3 wet saws.

Stock Code.	Voltage V
6921*	240
6924*	110



* Product has a lead time, please check with our sales team

* Product has a lead time, please check with our sales team



Cleaners, Sealers
& Polishes

ULTRATILE PRODUCTS	118-119
LITHOFIN PRODUCTS	120-126
LTP PRODUCTS	127-129

Cleaners, Sealers & Polishes

Superior cleaning solutions for pristine, well-maintained tile and stone surfaces.



ULTRATILE ProClean Tile & Grout Sealer

- Guards against oil and water-based stains.
- Natural matt finish enhances beauty without altering the look.
- Suitable for interior and exterior use.
- Low odour, non-flammable formula.

Stock Code.	Size	Coverage Approx	Box Qty
8032	1 litre	Up to 25m² / L (interior) or 5 to 8m² / L (exterior)	6



ULTRATILE ProClean Xtreme Clean

- Dissolves ingrained dirt, wax films, grease, and oil.
- Suitable for ceramic, porcelain, and natural stone.
- Will not damage acid-sensitive stones like limestone.
- Ideal for internal and external applications.

Stock Code.	Size	Coverage Approx	Box Qty
8034	1 litre	Up to 25m²/L	5



ULTRATILE ProClean Grout Haze Remover

- Removes cement, efflorescence, and grout residues.
- Ideal for ceramic, porcelain, brick, quarry tiles, concrete, and non-acid sensitive stone.
- Quick and efficient cleaning.
- Suitable for both internal and external applications.

Stock Code.	Size	Coverage Approx	Box Qty
8035	1 litre	Up to 100m² / L	5



ULTRATILE ProClean Grout Aid

- Aids in the easy rinse and clean-off of mortar grout and cement residues.
- Ideal for ceramic, porcelain, brick, quarry tiles, concrete, and non-acid sensitive stone.
- Significantly reduces grout haze and film drying on the surface.
- Suitable for both internal and external applications.

Stock Code.	Size	Coverage Approx	Box Qty
8036	1 litre	Up to 100m² / L	5



ULTRATILE ProClean Easy Clean Tile Protector

- Provides water-based protection for all types of porcelain and natural stone before grouting.
- Suitable for both internal and external applications.
- Guards against cement residues and polymer staining.
- Removed during the washing-off process after grouting.
- Ideal for highly textured and slip-resistant tiles.

Stock Code.	Size	Coverage Approx	Box Qty
8038	1 L	10-20m²/L	5



ULTRATILE ProClean Resin Off

- Removes polymer hazes, films, and residues from jointing mortars, resins, and sealants.
- Gel-like formula for easy application.
- Ideal for porcelain tiles and other porous natural and artificial stones..
- Works in less than 20 minutes.
- Suitable for both internal and external applications.

Stock Code.	Size	Coverage Approx	Box Qty
8037	1 litre	5-10m² / L	5



ULTRATILE ProClean Tile & Stone Cleaner

- Cleans and refreshes tiles, leaving surfaces germ-free.
- Environmentally friendly, bio-degradable formula.
- Suitable for all hard surfaces, both interior and exterior.
- Contains no acids, alkalis, or bleaches.

Stock Code.	Size	Coverage Approx	Box Qty
8033	1 litre	Up to 35m² / L when diluted	5



Cleaners, Sealers & Polishes

Professional solutions for cleaning, protecting and maintaining stone surfaces.



LITHOFIN
Wax-Off

- A deep-acting solvent based cleaner for the removal of wax, sealants, grease, tar, oil stains, lacquer and glue.
- Soiling is dissolved and then can be washed off with water.
- Suitable for ceramic and natural or artificial stone.

Stock Code.	Size	Coverage Approx	Box Qty
3612	1 litre	7-15m ² / L	10
3614*	5 litre	7-15m ² / L	2



LITHOFIN
Cement - Away

- Very powerful highly active acid-based cleaner for the removal of cement film, mortar residues and stubborn dirt layers
- Suitable for both newly laid and older cement, and artificial concrete, porcelain, quarry and ceramic tiles
- Not suitable for limestone or polished marble
- Ideal for heavy duty outdoor use

Stock Code.	Size	Coverage Approx	Box Qty
3600	1 litre	30-50m ² /L	10



LITHOFIN
MN Wash and Clean

- A high yielding concentrate for economical cleaning.
- For marble, natural and engineered stone.
- Usage: One 20ml squirt per 10L bucket of water.

Stock Code.	Size	Coverage Approx	Box Qty
3615	1 litre	30m ² / L	10



LITHOFIN
Wexa

- Multi-purpose acid-free deep cleaner for ceramic, porcelain and natural stone
- Removes oil, grease, wall films, floor polishes and ingrained dirt

Stock Code.	Size	Coverage Approx	Box Qty
3606	1 litre	7-15m ² / L	10



LITHOFIN
KF Tile Polish

- A solvent-free multi-purpose polish and ideal sealant for unglazed ceramics and clay slabs.
- Provides a glossy finish.
- Simple to apply & for indoor use only.

Stock Code.	Size	Coverage Approx	Box Qty
3664	1 litre	15-20m ² / L	10



LITHOFIN
MN Easy Clean

- Multi-purpose general cleaner ideal for kitchen worktops.
- Removes cooking oil, grease and food spills - without smearing.
- Ideal for surfaces treated with MN Stain-Stop.
- Easy to use spray bottle.

Stock Code.	Size	Coverage Approx	Box Qty
3618	500ml	20m ² /L	10



LITHOFIN
KF Stain Stop

- A very effective sealer that gives long-term protection and prevents the penetration of oil, grease and water.
- Suitable for quarry tiles and unglazed ceramics.
- For indoor/outdoor use, contains solvents.

Stock Code.	Size	Coverage Approx	Box Qty
3670*	500ml	7-15m ² / L	10
3672	1 litre	7-15m ² / L	10
3674*	5 litre	7-15m ² / L	2



LITHOFIN
KF Mildew-Away

- Fast acting cleaner that removes black spots, mildew, mould, fungus, algae and other organic discolourations in sanitary areas.
- Effective on tiles, silicone, cement joints, plaster, stone and masonry.
- Easy to use spray bottle.
- Contains chlorine.

Stock Code.	Size	Coverage Approx	Box Qty
3652	500ml	3m ² / 500ml	10



* Product has a lead time, please check with our sales team

* Product has a lead time, please check with our sales team

LITHOFIN
Multi-Seal

- Satin topcoat sealant for all types of stone after impregnation.
- Water-based emulsion that produces a surface which is resistant to oil, grease and water.
- Contains high-quality natural waxes and is suitable for many types of rough stone and terracotta.
- Internal use only.

Stock Code.	Size	Coverage Approx	Box Qty
3640	1 litre	7-12m² / L	10



LITHOFIN
Anti-Slip Set

- A permanent anti-slip treatment.
- Consists of a Basic Cleaner 250ml, Anti-slip fluid 250ml, 2 sponges, gloves and an instruction booklet.
- Ideal for ceramic tiles and natural stone - not suitable for marble.
- Suitable for balconies, terraces and stairs etc.
- Safe and easy to use.

Stock Code.	Coverage Approx	Box Qty
3645	6m² / L	10



LITHOFIN
KF Cement Residue Remover

- Powerful cleaner for removing cement, grout and mortar residues, rust, lime and hardened dirt layers.
- Suitable for use indoors on ceramic, fully vitrified tiles, quarry tiles, clay slab.
- Contains acid, odourless and very fast acting.

Stock Code.	Size	Coverage Approx	Box Qty
3646	1 litre	15-30m² / L	10



LITHOFIN
KF Tile Restorer

- Very strong solvent-free intensive cleaner, designed especially for Victorian ceramic tiles.
- Removes ingrained dirt, encrusted floor care products and self-gloss films.

Stock Code.	Size	Coverage Approx	Box Qty
3698	1 litre	10-30m² / L	10



LITHOFIN
KF Grout Cleaner

- Restores joints of wall and floor tiled surfaces to their original colour.
- Effective on tiles, silicone, cement, plaster, stone and masonry.

Stock Code.	Size	Coverage Approx	Box Qty
3656	500ml	3m² / 500ml	10



LITHOFIN
FZ Protective Impregnator

- An invisible water-based protective impregnator for the initial treatment of new floors with polished and sensitive surfaces, including polished porcelain.
- Prevents penetration of water and oil, whilst protecting against stains and dirt to make care easier.
- Does not form layers.

Stock Code.	Size	Coverage Approx	Box Qty
3675	500ml	30-40m² / L	10
3676	1 litre	30-40m² / L	10



LITHOFIN
KF Ceramic Clean

- Maintenance cleaner ideal for sanitary areas.
- Removes limescale, rust, grease deposits and soap scum within tiles, baths and showers.
- Cleans chrome, ceramics and stainless-steel.
- Not suitable for acid-sensitive surfaces.

Stock Code.	Size	Coverage Approx	Box Qty
3660	1 litre	100m² / L	10



LITHOFIN
KF Grout Protector

- A ready to use invisible grout sealer, which protects against greasy dirt and spots. Ideal for kitchen and bathroom areas.
- For use on joints in ceramic tiling.
- Contains no solvents.

Stock Code.	Size	Coverage Approx	Box Qty
3678	500ml	10m² / L	10



* Product has a lead time, please check with our sales team

* Product has a lead time, please check with our sales team

LITHOFIN
FZ Intensive Cleaner

- Extra strong solvent free cleaner for use on ceramic and porcelain.
- Removes dirt, oil and grease from ceramic surfaces.
- For occasional or regular use on floors which are subjected to heavy wear.

Stock Code.	Size	Coverage Approx	Box Qty
3686	1 litre	10-15m ² / L	10



LITHOFIN
MN Power Clean

- A powerful acid-free cleaner for the removal of grout residues, greasy dirt, gloss films, and general soiling from natural stones, polished marble and limestone.

Stock Code.	Size	Coverage Approx	Box Qty
3703*	500ml	10-30m ² / L	10
3704	1 litre	10-30m ² / L	10



LITHOFIN
FZ Conditioning Cleaner

- A mildly alkaline, wax-free cleaner, which is designed to be a regular use maintenance cleaner for both rough and polished surfaces.
- Provides surfaces with an attractive gleam and improves dirt resistance.
- Does not form layers and gives a high yield.

Stock Code.	Size	Coverage Approx	Box Qty
3692	1 litre	20m ² / 10L	10



LITHOFIN
MN Builder's Clean

- Very powerful acid cleaner for removing cement film, encrusted dirt residues, blooms, rust and rust discolourations.
- Acts to prevent rust in hard stones which contain iron.
- Suitable for use on granite, gneiss, quartzite and other natural and artificial stones.
- Not suitable for polished marble or limestone.

Stock Code.	Size	Coverage Approx	Box Qty
3708	1 litre	30-50m ² / L	10



LITHOFIN
MN Stain-Stop

- An effective, invisible sealer that gives long-term protection and prevents the penetration of oil, grease and water, making maintenance easier.
- Suitable for limestone, marble, natural stone, terrazzo and travertine (including polished surfaces).
- Ideal for kitchen and bathrooms and suitable for indoor/ outdoor use.

Stock Code.	Size	Coverage Approx	Box Qty
3711*	250ml	7-15m ² / L	20
3712*	500ml	7-15m ² / L	10
3714	1 litre	7-15m ² / L	10
3716*	5 litre	7-15m ² / L	2



LITHOFIN
Stain-Stop W

- A water based, solvent-free, invisible impregnator that protects stone surfaces against the penetration of oil, grease, dirt and water to prevent staining.
- Suitable for unglazed ceramic, terracotta and many types of natural/ artificial stone - ideal for dense, hard granite.
- Facilitates easy maintenance, odourless and provides long term protection.

Stock Code.	Size	Coverage Approx	Box Qty
3718	1 litre	10-20m ² / L	10
3719*	5 litre	10-20m ² / L	2



LITHOFIN
Stain-Stop Plus

- This combined impregnator and colour intensifier makes stone surfaces oil and water repellent, whilst enhancing the colour structure and preventing staining.
- Suitable for all absorbent surfaces such as natural, polished and artificial stone, quarry tiles and terracotta, ideal for vanity tops and granite worktops.
- Suitable for indoor/outdoor use.

Stock Code.	Size	Coverage Approx	Box Qty
3723*	500ml	15-20m ² / L	10
3724	1 litre	15-20m ² / L	10
3725*	5 litre	15-20m ² / L	2



LITHOFIN
MN Slate-Seal

- An effective sealer which forms a shiny protective layer and intensifies the colour structure of rough/ honed natural stone, especially slate.
- Facilitates easy maintenance.
- For indoor use only, but not suitable for bathrooms or wet rooms.
- Can be applied in several coats.

Stock Code.	Size	Coverage Approx	Box Qty
3726	1 litre	10-20m ² / L	10
3728*	5 litre	10-20m ² / L	2



* Product has a lead time, please check with our sales team

* Product has a lead time, please check with our sales team

LITHOFIN
MN Colour Intensifier

- Very effective solvent containing products that invigorate the colours, accentuate the structure, and altogether improve the appearance of natural and artificial stone surfaces, such as marble and travertine.
- Ready to use, suitable for indoor/outdoor use and can be applied in several coats.

Stock Code.	Size	Coverage Approx	Box Qty
3720	1 litre	7-15m ² / L	10



LITHOFIN
MN Care-Seal

- A water based product which creates a shiny protective film and strengthens colour and gloss, designed to renew worn out areas of seal on rough/honed natural stone floors.
- For initial treatment of new rough surfaced yorkstone and sandstone slabs.
- Contains no solvents and for indoor use only.

Stock Code.	Size	Coverage Approx	Box Qty
3732	1 litre	20m ² / L	10



LITHOFIN
Easy-Care

- A regular-use maintenance cleaner that beautifies and protects the seal of stone surfaces.
- Keeps surfaces hygienically clean and improves the colour structure of the stone.
- Does not form layers, solvent free and non-bleaching.

Stock Code.	Size	Coverage Approx	Box Qty
3628	1 litre	20m ² / 10L	10



LITHOFIN
MN Care-Sheen

- An occasional-use solvent-free sheen restorer for polished marble and other stone floors.
- Forms a fine surface film and is the ideal additional care for all shiny floor surfaces.
- Contains wax, suitable for indoor use only.

Stock Code.	Size	Coverage Approx	Box Qty
3738	1 litre	20m ² / L	10



A major supplier of sealing, cleaning and maintenance products to the tile and stone market.

LTP
Stone Oil

Easy to apply oil based impregnating sealer ideal for low porosity stone & terracotta. Enhances the colour and texture of floors. Offers good mechanical strength once cured. Surfaces sealed with LTP Stone Oil are normally finished with LTP Clear Wax. Maintain surfaces sealed with LTP Clear Wax with LTP Waxwash on floors and LTP Stonewash on walls

- Oil based pre-polished sealer.
- For porous stone & terracotta.
- Aids to enhance Black Limestone.
- For interior & exterior use

Stock Code.	Size	Coverage Approx
3305	1 litre	10-15m ² / L



LTP
Ironwax Satin

Easy to apply, low maintenance self-shine satin finish film forming acrylic sealer. Enhances colour and texture, protects against staining and stubborn dirt, easy to maintain. May be used on travertine, limestone, sandstone, slate, un-polished marble, terracotta, porous quarries, bricks, terrazzo and concrete Suitable for domestic and commercial use. Maintain with LTP Floorshine.

- Self-shine satin finish film forming acrylic sealer
- Suitable for Interior use only.
- Low maintenance.
- Protects against staining & dirt.

Stock Code.	Size	Coverage Approx
3320	1 litre	15-30m ² / L
3322	5 litres	15-30m ² / L



LTP
Ironwax Gloss

Easy to apply, low maintenance self-shine gloss finish film forming acrylic sealer. Enhances colour and texture, protects against staining and stubborn dirt, easy to maintain. May be used on travertine, limestone, sandstone, slate, un-polished marble, terracotta, quarry, bricks, terrazzo and concrete Suitable for domestic and commercial use. Maintain with LTP Floorshine.

- Gloss Finish Sealer.
- Suitable for Interior use only.
- Enhances colour and texture.
- Low maintenance

Stock Code.	Size	Coverage Approx
3313	1 litre	15-30m ² / L



LTP
Floorshine

A highly effective maintenance cleaner for tiled surfaces. Cleans and protects in one application. Renovates dull looking floors. Regular use will also help to reinforce protection on surfaces sealed with LTP Ironwax Gloss, LTP Ironwax Satin & LTP Glaze Protector.

- Clean & Shine Renovating Cleaner
- Cleans & protects in one application
- Renovates dull looking floors

Stock Code.	Size	Coverage Approx
3324	1 litre	20m ² / L x 40



LTP Grimex

Intensive cleaner, effective for removing stains such as oil, grease, ingrained dirt, grime and old wax layers from all artificial and natural stone and tiles. Ideal for general stone care and for use in the restoration of artificial and natural tiles and floors. It is especially effective on stone, travertine, slate, terracotta, porcelain and quarry tiles.

- Heavy Duty Grime & Stain Remover.
- Ideal for use in Restoring Old Tiles and Floors
- Stain Remover: including Oil, Grease and Dirt.
- Removes Old Wax Layers.
- For Interior & Exterior Use

Stock Code.	Size	Coverage Approx
3328	1 litre	5-50m² / L



LTP Grout Stain Remover

Cement, Limescale & Grout Residue Remover For Interior & Exterior use For glazed and un-glazed ceramics, slate, quarry tiles, brick, terracotta & acid resistant natural stones. A rapid action cleaning agent for removing cement residues, grout stain, efflorescence and other similar deposits from glazed and unglazed ceramics, slate, quarry tiles, brick, terracotta, and stone.

- Cement and Limescale remover.
- Also removes grout residue.
- For interior & exterior use.
- A rapid action cleaning agent.

Stock Code.	Size	Coverage Approx
3336	1 litre	5-30m² / L



LTP Grout Protector Spray

A colourless barrier that helps to protect porous wall and floor grout joints from penetration by water, dirt, oil, grease and limescale, making treated surfaces easier to keep clean. Ideal for use in wet rooms and shower enclosures. Used as a top coat this product is an easy way to further protect natural stone and all other types of masonry surface

- Forms a colourless barrier
- Helps protect wall & floor porous grout joints.
- Protects from penetration of water, dirt, oil, grease and limescale.

Stock Code.	Size	Coverage Approx
3333	600ml	600 metres



LTP Colour Intensifier & Stain Block

Suitable for slate, natural stone, tumbled marble, travertine, terracotta, quarry, terrazzo and sandstone. Provides enhanced matt finish. For use on wall and floor surfaces. Strongly protects against water, oil, grease and dirt. Allows surface to breathe. Performs well in wet areas including bathrooms, wetrooms and swimming pool surrounds. Suitable on floors that have no damp proof course

- Colour Enhancing Tile Sealer
- Performs well in wet areas (bathrooms/wetrooms)
- Allows surface to breathe.
- For Interior & exterior use.

Stock Code.	Size	Coverage Approx
3340	1 litre	1-4 litres per 10m2
3342	5 litres	1-4 litres per 10m2



LTP Waxwash

High quality liquid soap: Cleans without damaging even the most delicate surfaces. For use on all types of surfaces including travertine, limestone, sandstone, slate, marble, porcelain, granite, terracotta, quarry tiles & flagstones. A gentle cleaner containing a trace of linseed oil especially formulated to clean without damaging the most delicate surface

- Gentle Neutral Cleaner
- Cleans without damaging even the most delicate surfaces
- Fresh, clean fragrance

Stock Code.	Size	Coverage Approx
3344	1 litre	20m² / L x 40



LTP Mattstone

Suitable for all types of natural and artificial stone, unglazed porcelain, sandstone, slate, marble, terracotta, quarry, brick & concrete. A natural matt finish impregnating sealer that, on some stones, may also delicately enhance colour and texture.

- Natural matt finish impregnating sealer
- Water, oil & grease repellant
- Allows surfaces to breathe.
- Minimal change to the natural appearance.

Stock Code.	Size	Coverage Approx
3360	1 litre	1-4 litres per 10m2
3362	5 litres	1-4 litres per 10m2



LTP Solvex

High Performance Remover suitable for Wax, Silicone, Acrylic, Polyurethane Sealers and Residual Epoxy Grout For Stone, Travertine, Terracotta, Slate, Sandstone, Flag-stones, Quarry Tiles, Glazed Ceramic and Porcelain. A powerful non-caustic stripper that softens most types of surface sealer, which can then be removed with ease

- High performance remover
- Removes Wax, Silicone, Acrylic and Polyurethane Sealers, and residual epoxy grout.
- A powerful non-caustic stripper.

Stock Code.	Size	Coverage Approx
3536	1l	5-10m2



LTP Power Stripper

Intensive cleaner For interior & exterior use Suitable for travertine, stone, sandstone, slate, marble, porcelain, granite, terracotta, quarry, brick, concrete and external paving.

- A high performance intensive cleaner.
- Helps remove oxidised linseed oil.
- Helps remove other mineral oils.
- For interior & exterior use

Stock Code.	Size	Coverage Approx
3356	1 litre	15-60m² / L



LTP Mattstone H2O

For all types of natural and artificial stone, quarry, brick & paving. Honed, rough cut and polished surfaces A natural finish water based impregnating sealer. Delicately enhances colour. Helps protect against staining. Strongly repels water, oil and grease

- Water Based Impregnating Sealer.
- Enviromentally safer & low odour.
- For interior & exterior use.

Stock Code.	Size	Coverage Approx
3361	1 litre	15-30m² / L
3363	5 litres	15-30m² / L




LTP Cement, Grout & Salt Residue Remover

A rapid action cleaning agent for removing cement residues, grout stain, salts, efflorescence and other similar deposits. May also be used in dilute or concentrated form. Ideal for use on all types of unpolished natural stone can also be used on porcelain, glazed ceramic, slate, quarry tiles, brick, terracotta and granite.

- For all types of Unpolished Natural Stone
- For Interior & Exterior Use.
- Acid Replacement Technology
- Does not tarnish chrome or steel

Stock Code.	Size	Coverage Approx
3385	1 litre	15-30m² / L





Underfloor Heating

THERMOSPHERE UNDERFLOOR HEATING	132-133
THERMOSPHERE THERMOSTATS	134-135


A range of electric underfloor heating solutions which are beautifully simple to specify, install and use.



THERMOSPHERE
Vario Pro Membrane

- ThermoSphere Membrane brings underfloor heating and uncoupling technology together in one fast track system. Save time by preparing substrates and installing electric underfloor heating all in one go. An uncoupling membrane and crack isolating system, that makes it possible to install tiles and electric underfloor heating on difficult substrates.
- Flexible underfloor heating layout.
- Suitable for use over new anhydrite, cementitious & green screeds.
- Waterproofing properties
- Only 5.5mm build-up
- Lifetime warranty

Stock Code.	Size m2	Unit	Installation
5292.01	1	Panel	Self-adhesive
5292.15	15	Roll	Self-adhesive
5291.05	5	Roll	Standard
5291.15	15	Roll	Standard



THERMOSPHERE
Vario Membrane Heating Cables

- There are two key components to the ideal electric underfloor heating for tile or stone floors. The first is the unique ThermoSphere Vario Heating Cable and the second is the Vario Pro Membrane. The stud design allows you to choose between two cable layouts to achieve your ideal heat output. Using a two-stud spacing for an output of 195W/m2 (ideal for wet rooms) and a three-stud spacing for an output of 130W/m2 (great for well-insulated buildings).
- A system that ideal for use in wet room projects, resulting in an IP68 rated heating system.
- Suitable for use over new anhydrite, cementitious & green screeds.
- Lifetime warranty





Stock Code.	Length (m)	Output (W)	Resistance (Ω)	Coverage m2 (130w/m2)
5290.012	12	150	352.67	1.15
5290.018	18	225	235.11	1.73
5290.025	25	300	176.33	2.31
5290.031	31	375	141.07	2.88
5290.037	37	450	117.56	3.46
5290.050	50	600	88.17	4.62
5290.061	61	750	70.53	5.77
5290.075	75	900	58.78	6.92
5290.100	100	1200	44.08	9.23
5290.125	125	1500	35.27	11.54
5290.150	150	1800	29.39	13.85
5290.200	200	2400	22.04	18.46



THERMOSPHERE
Thermonet Underfloor Heating Mesh

- A self-adhesive mesh for quick and secure setup, backed by a lifetime guarantee.
 - TwistedTwin Cable - Durable, stress-minimised, and fully earthed heating cable exclusive to ThermoSphere.
 - Low Profile: LayFlat technology with a 4mm thick cold tail for easy concealment.
 - Enhanced Protection: Wire-side-down installation protects the heating cable.
 - Versatile Use: Suitable for both floors and walls, ideal for wet rooms and shower cubicles.
 - Floor Compatibility: Recommended for tile and stone, adaptable for carpet, vinyl, and other specifications with accessories.
 - Variable Output: Choose from 200W/m² for high-demand rooms, 150W/m² for primary heat, and 100W/m² for floor warming.
 - Efficient Control: Pair with a compatible thermostat for optimal efficiency and cost control.
 - Floor Compatibility: Recommended for tile and stone, adaptable for carpet, vinyl, and other specifications with accessories.
- *The 100w/m2 and 200w/m2 outputs are available by special order only.

Stock Code.	Size m	Area m2	Output W	Resistance (Ω)
5100.02	2x0.5	1	150	353
5100.03	3x0.5	1.5	150	235
5100.04	4x0.5	2	150	176
5100.05	5x0.5	2.5	150	141
5100.06	6x0.5	3	150	118
5100.07	7x0.5	3.5	150	101
5100.08	8x0.5	4	150	88
5100.09	9x0.5	4.5	150	78
5100.10	10x0.5	5	150	71
5100.12	12x0.5	6	150	59
5100.14	14x0.5	7	150	50
5100.16	16x0.5	8	150	44
5100.18	18x0.5	9	150	39
5100.20	20x0.5	10	150	35
5100.24	24x0.5	12	150	29
5100.28	28x0.5	14	150	25
5100.32	32x0.5	16	150	22
5100.40	40x0.5	20	150	18
5100.48	48x0.5	24	150	15




THERMOSPHERE
T-MO Thermostat

- The T-MO thermostat is designed with a single objective—making it easy for installers. Every aspect of T-MO is built for simplicity, efficiency and convenience.
- Designed to make controlling your underfloor heating simple with the touch display and T-MO App.
- Easy to use touch display that fades away when not in use
- Connect to your thermostat via Wi-Fi or Bluetooth
- Remote tech support and setup make T-MO easy
- Real time energy monitoring to help manage running costs
- Advanced safety features
- Long lasting performance with ZeroXTM technology

Stock Code.	Colour	Supply Voltage	Temperature Range	Size mm	Mounting	Sensor Rating	Protection Rating
5262.B	Black	230V 500Hz	5 - 40°C	W 84 x H 84 x D 18mm	45mm deep back box	NTC 6.8, 10 (default), 12, 15, 22, 33, 47 and 100kΩ @ 25°C	IP21
5262.W	White	230V 50Hz	5 - 40°C	W 84 x H 84 x D 18mm	45mm deep back box	NTC 6.8, 10 (default), 12, 15, 22, 33, 47 and 100kΩ @ 25°C	IP21




* Product has a lead time, please check with our sales team




NAVARRO TILES

ENDLESS LUXURY



INTRODUCING NAVARRO TILES ENDLESS LUXURY



The range is provided by Navarro Tiles, a supplier of luxurious ceramic and porcelain tiles. Founded in 2020, the team behind Navarro Tiles has many years of industry experience and a passion for sourcing unique tiles with a natural finish. As a result, our Navarro range is quickly becoming a source of inspiration for stockists across the UK and Ireland.



As an experienced team of industry professionals, we are ideally positioned to offer the full range of tiles from Navarro, which are perfect for all types of projects. We are pleased to offer tiles from some of the best manufacturers in Europe, which enables us to provide our customers with cutting edge designs at great prices.



Our customers are important to us. We strive to offer the best products available combined with expert advice and we are extremely proud of the range we offer.



We are committed to helping your business succeed, which means alongside our innovative tile ranges we also provide extensive marketing support. Whether you are looking for a modern point of sale display solution or tile samples to provide customers, our team will ensure you have everything you need to showcase our range.



Our range of tiles is available on a trade only basis throughout the UK and Ireland. For more information about our wholesale tiling solutions, please contact the Quantum team.



IF YOU ARE A STOCKIST
OF TILES IN THE UK OR
IRELAND, WE WOULD
LIKE TO PARTNER WITH
YOU



Stock Code	Page No.
0061	88
0280	101
0281	101
0285	101
0300	101
0442	101
0830.006	99
0830.008	99
0830.010	99
0830.012	99
0830.020	99
0830.027	99
0830.030	99
0830.035	99
0830.040	99
0830.045	99
0830.050	99
0830.060	99
0830.070	99
0830.075	99
0830.105	99
0830.115	99
09355	87
1020	100
1021	100
1022	100
1023	100
1050	67
1105	67
1130	67
1132	67
1168	72
1169	72
1172	43
1185	88
1210	77
1225	77
1230	77
1245	77
1250	77
1255	77
1265	77
1270	77
1271	77
1272	77
1274	77
1277	77
1279	77

Stock Code	Page No.
1280	77
1283	77
1285	77
1288	77
1295	72
1306	68
1308	68
1310	68
1313	68
1329	68
1331	68
1332	68
1333	68
1334	68
1335	69
1386	69
1336	68
1397	70
1398	70
1410	71
1428	71
1455	70
1460	70
1465	70
1466	70
1475	93
1489	71
1491	71
1500	95
1505	95
1510	95
1515	95
1520	95
1525	95
1535	87
1553	99
1593	73
1595	73
1596	73
1597	73
1632	92
1640	93
1645	93
1680	93
1683	93
1684	93
1685	93
2004	89

Stock Code	Page No.
2006	89
2008	89
2010	73
2012	73
2032	86
2034	86
2045	72
2049	72
2081	67
2085	67
2200	79
2201	79
2202	79
2203	78
2204	79
2205	79
2206	79
2207	79
2208	79
2209	79
2271	81
3000	72
3001	95
3002	95
3003	95
3305	127
3313	127
3320	127
3322	127
3324	127
3328	128
3333	128
3336	128
3340	128
3342	128
3344	129
3360	129
3361	129
3362	129
3363	129
3385	129
3536	129
3600	120
3606	120
3612	120
3614	120
3615	120
3618	121

Stock Code	Page No.
3628	126
3640	122
3645	122
3646	122
3652	121
3656	123
3660	123
3664	121
3670	121
3672	121
3674	121
3675	123
3676	123
3678	123
3686	124
3692	124
3698	122
3703	124
3704	124
3708	124
3711	125
3712	125
3714	125
3716	125
3718	125
3719	125
3720	126
3723	125
3724	125
3725	125
3726	125
3728	125
3732	126
3738	126
4014	21
4015	21
4018	21
4023	21
4024	21
4025	21
4030	21
4031	21
4343	14
4344	14
4357	22
4358	14
4360	20
4361	22

Stock Code	Page No.
4362	22
4363	22
4364	14
4371	14
4372	14
4373	14
4379	14
4381	22
4383	14
4385	22
4394	22
4408	13
4410	13
4412	13
4421	30
4445	14
4447	14
4448	13
4449	14
4450	13
4451	13
4452	13
4454	13
4456	13
4458	13
4460	13
4467	13
4469	13
4471	13
4478	13
4488	12
4490	12
4492	12
4493	12
4504	12
4505	12
4507	12
4508	12
4510	12
4512	12
4538	14
4540	14
4542	14
4549	12
4551	12
4552	12
4553	12
4567	25

Stock Code	Page No.
4577	25
4603	26
4604	26
4605	26
4609	26
4663	28
4664	28
4686	30
4687	30
4743	29
4746	29
4752	29
4753	29
4791	26
4373	29
4374	29
4795	29
4796	29
4884	29
4845	29
4847	29
4848	9
4865	25
4866	25
4907	33
4907	33
4912	33
4932	33
4964	33
4972	41
4976	41
4977	41
4978	41
4979	43
4980	43
4983	41
4984	41
4985	45
4990	41
5100.02	133
5100.03	133
5100.04	133
5100.05	133
5100.06	133
5100.07	133
5100.08	133
5100.09	133
5100.12	133

Stock Code	Page No.
5100.14	133
5100.16	133
5100.18	133
5100.24	133
5100.32	133
5100.48	133
5184	55
5199	42
5206	55
5213	55
5214	55
5215	52
5216	52
5290.012	132
5290.018	132
5290.025	132
5290.031	132
5290.037	132
5290.15	132
5290.2	132
5290.05	132
5290.15	132
5292.01	132
5292.15	132
5483	43
5570	59
5571	59
5572	61
5811	43
6080	16
6081	16
6082	16
6083	16
6084	16
6085	16
6087	18
6088	18
6089	18
6090	18
6091	16
6092	16
6093	16
6094	16
6095	16
6096	16
6098	18
6099	18
6100	18

Stock Code	Page No.
6101	18
6102	16
6103	16
6104	16
6105	16
6106	16
6107	16
6109	18
6110	18
6111	18
6112	18
6115	18
6116	18
6298	98
6299	98
6305	98
6416	98
6875	114
6891	115
6900	115
6906	114
6907	114
6909	114
6921	115
6924	115
7901	106
7902	106
7903	106
7904	106
7905	106
7906	106
7907	106
7908	106
7909	106
7910	106
7911	106
7940	109
7941	109
8000	105
8001	104
8002	105
8003	105
8004	104
8005	104
8006	108
8007	108
8008	108
8009	107

Stock Code	Page No.
PXA118.17	34
PXA118.90	34
PXA118.91	34
QMP30	42
QTH4	60
SBR5L	60
SBRP05L	60
SG400	73
TTE115	98
TTMLLS20B	30
WJT	61
X1900001	86
ZZC3A	28
ZZC3G	28

This image shows a full page of blank graph paper. The grid consists of thin, light gray horizontal and vertical lines that intersect to form small squares across the entire surface. There are no margins, text, or other markings on the paper.

We are continually adding to our product range, if you can't find what you are looking for you can visit our website or call our customer service team.



Ireland

4 Courtauld Way,
Campsie, L'Derry
N. Ireland, BT47 3DN

+44 (0)28 7131 2064

UK

36-37 Cavendish Way,
Southfield Industrial Estate,
Glenrothes, Scotland, KY6 2SB

+44 (0)1738 231 800

quantumgroupni.com