



Genesis

For the Perfect Finish

2020



Luxe

Page 3



Metal Trim

Page 7



LVT Profiles

Page 31



P.V.C. Trim

Page 35



Tools & PPE

Page 43




Commercial
Nosing

Page 77




Step Edges

Page 97



vision

Page 103



Anti-Slip, Matting
and Access

Page 115



Transitions

Page 123



Movements &
Structural Joints

Page 131




Marketing

Page 141




Luxe

A range of luxurious tiling profiles to add glitz, glamour and a premium finish to your installation.



Swarovski Crystals



Luxurious tiling profiles to add glitz, glamour and a premium finish to your installation.

The Swarovski range can be applied to any colour profile to compliment your designs.

TDP already offers a more luxurious finish to any edge and now even more so with the addition of the Swarovski crystals. They can be used as an edge trim on the vertical with wall tiles or on the horizontal with Floor tiles or even as a feature strip in wall or floor applications.

NOTE: Crystals by Swarovski are not suitable for commercial installations or in wet areas

Triple Crystal on 101 Chrome Effect TDP

Code	Size	Length (m)	Finish
TDP100	10mm	2.5	101S
TDP120	12mm	2.5	101S

For standard TDP see page 12

Corners


Code	Size	Finish
EDP102	10mm	101S
EDP122	12mm	101S

Single Crystal on 101 Chrome Effect ESA


Code	Size	Length (m)	Finish
ESA080	8mm	2.5	101S
ESA100	10mm	2.5	101S
ESA120	12mm	2.5	101S

For standard ESA see page 8

Swarovski Crystals can be applied to all TDP and ESA finishes on request



Plated Stainless Steel



Make a statement with these luxurious stainless steel profiles. Available in three breathtaking finishes, never has stainless steel looked so good!

161
Tinted Black



187
Gold



195
Copper



Square Edge

Code	Size	Finish
EQQ080	8mm	161,187,195
EQQ100	10mm	161,187,195
EQQ120	12mm	161,187,195

Corners

Code	Size	Finish
EDQ082	8mm	161,187,195
EDQ102	10mm	161,187,195
EDQ122	12mm	161,187,195

For standard EQQ see page 20

Straight Edge


Code	Size	Finish
ESS080	8mm	161,187,195
ESS100	10mm	161,187,195
ESS120	12mm	161,187,195

For standard ESS see page 22




Solid Brass

Luxe




Our range of solid brass profiles are suitable for both domestic and commercial areas. Solid brass is extremely hard wearing and provides a truly unique finish.

87
Natural



90
Brushed



Square Edge

Code	Size	Length (m)	Finish
TDB107	10mm	2.7	87,90
TDB127	12mm	2.7	87,90

Straight Edge

Code	Size	Length (m)	Finish
ESB107	10mm	2.7	87,90
ESB127	12mm	2.7	87,90




Metal Trim

The Genesis range of metal profiles is without doubt one of the most comprehensive available, covering round, straight, square and even triangular profiles.




Aluminium Straight Edge & Formable Trim

**PROTECTIVE
FILM
EXCL.***



ESA060 onwards



ESA030,040,050



A comprehensive range of profiles designed to protect corners avoiding the unsightly and fragile 45° cut. The defined square edge clearly outlines coverings such as rectified porcelain stoneware. Available in different materials, colors and finishes, these profiles offer a practical and aesthetic solution, ideal for walls and floors.

Anodised finishes are supplied with a transparent protective film offering protection during transport, storage, simply peel off after installation.

01
White



02*
Matt White



16
Black



17
Matt Black



18
Brushed Black



34*
Soft Grey



80
Mill Aluminium



81
Matt Silver



85
Pewter



86
Bright Brass



88
Nickel



89
Bronze



90
Brushed Brass



91
Bright Silver



92
Matt Nickel



94
Brushed Effect



95
Bright Copper



96
Brushed Copper



101
Chrome Plated



411
Granite



414
Bath Stone



425
Sand Stone



435
Dark Granite





We can now
 powder coat our
 Aluminium &
 Stainless Steel
 profiles to any
 number in the
 Classic RAL
 Guide

Code	D (mm)	Length (m)	Finish	Box Qty
ESA030	2.25	2.5	80	20
ESA040	3.25	2.5	80	20
ESA050	4.25	2.5	80	20
ESA060	6	2.5	01,80,81,91	20
ESA080	8	2.5	01,02,16,17,18,34,80,81,85,86,88,89	20
ESA080	8	2.5	101	10
ESA100	10	2.5	01,02,16,17,18,34,80,81,85,86,88,89	20
ESA100	10	2.5	90,91,92,94,95,96,411,414,425,435	10
ESA120	12	2.5	01,02,16,17,18,34,80,81,85,86,88,89	20
ESA120	12	2.5	90,91,92,94,95,96,411,414,425,435	10
ESA150	15	2.5	01,80,81,91,94	20
ESA180	18	2.5	80,81,91	20
ESA225	22.5	2.5	80,91	20

2.7m

Code	D (mm)	Length (m)	Finish	Box Qty
ESA067	6	2.7	81,91	20
ESA087	8	2.7	81,91,94	20
ESA107	10	2.7	81,91,94	20
ESA127	12	2.7	81,91,94	20

Formable

Code	D (mm)	Length (m)	Finish	Box Qty
EFA060	6	2.5	80	20
EFA080	8	2.5	80	20
EFA100	10	2.5	80	20
EFA120	12	2.5	80	20
EFA150	15	2.5	80	20
EFA180	18	2.5	80	20

Universal Corner Pieces - ESC



Produced from Machined Aluminium to ensure a perfect finish to compliment the profile.

Code	D (mm)	Finish	Pack Qty
ESC082	8	81,91,94	2
ESC102	10	81,90,91,94 411,414,425,435	2
ESC122	12	81,90,91,94 411,414,425,435	2



Metal Trim Straight / Square



Aluminium Medium Duty Trim



80
Mill Aluminium

Code	D (mm)	Length (m)	Finish	Box Qty
EMA080	8	2.5	80	50
EMA100	10	2.5	80	50
EMA120	12	2.5	80	50



Aluminium Slim Trim - Square



91
Bright Silver


Code	W x D (mm)	Length (m)	Finish	Box Qty
EAM080	9 x 8	2.5	91	20
EAM100	11 x 10	2.5	91	20

Aluminium Medium Duty Trim



91
Bright Silver

TMG100/120



TMG050




Code	D (mm)	Length (m)	Finish	Box Qty
TMG050	5	2.5	91	20
TMG100	10	2.5	91	20
TMG120	12	2.5	91	20

Corner Pieces


Code	D (mm)	Type	Finish	Pack Qty
EMG052	5	Int / Ext	91	2
EMG102	10	Int / Ext	91	2
EMG122	12	Int / Ext	91	2

Aluminium Contour Trim & Corners



91
Bright Silver

81
Matt Silver



Code	W x D (mm)	Length (m)	Finish	Box Qty
TDG084	8 x 8	2.5	81,91	20
TDG104	10 x 10	2.5	81,91	20
TDG124	12 x 12	2.5	81,91	20


Corner Pieces

Code	D (mm)	Finish	Pack Qty
ECG082	8	81,91	2
ECG102	10	81,91	2
ECG122	12	81,91	2




Aluminium Square Trim & Corners

**PROTECTIVE
FILM**
EXCL.*



An alternative to an ordinary straight edge profile, the TDP offers a more luxurious finish. It can be used as an edge trim on the vertical with wall tiles or on the horizontal with Floor tiles or even as a feature strip in wall or floor applications. The extruded Aluminium profile gives a square appearance when installed and is also available with internal and external corner pieces (EDP) to obviate sharp edges when mitring is necessary.

Anodised finishes are supplied with a transparent protective film offering protection during transport, storage, simply peel off after installation.






Code	W x D (mm)	Length (m)	Finish	Box Qty
TDP080	10 x 8	2.5	81,82,91,94,95,96	20
TDP100	10 x 10	2.5	01,02,16,17,18,34,81,82,86,90,91,94,95,96,411,414,425,435	20
TDP100	10 x 10	2.5	101	10
TDP120	10 x 12	2.5	01,02,16,17,18,34,81,82,86,90,91,94,95,96,411,414,425,435	20
TDP120	10 x 12	2.5	101	10
TDP150	10 x 15	2.5	81,91,94	20

Universal Corner Pieces - EDP


Produced from Machined Aluminium to ensure a perfect finish to compliment the profile.

Code	D (mm)	Finish	Pack Qty
EDP082	8	81,82,91,94,95,96	2
EDP102	10	01,16,17,18,81,82,90,91,94,95,96,101,411,414,425,435	2
EDP122	12	01,16,17,18,81,82,90,91,94,95,96,101,411,414,425,435	2
EDP152	15	81,91,94	2




Metal Trim Square / Round

Aluminium Internal Square



Code	W x D (mm)	Length (m)	Finish	Box Qty
EIK100	11 x 10	2.5	91	20
EIK120	13 x 12	2.5	91	20
End Caps				
Code	D (mm)	Finish	Pack Qty	
ECK102	10	91	2	
ECK122	12	91	2	

Aluminium Angle Trim - Slim



Code	W x D (mm)	Length (m)	Finish	Box Qty
EAD080	12 x 8	2.5	86,91	20
EAD100	15 x 10	2.5	86,91	20
EAD120	18 x 12	2.5	86,91	20


Aluminium Pro Trim & Corners



Code	W x D (mm)	Length (m)	Finish	Box Qty
ETA060	8 x 6	2.5	81,91	20
ETA080	8 x 8	2.5	81,91,94	20
ETA100	10 x 10	2.5	81,91,94	20
ETA120	12 x 12	2.5	81,91,94	20


Corner Pieces - see EAC / EIQ opposite

Aluminium Round Edge



Code	D (mm)	Z (mm)	Length (m)	Finish	Box Qty
ERA080	8	22	2.5	91	20
ERA100	10	22	2.5	81,91	20
ERA120	12	24	2.5	81,91	20

Aluminium Quadrant Trim & Corners



**PROTECTIVE
FILM**
EXCL. 80



An extruded aluminium profile with a fully rounded quadrant face designed to protect the edges of ceramic tiles or similar hard finishes fitted in wall or floor installations. Available in a wide range of heights and finishes with corresponding Internal and External Aluminium corners avoiding the unsightly and exposed 45° cuts.

Code	W/D (mm)	Length (m)	Finish	Box Qty
EAQ060	6	2.5	01,81,91	20
EAQ080	8	2.5	01,80,81,91,94	20
EAQ100	10	2.5	01,16,80,81,85,86,91,94,95,96	20
EAQ120	12	2.5	01,16,80,81,85,91,94,95,96	20

Solid Brass available upon request - lead times and MOQ's apply.



Corner Pieces

Produced from Machined Aluminium to ensure a perfect finish to compliment the profile.

External Corners

Code	D (mm)	Finish	Pack Qty
EAC062	6	91	2
EAC082	8	01,80,81,91,94	2
EAC102	10	01,16,80,81,86,91,94,95,96	2
EAC122	12	01,16,80,81,91,94,95,96	2

Internal Corners


Code	D (mm)	Finish	Pack Qty
EIQ082	8	81,91,94	2
EIQ102	10	81,86,91,94	2
EIQ122	12	81,91,94	2



Metal Trim



Aluminium Angle Trim & Corners



These unique profiles offer an attractive professional finish to ceramic tiles; the specially engineered triangular shape of these trims provide outstanding strength and protection for tiled edges and corners.

All are supplied with a transparent protective film offering protection during transport, storage, simply peel off after installation.

Code	D (mm)	Length (m)	Finish	Box Qty
EAT080	9 x 8	2.7	81,91,94	20
EAT100	11 x 10	2.7	81,91,94	20
EAT120	13 x 12	2.7	81,91,94	20



Corner Pieces

Produced from Machined Aluminium to ensure a perfect finish to compliment the profile.

External Corners

Code	D (mm)	Finish	Pack Qty
EET082	8	91,94	2
EET102	10	91,94	2
EET122	12	91,94	2

Internal Corners

Code	D (mm)	Finish	Pack Qty
EIT082	8	91,94	2
EIT102	10	91,94	2
EIT122	12	91,94	2

81
Matt Silver




91
Bright Silver




94
Brushed Effect



**PROTECTIVE
FILM**



Aluminium Self Adhesive Internal Trim, Corners & Caps



Aluminium Internal Trim applied retrospectively secured into position with the pre-bonded adhesive tape, simply remove the carrier and apply to the prepared area.

Ideal not only for internal corners but also floor and worktop applications, a range of complimentary accessories complete the perfect finish.

Code	D (mm)	Length (m)	Finish	Box Qty
EWA150	11.5	2.5	81,91	20

Corner Pieces & End Caps

The fabricated aluminium corners and caps with integral guide arms that help locate and guide into the profile, producing a perfect match to the EWA profile offering a neat and professional finish.


81
Matt Silver



91
Bright Silver




Code	D (mm)	Type	Finish	Pack Qty
EWI150	11.5	Internal Corner	81,91	2
EWE150	11.5	External Corner	81,91	2
EW150	11.5	End Caps	81,91	2



Aluminium Dividing Strip

91
Bright Silver



80
Mill Aluminium


Code	W x D (mm)	Length (m)	Finish	Box Qty
EDA510	5 x 10	2.5	80	20
EDA310	3 x 10	2.5	91	20

Aluminium Dividing Strip

81
Matt Silver



91
Bright Silver




83
Matt Brass

Code	W x D (mm)	Length (m)	Finish	Box Qty
EDA408	22 x 9	2.5	81,83,91	20

Solid Brass available upon request - lead times and MOQ's apply.

Aluminium Dividing Strip

81
Matt Silver




91
Bright Silver

Code	W x D (mm)	Length (m)	Finish	Box Qty
EDA147	14 x 8	2.5	81,91	20

Stainless Steel Dividing Strip


102
Brushed Stainless Steel



84
Stainless Steel

Code	W x D (mm)	Length (m)	Finish	Box Qty
EDS209	20 x 9	2.5	84,102	10

Stainless Steel Square Edge Trim & Corners



For
stainless
steel cutting
disc see
Page 70

This Stainless Steel profile should be chosen where high levels of hygiene are sought, such as food processing industries, breweries, dairies and hospitals.

These profiles offer superb resistance to principal chemical and atmospheric agents and are particularly recommended to protect steps in zones such as food processing industries, breweries, dairies, hospitals and external applications.

Its' smooth and non-porous surface makes it especially difficult for the adhesion and survival of bacteria and/or other micro-organisms.

84
Stainless Steel



102
Brushed Stainless Steel



**PROTECTIVE
FILM**
EXCL. 102



Plated Finish on Page 5

Stainless Steel Square Edge Trim - Grade 304

Code	W x D (mm)	Length (m)	Finish	Box Qty
EQQ080	8 x 8	2.5	84,102	10
EQQ100	10 x 10	2.5	84,102	10
EQQ120	12 x 12	2.5	84,102	10

Stainless Steel Square Edge Trim - Grade 316

Code	W x D (mm)	Length (m)	Finish	Box Qty
EQQ308	8 x 8	2.5	84,102	10
EQQ310	10 x 10	2.5	84,102	10
EQQ312	12 x 12	2.5	84,102	10


Corner Pieces - Grade 304

Corner pieces to compliment the EQQ stainless steel square edge trims.



Code	D (mm)	Finish	Pack Qty
EDQ082	8	84,102	2
EDQ102	10	84,102	2
EDQ122	12	84,102	2

Stainless Steel Quadrant Trim & Corners



**For
stainless
steel cutting
disc see
Page 70**

This Stainless Steel profile should be chosen where high levels of hygiene are sought, such as food processing industries, breweries, dairies and hospitals.

These profiles offer superb resistance to principal chemical and atmospheric agents and are particularly recommended to protect steps in zones such as food processing industries, breweries, dairies, hospitals and external applications.

Its smooth and non-porous surface makes it especially difficult for the adhesion and survival of bacteria and/or other micro-organisms.

84
Stainless Steel

102
Brushed Stainless Steel



**PROTECTIVE
FILM**
EXCL. 102



Stainless Steel Quadrant Trim - Grade 304

Code	W/D (mm)	Length (m)	Finish	Box Qty
ESQ060	6	2.5	84,102	10
ESQ080	8	2.5	84,102	10
ESQ100	10	2.5	84,102	10
ESQ120	12	2.5	84,102	10

Stainless Steel Quadrant Trim - Grade 316

Code	W/D (mm)	Length (m)	Finish	Box Qty
ESQ308	8	2.5	84,102	10
ESQ310	10	2.5	84,102	10
ESQ312	12	2.5	84,102	10



Corner Pieces - Grade 304

Corner pieces to compliment the ESQ stainless steel square edge trims.



Code	D (mm)	Finish	Pack Qty
ECQ082	8	84,102	2
ECQ102	10	84,102	2
ECQ122	12	84,102	2

Stainless Steel Straight Edge (304 & 316) & Formable Trim



For
stainless
steel cutting
disc see
Page 70

This Stainless Steel profile should be chosen where high levels of hygiene are sought, such as food processing industries, breweries, dairies and hospitals.

These profiles offer superb resistance to principal chemical and atmospheric agents and are particularly recommended to protect steps in zones such as food processing industries, breweries, dairies, hospitals and external applications.

It's smooth and non-porous surface makes it especially difficult for the adhesion and survival of bacteria and/or other micro-organisms.

84
Stainless Steel



102
Brushed Stainless Steel



**PROTECTIVE
FILM**
EXCL. 102



Pure **Plated Finish on Page 5**

Stainless Steel - Grade 304

Code	D (mm)	Length (m)	Finish	Box Qty
ESS045	4.5	2.5	84,102	10
ESS060	6	2.5	84,102	10
ESS080	8	2.5	84,102	10
ESS100	10	2.5	84,102	10
ESS120	12	2.5	84,102	10
ESS150	15	2.5	84,102	10
ESS180	18	2.5	84,102	10
ESS225	22.5	2.5	84,102	10

Stainless Steel - Grade 316

Code	D (mm)	Length (m)	Finish	Box Qty
ESS310	10	2.5	84,102	10
ESS312	12	2.5	84,102	10

Formable

Code	D (mm)	Length (m)	Finish	Box Qty
ESF100	10	2.5	84,102	10
ESF120	12	2.5	84,102	10


Stainless Steel Angle Edge



84
Stainless Steel

Code	D (mm)	Length (m)	Finish	Box Qty
ETS045	4,5	2,5	84	10
ETS070	7	2,5	84	10
ETS100	10	2,5	84	10


Aluminium Listello



91
Bright Silver

Code	W x D (mm)	Length (m)	Finish	Box Qty
LPA100	10 x 7	2,5	91	20
LPA250	25 x 7	2,5	91	20


Stainless Steel Listello



84
Stainless Steel

Code	W x D (mm)	Length (m)	Finish	Box Qty
LPS250	25 x 8	2,5	84,102	10
LPS400	40 x 8	2,5	84,102	10

Glass Panel / Shadow Gap




91
Bright Silver

Code	D (mm)	Length (m)	Finish	Box Qty
LGA080	8	2,5	91	10
LGA100	10	2,5	91	10
LGA125	12,5	2,5	91	10

Metal Trim Straight

Flat Line Listello



Genesis LFA is a flat decorative Aluminium profile designed to create a feature in ceramic wall tile installations.

Code	W x D (mm)	Length (m)	Finish	Box Qty
LFA100	10 x 8	2.5	81,86,91,94,101	20
LFA200	20 x 8	2.5	16,17,18,86,90,91,94,411,414,425,435	20




**PROTECTIVE
FILM**
EXCL.*





Aluminium Clip On Skirting, Corners & End Caps



81
Matt Silver

This profile is anodised Aluminium skirting which is easy to install and allows you to cover and protect low running cables around the perimeter, providing an attractive finish to low wall corners. The internal interlocking clip is fixed to the wall with screws, which are supplied, to provide a solid foundation. The top section simply clips into place.

Powder coating and anodising options available, please contact us for details.


Code	W x D (mm)	Length (m)	Finish	Box Qty
KAC710	10 x 70	2.5	81	10

External Corners




Code	W x D x L (mm)	Description	Finish	Pack Qty
KEC710	10 x 70 x 80	Pre-formed external corner	81	1
KIC710	10 x 70 x 80	Pre-formed internal corner	81	1

End Caps

Code	W x D (mm)	Description	Finish	Pack Qty
KLC710	10 x 70	Left end cap	81	1
KRC710	10 x 70	Right end cap	81	1



Aluminium Skirting, Corners & End Caps



81
Matt Silver

Genesis KAA is an anodised Aluminium Skirting. It is ideal for use where a modern, hi-tech finish is required. It can be used with most types of floor covering including carpets, resilient flooring, stone, wood, wood laminate and ceramic tiles.

The profile is designed to sit on top of the floor covering in order to provide a neat finish.

Available in Matt Silver, and with matching finishing trims for neat installation: End caps, junctions and internal/external corners.

Powder coating and anodising options available, please contact us for details.


Code	D (mm)	Length (m)	Finish	Box Qty
KAA607	60	2.7	81	10
KAA807	80	2.7	81	10
KAA107	100	2.7	81	10

P.V.C. Corners & End Caps

Code	Description	Finish	Box Qty
KPE600	External Corner for KAA607	11	20
KPI600	Internal Corner for KAA607	11	20
KPC600	Pair End Caps (L/R) for KAA607	11	20
KPE800	External Corner for KAA807	11	20
KPI800	Internal Corner for KAA807	11	20
KPC800	Pair End Caps (L/R) for KAA807	11	20
KPE100	External Corner for KAA107	11	20
KPI100	Internal Corner for KAA107	11	20
KPC100	Pair End Caps (L/R) for KAA107	11	20

KPC


KPI




KPE

Metal Trim Panel Profiles

End - U




91
Bright Silver



Code	W x D(mm)	Length (m)	Finish	Box Qty
PUA118	6 x 11.5	2.4	91	50

H - Joint




91
Bright Silver




Code	W x D (mm)	Length (m)	Finish	Box Qty
PHA118	11 x 11.5	2.4	91	50

External




91
Bright Silver



Code	W x D (mm)	Length (m)	Finish	Box Qty
PXA118	30 x 11.5	2.4	91	25

H - Joint



91
Bright Silver




Code	W x D (mm)	Length (m)	Finish	Box Qty
PIA118	15 x 11.5	2.4	81,91	25

Finish Options


01
White




81
Matt Silver




91
Bright Silver



Scotia Retro Fit



91
Bright Silver





Code	W x D (mm)	Length (m)	Finish	Box Qty
PSA308	30 x 19	2.4	01,81,91	50

Glass / Shower Deck Profiles

A stainless steel line profile which allows you to accurately configure tiled showers flush with the floor. Developed in order to cover the slope of 2%* it makes the shower area aesthetically perfect and at one with the modern trends of interior design.

*2% @ 889mm, 1% @ 1189mm.

NEW



Code	D (mm)	H (mm)	Length (m)	Drop	Finish	Box Qty
ESL099	9	22	0.889	Left	84	10
ESL092	9	22	1.189	Left	84	10
ESL119	11	24	0.889	Left	84	10
ESL112	11	24	1.189	Left	84	10
ESL129	12.5	25.5	0.889	Left	84	10
ESL122	12.5	25.5	1.189	Left	84	10
ESR099	9	22	0.889	Right	84	10
ESR092	9	22	1.189	Right	84	10
ESR119	11	24	0.889	Right	84	10
ESR112	11	24	1.189	Right	84	10
ESR129	12.5	25.5	0.889	Right	84	10
ESR122	12.5	25.5	1.189	Right	84	10


Metal Trim Edge Protection

Aluminium Retro-Fit Protector




Code	W x D (mm)	Length (m)	Self-Adhesive	Finish	Box Qty
EAA100	10 x 10	2.5	Yes	81,91	20
EAA206	20 x 20	2.5	No	11,81,82,91,94	20
EAA254	25 x 25	2.5	No	81	20

Stainless Steel Retro-Fit Protector - Self Adhesive



Code	W x D (mm)	Length (m)	Finish	Box Qty
EAS154	15 x 15	2.5	84,102	10
EAS304	30 x 30	2.5	84,102,117,187,195	10
EAS504	50 x 50	2.5	84,102,117,187,195	10
EAS515	50 x 50	1.5	84	10

Stainless Steel Protector



Code	W x D (mm)	Length (m)	Finish	Box Qty
EPS310	30 x 10	2.5	84,102	10
EPS312	30 x 12	2.5	84,102	10
EPS510	50 x 10	2.5	84,102	10
EPS512	50 x 12	2.5	84,102	10



LVT Profiles

Luxury Vinyl Tiles are distinctly slim and highly water-repellent and durable floor coverings, now complimented by an equally enduring, versatile and functional range of profiles.



Aluminium Angle Edge

NEW




Code	W x D (mm)	Length (m)	Finish	Box Qty
TVI037	25 x 25	2.7	81,89	10


81
Matt Silver



89
Bronze




For additional finishing solutions the following profiles are also LVT compatible




ESA030,040,050

Page 8-9




NAS

Page 100



TAV

Page 124




TSL

Page 129




Aluminium Reducer

89
Bronze



NEW

81
Matt Silver



Code	W x D (mm)	Length (m)	Finish	Box Qty
TVR037	38 x 3	2.7	81,89	10


Aluminium Reducer

81
Matt Silver



NEW

89
Bronze



Code	W x D (mm)	Length (m)	Finish	Box Qty
TVR057	39 x 5	2.7	81,89	10


Aluminium Angle Edge

81
Matt Silver



NEW


89
Bronze



Code	D (mm)	H (mm)	Length (m)	Finish	Box Qty
TVN037	19.5	3	2.7	81,89	10
TVN057	21.5	5	2.7	81,89	10


Aluminium U Profile

89
Bronze



NEW

81
Matt Silver




Code	W x D (mm)	H (mm)	Length (m)	Finish	Box Qty
TVE037	6 x 5.6	3	2.7	81,89	10
TVE057	8.5 x 7.6	5	2.7	81,89	10

P.V.C. Trim

Manufactured to the highest standards from top quality virgin, lead free P.V.C.u. Finished professionally, providing a long lasting protective finish to any ceramic installation.



Trim Regular & Corners



ETR features a smart quadrant face which is good for three dimensional alignment, overhang lips to better butt against the cushion edge of the ceramic tile, and a second upright to support the face making it the most suitable trim for floor tile use.





Code	W x D (mm)	Z (mm)	Length (m)	Finish	Box Qty
ETR608	7.5 x 6	21	2.5	01,11,16,32,34,111	100
ETR708	8.5 x 7	22	2.5	01	100
ETR808	9.5 x 8	25	2.5	01,09,10,11,12,13,14,16,20,25,26 32,34,62,63,64,70,72,111,116	100
ETR108	11.5 x 10	26	2.5	01,09,10,11,12,13,14,16,20,24,25 26,32,34,62,64,70,72,81,91,111	60
ETR128	12.5 x 12	32	2.5	01,10,11,14,16,25,32,34,64,70,111	60


Corner Pieces

Injection Moulded corner pieces to compliment the profile eliminating the need for mitring - for the perfect finish.

Code	D (mm)	Finish	Pack Qty
PDM603	6	01,10,11,14,16,25,32,34	100
PDP604	6	01,34	4 Blister Pack
PDL803	8	01,10,11,14,16,25,32,34	100
PDP804	8	01,34	4 Blister Pack
PDX103	10	01,10,11,14,16,25,32,34	100
PDP104	10	01,34	4 Blister Pack
PDX123	12	01,10,11,14,16,25,32,34	100
PDP124	12	01,34	4 Blister Pack



Internal Trim




Code	D (mm)	Length (m)	Finish	Box Qty
ETI090	9	2.5	01	50

Eco Trim

01
White




34
Soft Grey



32
Soft Cream

Code	W x D x Z (mm)	Length (m)	Finish	Box Qty
ECT060	7 x 6 x 23	2.5	01,32,34	100
ECT090	10 x 9 x 26	2.5	01,32,34	100
ECT120	13 x 12 x 28	2.5	01,32,34	100

Square Trim & Corners




Code	W x D (mm)	Length (m)	Finish	Box Qty
TPP104	8 x 10	2.5	01	60
TPP124	8 x 12	2.5	01	60

Corner Pieces

Code	Packed	Finish	Box Qty
PTP104	10mm 2 way corner x 4	01	50
PTP124	12mm 2 way corner x 4	01	50

Trim Plus & Corners





01
White

Code	D (mm)	Length (m)	Finish	Box Qty
ETP908	9	2.5	01	50

Corner Pieces

Code	D (mm)	Type	Finish	Pack Qty
PCL235	9	Internal/External	01	2 of each

Straight Edge Trim



A straight edge alternative to the popular round edge profiles. In addition to being used with standard ceramic tiles the ESP can be used with rectified or square cut tiles. The profile is available in 8, 10, 12 and 15mm depths. The ESP can also be used as a capping on the horizontal where skirting tiles have been fitted or where walls are not fully tiled.

Code	D (mm)	Length (m)	Finish	Box Qty
ESP060	6	2.5	01,34	100
ESP080	8	2.5	01,11,16,32,34	100
ESP100	10	2.5	01,11,16,32,34	100
ESP120	12	2.5	01,11,16,32,34	100
ESP150	15	2.5	01	100

01
White



11
Grey



16
Black



32
Soft Cream




34
Soft Grey



Seal Under / Over Tile & Seal Plus



01
White



Seal Under / Over Tile

Code	Fixing	Length(m)	Finish	Box Qty
SBS180	Under / over tile	1.8	01	25
SPS180	Under tile only	1.8	01	25

Corner Pieces

Code	Packed	Finish	Box Qty
SMT100	1 corner + 2 end caps	01	50 packs

Seal Plus

Code	Fixing	Length (m)	Finish	Box Qty
SSP180	Under / over tile	1.8	01	50


Corner Pieces

Code	Packed	Finish	Box Qty
SMP100	1 corner + 2 end caps	01	50 packs

Eezi Seal



01
White




Code	W x D (mm)	Length (m)	Finish	Box Qty
SOR335	18 x 18	3.35	01	48

Beading



01
White



Code	Fixing	Length (m)	Finish	Box Qty
SRP250	Over tile only	2.5	01	25

Corner Pieces

Code	Packed	Finish	Box Qty
SRE100	2 way external corner x 5	01	50
SRI100	2 way internal corner x 5	01	50
SRT100	3 way internal corner x 5	01	50

Vinyl to Tile - EVC


01
White



11
Grey



16
Black




Code	W x D (mm)	Length (m)	Finish	Box Qty
EVC080	15 x 8	2.5	01,11,16	50
EVC100	15 x 10 NEW	2.5	01	50

Retro-Fit Corner Protector



01
White




Code	W x D (mm)	Length (m)	Finish	Box Qty
ERP120	12 x 12	2.5	01	50
ERP200	20 x 20	2.5	01	50
ERP250	25 x 25	2.5	01	50
ERP300	30 x 30	2.5	01	25
ERP500	50 x 50	2.5	01	25

Vinyl to Tile - EFU



01
White




Code	W x D (mm)	Length (m)	Finish	Box Qty
EFU080	15 x 8	2.5	01	50

Vinyl to Tile - EVT




01
White



Code	W x D (mm)	Length (m)	Finish	Box Qty
EVT080	15 x 8	2.5	01	25
EVT120	15 x 12	2.5	01	25

P.V.C. Flexible Sit On Skirting


43
Dolphin Grey



16
Black

Code	H x D (mm)	Length (m)	Finish	Box Qty
KSO100	100 x 20	2	16,43	30
KSO1015	100 x 20	15 (coil)	16,43	1
KSO150	150 x 20	2	16,43	20

P.V.C. Flexible Cove Former




KCOV2

KCOV1 & 3

Code	W x D (mm)	Length (m)	Finish	Box Qty
KCOV1	38 x 38	2	16	30
KCOV2	20 x 20	2	16	30
KCOV3	32 x 32	2	16	30

P.V.C. Dim Strip



Code	W x D (mm)	Length (m)	Finish	Box Qty
RDIM20	26 x 2	15 (coil)	16	10
RDIM25	26 x 2.5	15 (coil)	16	10
RDIM45	36 x 4.5	2	16	40
RDIM60	40 x 6	2	16	20

P.V.C. Flexible Set In Skirting

16
Black



43
Dolphin Grey

Code	H x D (mm)	Length (m)	Finish	Box Qty
KSI100	100 x 50	2	16,43	20

P.V.C. Capping Strip

16
Black



43
Dolphin Grey

01
White

Code	W x D (mm)	Length (m)	Finish	Box Qty
KCS01	40 x 2	2	01,16,43	40

P.V.C. Capping Strip

01
White



16
Black

43
Dolphin Grey

Code	W x D (mm)	Length (m)	Finish	Box Qty
KCS02	39.5 x 1.5	2	01,16	40
KCS022	39.5 x 1.5	20 (coil)	01,16,43	3

Tools

Our range of tools offer the customer a way to achieve the perfect finish with ease and precision.




Spacers / Mosaic
Page 44 - 46



Large Format
Page 47 - 51




Tile Cutters
Page 52



REVOLUTION

Drilling & Cutting
Page 53 - 57



Dust Extraction
Page 58 - 59




Levelling Systems
Page 60 - 61



Trowels
Page 62 - 65



Floats & Sponges
Page 66 - 67



Cleaning
Page 68



Silicone Accessories
Page 69



Miscellaneous
Tiling Tools
Page 70 - 71



Tile Handling
Page 71



Kitchen & Bathroom
Page 72 - 73



Knee Protection
Page 74



PPE
Page 74 - 76



Rotera Wedge

The Genesis Rotera Wedge is the perfect tool to increase productivity when laying tiles. The clever, yet simple design allows the installer to achieve a fully controlled level of accuracy to achieve the perfect finish. The wedges simply rotate to the exact space needed. They are the perfect choice when looking to support the bottom course when wall tiling.

Gone are the days of using cardboard to rest the tiles on or stacking up traditional wedges, the Genesis Rotera Wedges offer the perfect solution for creating space for stone, masonry, paving, bricklaying and tile installations.



NEW

Code	Description	Qty
508	Rotera Wedge 1-13mm	100



Spacers





Our spacer range has a varied format to suit most needs. From the small bag through to the large, extremely popular, bucket container.

All spacers are injection moulded for precision and the individual spacer is separated after the moulding process to allow faster use when tiling.




Code	Size	Type	Qty	Pack	Box Qty
507	0-5mm	Wedges	100	Bag	10
505	1mm	Cross	500	Bag	50
515	2mm	Cross	250	Bag	25
510	2mm	T Shape	250	Bag	25
544	2mm	Pegs	500	Bag	25
555	2mm	Cross	500	Bag	15
625	2mm	Cross	2500	Bag	2
557	2mm	Cross	5000	Bucket	1
535	3mm	Cross	250	Bag	25
536	3mm	Cross	500	Bag	15
538	3mm	Cross	5000	Bucket	1
540	4mm	Cross	250	Bag	25
570	5mm	Cross	100	Bag	50

Multi-Height Reusable Spacer



Premium heavy duty re-usable multi-height spacers, offering product longevity combined with versatility. This unique system covers the most popular sizes.

- Each leg size is easily identifiable
- Can be used in conjunction with levelling systems
- Supplied in a re-sealable bag
- Manufactured from high grade polypropylene
- 15mm leg length



Code	Description	Box Qty
600	1,2,3,4 Cross Spacers 50 per bag	50



Mosaic Mesh


An innovative product which solves the problem of fixing mosaic tiles.

Makes mosaic fixing fast and simple


- A 300 x 300mm rigid plastic mesh
- Optimum design allowing maximum adhesive coverage and performance
- Self adhesive back to stick to the underside of your mosaic sheet giving complete support
- 3mm thick adds no significant thickness to your mosaics
- Cut with a knife or scissors to desired size

Also used to pack out thin mosaics when used as borders to enable them to be the same thickness as the wall tiles.

All mosaics are equally spaced and straight.




Code	Description	Box
660	Counter top Display Box Contents 100 sheets (1 unit = 100 sheets)	6




Mosaic Backing System

Perfect flush fit mosaic borders time after time

- Multi-depth spacing
- Perfect flush-fit mosaic borders every job
- 'Easy-snap' feature for different border widths & depths
- 5 x 300mm x 150mm for easier fixing
- Covers up to 3m length (based on 60mm wide border)



Code	Description	Box
605	Mosaic Backing System	50 packs






With the key word innovation, Bihui is at the forefront developing quality tools for advanced handling and assembly of large format tiles. The products are manufactured using the latest technology and the focus is on function and design in every detail.



Heavy Duty Vacuum Suction Cup

NEW



- Lifting capacity 120kg
- Ø 200mm
- Pump action
- Quick release

Code	Description	Qty
BHVC200	Heavy Duty Vacuum Suction Cup	1



Transport Cart

The ideal solution to move large format slabs of porcelain stoneware in the warehouse, places of installation offering work area to apply the adhesive.

Thanks to the 4 soft rubber castors (Lockable) positioned on each corner superb control of movement and direction is created plus they make it extremely stable.

Height: 1500mm


Width: 1500mm

Depth: 750mm

Max. Load: 280kg

Code	Description	Qty
BLFCART	Transport cart for Large Format Tile	1





Workbench

A lightweight, robust and stable workbench for large-format tiles, enabling cutting / drilling without risk of damaging the work surface.

Easily assembled for transport and storage and can be mounted together with additional tables for increased work surface, features includes foldable legs and adjustable rails.

Height: 800mm
Width: 1400mm
Length: 1800mm
Max. Load: 200kg

NEW

Code	Description	Qty
BLFWBO	Workbench for Large Format Tile	1



**Connect 2 benches
for 3600mm length**



Manual Rail Cutting System

For manual cutting of large format tiles with thicknesses between 3 and 6mm. Packed in plastic case and tool bag, this 3 rail system has a cutting ability of up to 3.6m. System includes;

- 1 x Cutting head
- 2 x Cutting wheel
- 3 x Aluminum suction cup
- 1 x Breaking plier
- 2 x Break clamp device
- 2 x F clamp

NEW

Code	Description	Qty
BLFMCR	Manual Rail Cutting System for Large Format Tile	1




Electric Cutter

NEW



An electric dry cutter compatible with the BLFMCR Rail system for large format tiles.

- 1500W, 220V
- 13000rpm
- Max. cutting depth 14mm



Code	Description	Qty
BLFECM	Electric Cutter	1



Lifting System

NEW



- Robust and stable plate lift for large-format plates
- Adjustable rail system, max capacity 3.2 x 1.6m
- Max. lifting capacity 130kgs
- Soft Grip easy access handles

Code	Description	Qty
BLFCSF	Lifting System	1

Tile Space Regulator

For positioning and fine-tuning of large-format and heavier materials with a smooth surface, such as stone, granite, metal and glass.

- 6 suction cups
- Span between 170 - 225mm
- Width: 350mm. Length: 655mm

Code	Description	Qty
BLFTGP	Tile Space Regulator	1

NEW



Electric Vacuum Sucker



NEW



Designed for the professionals, the vacuum-assisted lifting technology transforms the traditional method of heavy lifting.

- Voltage 14.8V
- Charging Time 1 Hour
- Max. Lift 70kg
- Set Includes 2 batteries
- Battery life indicator

Code	Description	Qty
BLFEVS	Electric Vacuum Sucker	1

Vibration Tile Beater

Compact and lightweight allowing the positioning of the tile through the suction cup, the vibration action removes residual air bubbles when trapped between the tile and adhesive.

The intensity of the vibration is adjustable to three different frequencies.


- Lithium Battery
- Voltage 16.8V
- Charging Time 2 hours
- Battery life indicator
- Max. lift 25kg

Code	Description	Qty
BLFVTB	Vibration Tile Beater	1



NEW


Super Pro Cutter 600mm with Case



600mm



420mm x 420mm



16mm Max



Bearing Cutter supplied with 6 & 10mm wheels, max cutting depth 16mm, Tungsten wheel, adjustable guide, extendable stand and spring loaded. Supplied in durable carry case.

Max cutting length: 600mm

Max cutting size for 45° angle: 420mm

Code	Description	Qty
987	Super Pro Cutter 600mm	1
986W	6mm Spare Wheel	1
987W	10mm Spare Wheel	1

Cutter 400mm



Max cutting depth 10mm,
Tungsten wheel, Max
cutting Length 400mm.

Code	Description	Qty
983	Basic Cutter 400mm	9
983W	Spare Wheel for 983	100

Cutter 600mm



Max cutting depth 10mm,
Tungsten wheel, Max
cutting length 600mm.

Code	Description	Qty
984	Basic Cutter 600mm	6
983W	Spare Wheel for 984	100

Diamond Hole Saws 2 per pack



Code	Description	Qty
756	2 x 6 mm Hole Saw	20
758	2 x 8 mm Hole Saw	20

Diamond Hole Saw Set

6, 8, 10, 12, 22 and 35mm diamond drill bits.
 Suitable for drilling porcelain, marble, granite and travertine.



Code	Description	Qty
750	Trade Hole Saw Set	10

Tile / Glass Drill Bits



Carbide tipped drill suitable for glass and glazed ceramic tiles.

Code	Description	Qty
836	6mm Tile/Glass Drill Bit	10
838	8mm Tile/Glass Drill Bit	10

Dry Drill Bits



Code	Description	Qty
806DD	6mm Dry Drill	10
808DD	8mm Dry Drill	10
810DD	10mm Dry Drill	10
812DD	12mm Dry Drill	10

73mm Tri Bore



For use with all standard power drills. Cuts holes in ceramic tiles up to 73mm in diameter.


Code	Description	Qty
830	73mm Tri Bore	20

RE·VOLUTION Multi Wheel

DIAMOND BLADES

Diamond cup wheels for cutting and grinding, suitable for cutting materials such as porcelain tiles, ceramic, marble, travertine etc.

Code	Description	Qty
B778005	115mm, Medium grit	1
B778000	115mm, Fine grit	1
B778015	125mm, Medium grit	1
B778025	125mm, Fine grit	1



RE·VOLUTION M14 Dry Drills

DIAMOND DRILLS

Suitable for drilling porcelain, marble, granite and travertine.

Diamond brazed cutting rim with dust discharge hole.

M14 Thread fits directly onto angle grinder with 11,000rpm.


Code	Description	Qty
781	6mm	10
782	8mm	10
783	20mm	10
780	20mm Bore	1
791	25mm	10
792	28mm	10
784	35mm	10
785	50mm	5
787	60mm	1
788	70mm	1
780CA	Chuck Adaptor Hex to M14	10



REVOLUTION

DIAMOND BLADES

Diamond Drills - Pro-Wet Flex




Suitable for drilling porcelain, marble, granite and travertine.
 Electro plated diamond cutting rim with Discharge hole for dust removal, the straight shank fits all standard drills.

Code	Description	Qty
810	Diamond Hole Saw - 6mm	10
811	Diamond Hole Saw - 8mm	10
812	Diamond Hole Saw - 10mm	10
813	Diamond Hole Saw - 12mm	10
827	Diamond Hole Saw - 18mm	10
870	Diamond Hole Saw - 20mm	10
814	Diamond Hole Saw - 22mm	10
815	Diamond Hole Saw - 27mm	10

Code	Description	Qty
816	Diamond Hole Saw - 30mm	10
826	Diamond Hole Saw - 35mm	10
871	Diamond Hole Saw - 42mm	5
872	Diamond Hole Saw - 45mm	5
817	Diamond Hole Saw - 50mm	5
873	Diamond Hole Saw - 55mm	5
818	Diamond Hole Saw - 63mm	5
819	Diamond Hole Saw - 75mm	5



Diamond Hand Pads



60 (medium) and 200 (fine). For smoothing the edges of any type of marble, granite, porcelain, stoneware and ceramics.

Code	Description	Qty
828F	Fine Diamond Hand Pads	1
828M	Medium Diamond Hand Pads	1

RE^{VO}LUTION

DIAMOND BLADES



Cyclone Blades



For Wet and dry cutting of tiles. Unique segment blade design provides effective removal and fine cuts.

Max RPM 12220,

Max cutting depth 25mm.

22.2mm bore with reducers 20 & 16mm.

Blade thickness only 1.5mm with 10mm Segment.

Turbo



Diamond turbo blade for wet and dry cutting of porcelain, stone, concrete, and granite ceramics.

All Blades have a thickness of 2.5mm and Rim Width of 10mm.

Continuous Rim



High performance diamond blade for wet and dry cutting of Ceramic wall and Floor Tiles.

Blade Reducers

Bore size reducer for all Diamond Cutting Blades.



Code	Description	Diameter	Bore	Qty
B335115	Cyclone	115	22.2mm	1
B775115	Continuous Rim	115	22.2mm	1
B776115	Turbo	115	22.2mm	1
B505374	Reducer		25.4 to 22.2mm	1
B505376	Reducer		30 to 22.2mm	1
B505375	Reducer		30 to 25.4mm	1



Drilling - Small

- Collects dust and water while drilling
- Flexible rubber gasket that maintains the connection with a vacuum nozzle (diameter of 25-35mm)
- Suction that seals even on uneven surfaces
- Accommodates hole saws up to 14mm
- Supplied with adaptor for connecting to vacuum cleaner

Drilling - Large

Collects dust and water when drilling while acting as a guide, suitable for drilling up to Ø 72mm.

Simply connect to a vacuum cleaner with the nozzle diameter of 25-35mm, the air is channelled producing a seal against the Tile.

- Flexible rubber gasket that maintains the connection with a vacuum nozzle (diameter of 25-35mm)
- Suction that seals even on uneven surfaces
- Suitable for drilling up to 14-72mm hole saws
- Supplied with adaptor for connecting to vacuum cleaner

Cutting

This dust extraction adapter is specifically designed for use with angle grinders.

Simply connect the adapter to a regular household vacuum cleaner, keeping the work area clean, whilst preventing any damage to your tools and your health.

- Collects dust when cutting with an angle grinder
- Flexible rubber gasket that maintains the connection with a vacuum nozzle (diameter of 25-35mm)
- The unit itself comes complete with a guide slot for precise cutting and bushings to suit most common angle grinders
- Suitable for blades with a diameter of 100-125mm
- Supplied with adaptor for connecting to vacuum cleaner

Drilling - Small

25 - 35mm

14mm



Drilling - Large

70mm

26mm

21mm



Cutting

30mm

100 - 125mm




Code	Description	Qty
B334502	Drilling - Small	1
B334500	Drilling - Large	1
B334504	Cutting	1

GLS WEDGE

- Improved accuracy and installation speed
- Traction adjustable Applicator
- Perfect for all types of tiles
- Maximum working depth 12mm
- Consistent grout lines (1, 2 or 3mm)
- Ideal for Walls and Floors


Code	Description	Qty
639	1mm Levelling Base 100pcs per pack	40
640	2mm Levelling Base 100pcs per pack	40
641	3mm Levelling Base 100pcs per pack	40
642	Starter Pack. Includes: 640, 644, 646	1
644	Levelling Wedge 100pcs per pack	5
646	Application Tool	24
647CD	GLS Clip Dozer	1

NEW & IMPROVED DESIGN





- Virtually eliminates lippage
- Dramatically reduces installation time
- Professional finish
- Consistent grout lines (1.2mm)
- Universally compatible base
- Maximum working depth 70mm
- Secure caps minimise movement
- Caps are reusable
- Large cap option for tiles over 60 x 60cm
- Installation tool for quicker application and removal
- Ideal for walls and floors



Code	Description	Box
664	Large Levelling Base - 200 pk	6
666	Large Cap - 100 pk	6
668	Small Cap - 100 pk	6
670	GLS Cap Application Tool	10
675	G2 Adjustable Mounting Gun	10
662	GLS Cap Starter Pack - 100 Universal Bases & Small Caps	6



GLS Spin is an innovative tile levelling system allowing accelerated installation resulting from its auto-rotation mechanism using centripetal force.


- Flat base system
- Consistent grout line (2 or 3mm)
- Maximum working depth 25mm
- Optional anti-friction plate
- Ideal for walls and floors
- Minimal effort
- No installation tools required



Code	Description	Qty
610	Anti friction plates - GLS Spin system - 100 pcs	6
618	Spin caps - GLS Spin system - 50 pcs	6
622	2mm flat base - GLS Spin system - 100 pcs	6
623	3mm flat base - GLS Spin system - 100 pcs	6

Stainless Steel Trowels

- Stainless Steel Blades
- Interchangeable Handle
- Square notch 4,6,8 & 10mm
- 10 x 20mm Round Notch
- Tiger Trowel
- V notch x 5
- Screeding Blade



965SET - Blades Included

4mm Square



6mm Square



8mm Square



10mm Square



Tiger




10 x 20mm Round



Code	Description	Qty
965SET	6 blade set	5
965BS4	4mm Square Notch	10
965BS6	6mm Square Notch	10
965BS8	8mm Square Notch	10
965BS10	10mm Square Notch	10
965BTG	Tiger	10
965BR20	20 x 10mm Round Notch	10
965HDL	Handle	10

965FTS - Blades Included

Screeding Blade



1mm x 4mm V



1.5mm x 5mm V



2mm x 6mm V



A1 V



A2 V



Code	Description	Qty
965FTS	6 blade set - Flooring	5
965BSC	Screed	10
965BV104	1mm x 4mm notch	10
965BV155	1.5mm x 5mm notch	10
965BV206	2mm x 6mm notch	10
965BVA1	A1 notch	10
965BVA2	A2 notch	10
965HDL	Handle	10

Extra Large Screeding Blade


NEW



Code	Description	Qty
965BSCXL	Extra large screeding blade (not included in set)	6



**QUICK
SWITCH**



Float Attachment



Code	Description	Qty
965FLT	Float attachment (not included in set)	6




Soft Grip Trowels

Extensive range of soft-comfort handle trowels with steel blade.



'Softgrip' contoured handle for improved comfort and control

Handle support held to blade with 6 welded rivets



0.6mm quality spring steel blade

Range of notch sizes to suit any job

2mm V



3.5mm Square



4mm Square



6mm Square



8mm Square



10mm Square



12mm Square



10 x 20mm Round



Screeding Blade




Tiger



Code	Description	Qty
910	2mm V Notch	6
903	3.5mm Square Notch	6
904	4mm Square Notch	6
906	6mm Square Notch	6
908	8mm Square Notch	6
909	10mm Square Notch	6
907	12mm Square Notch	6
902	20 x 10mm Round Notch	6
905	Flat Screeding Trowel	6
952	Softgrip Gauging Trowel	12
953	Softgrip Bucket Trowel	12

Tiger Trowel

Notch design tried and tested in Central Europe, Scandinavia and Australia.



Special Notch Design allows for easier bedding of tiles and reduce need to 'back butter' the tile



Ergonomic soft grip handle



Notch design creates greater adhesive coverage

Code	Description	Qty
911TG	Notched Tiger Trowel	10

Basic Trowel




Soft-grip handle with steel blade.

Code	Description	Qty
966	6mm Square Notch	6

Multiple Notch Plastic Trowel



Code	Description	Qty
960	Multiple Notch Plastic Trowel 300 x 140	12



Premium Grout Float

Professional float designed for grouting wall and floor tiles. Size: 240x102mm, PVC handle, aluminium backing with white rubber face, rounded & bevelled edges for ease of spreading.

Code	Description	Qty
995	Grout Float	12



Cleaning Pad Set

Scouring pad set of 3 with new handle, white fine, brown medium, black coarse. Pads 120mm x 250mm.

Code	Description	Qty
725SET	Scouring Pad	25



Cleaning Pads

Handle with velcro fixing for coarse, medium and fine cleaning pads.

Pads measure 120 x 240mm.

Code	Description	Qty
725-H	80 x 235mm Handle	12
725-BC	Coarse Pad (Black)	100
725-GM	Medium Pad (Brown)	100
725-WF	Fine Pad (White)	100




Dual Edge Float

For grouting of floors and walls.

Ergonomic handle, anti-abrasion rubber.

The dual profile rubber (18° to 42°) allows optimal performance both with low density and high density grout, with both narrow and large joints.

The Green float is ideal for epoxy grout, the Blue float is perfect for cementitious grout.



Code	Description	Qty
946BL	Blue Soft Rubber Dual Edge Float	6
946GR	Green Hard Rubber Dual Edge Float	6

Grout Float



240 x 90mm. P.V.C. Handle with aluminium plate

Code	Description	Qty
944	Grout Float - aluminium plate	12

Epoxy Cellulose Sponge Float

- 280 x 140mm
- 30mm Sponge
- Ideal for epoxy
- Block Cut



Code	Description	Qty
998EXP	Cellulose Sponge Float	6

Float with Hydro Sponge

- 280 x 140mm
- 30mm Sponge



Code	Description	Qty
998	Float with Block Cut Sponge	10
998WO	Float with Sponge - not Block Cut	10

Float with Hydro Sponge

- 280 x 140mm
- Replaceable Sponge
- Soft grip handle
- Block cut



Code	Description	Qty
998-S	Float with Block Sponge	24
998-SP	Replacement Sponge for 998S	20



Sponges

Used for grouting and cleaning up grout.



Code	Description	Qty
997	Sml Hydro Sponge (160 x 110 x 50mm)	10
996	Lrg Hydro Sponge (200 x 150 x 60mm)	10
916	Professional Sponge (160 x 110 x 62mm)	100
942	Sponge (160 x 110 x 55mm)	100

23L Washboy Set

Our popular 23L Professional cleaning Washboy set has had some improvements and is now even more user friendly.

- New slanted base
- New ergonomic handle
- New easy to read litre / fl oz measurements inside the bucket
- New spout / lowered lip for easy pouring
- Perforated twin rollers
- Plastic float with hydro sponge
- Plastic grate
- 4 x sturdy plastic wheels

Code	Description	Qty
993	23L Washboy	1
993W	4 x Wheels For 993	10
993G	Plastic Grate For 993	10
993R	Rollers For 993	10




12L Washboy



12L Cleaning set with plastic float / EVA pad and float with sponge.

Code	Description	Qty
992	12L Washboy	1

Combination Spreader



125mm / 5" Basic Plastic handled Combination Spreader with rubber fin and measuring guide.

Code	Description	Qty
954	Combination Spreader	50

Pro Floor Squeegee



Black double-weight natural rubber, steel frame, compatible with wooden and aluminium handles, locked with the locking screw.

Code	Description	Qty
708	Floor Squeegee 450mm	10
710	Wooden Shaft	5

Flexi Nozzle

- Get into those hard to reach places
- Tap or push to fit more ball joints
- Remove old silicone and re-use



Code	Description	Qty
867FN	Pair of Flexi Nozzles	20

Bendable



Extendable



Reusable



Pro Caulking Gun

NEW



- Rodless Construction
- Ideal for narrow space application
- Ideal for use with latex and silicone caulks
- Force: 1.4kN (~140kg)
- Pitch: 9mm
- Weight: 670g

Code	Description	Qty
B801100	Pro Caulking Gun	6



Caulking Gun



Code	Description	Qty
915	Metal Caulking Gun	6

Sealant Finishers




Code	Description	Qty
865SF	Sealant Finishers	20

Nozzle Stop


Stop the silicone drying up in the nozzle of the tube.



Code	Description	Qty
860BP	10 pcs per bag	6



Tile Magnets for Access Panels



Magnetic lock set for tile cover of control panels. They are packed in an attractive blister pack with four magnets in each pack.

Code	Description	Box
912	Tile Magnets	10



Suction Cups

For easy positioning and repositioning of floor and wall tiles with varying lifting strengths to accommodate all types of installations.



Code	Description	Qty
B334210	Ø 80mm Mini Suction Cup SWL 20kgs	24
B334215	Twin Aluminium Suction Cup SWL 80kgs	6

Cutting Blade for Stainless Steel

NEW

Wear resistant bond system.

Max. RPM: 13,300

Width: 1mm

Bore: 22.2mm



Code	Description	Qty
B550115	Ø 115mm Cutting Blade	1

Grout Rake



Code	Description	Qty
925G	Grout Rake	12
925B	Spare Blades for 925G	10

Tile Remover / Scraper



Code	Description	Qty
920TR	Tile Remover / Scraper	12

Mixer

Twisted mixer for mixing grout etc, hexagonal steel handle will fit standard drills - chrome plated.



Code	Description	Qty
914	400mm x 80mm Mixer	6

Pro Mallet - 500g



Code	Description	Qty
901	Professional Mallet - 500g	6

Tile Markers



Set of markers suitable for marking out tiles, glass, plastic, metal and paper.

Code	Description	Qty
704	Tile Markers	25

Spike Roller

Spiked Rollers for use with epoxy resin coatings and cementitious floor screeds to remove trapped air bubbles in the floor coating.

Ideally weighted and designed for a smooth gliding action with integral splash guard for all models.



R94241

R94242

Code	Description	Qty
R94241	250 x 11mm Spike Roller	1
R94242	500 x 11mm Spike Roller	1
R94246	250 x 31mm Spike Roller	1
R94248	500 x 31mm Spike Roller	1



Spike Shoes



Ideal for walking on wet screeds or levelling compounds.

Code	Description	Qty
R94256	Spike Shoes - 25mm	1

Soft Grip Heavy Duty Nipper



Tungsten Carbide edge for superior hardness.



Code	Description	Qty
971HD	Heavy Duty Nipper	10

Mitre Block

- Unique design
- Solid construction
- Anti-slip base
- Channel to hold profiles
- Multi compatible



Hacksaw not included

Code	Description	Qty
900MB	Versatile Mitre Block	10

Trim Mitre Cutter

Designed for cutting PVC tile trims making easy work for any professional.




Code	Description	Qty
973P	Trim Mitre Cutter	6




All shower shelves are available with bespoke powder coating to any RAL on request

Stainless Steel Reversible Shower Shelf

- Premium model
- Grade 304 brushed finish
- 1.5mm wall thickness
- Unique reversible option
- Allows tile finish
- Integral bead to suit 9/11mm tile edge
- Tile-in



Code	Description	Qty
KBREV	Stainless Steel Shower Shelf (Reversible)	1




Stainless Steel Shower Shelf

Stylish shower shelf in brushed stainless steel. Fits in 90° corner. The shelf attaches in the grout joint with silicone - no drilling required! Can be tiled in during installation or fitted retrospectively.

- 1.5mm thick
- No exposed sharp edge
- Brushed stainless steel finish
- Holes for drainage

Code	Description	Qty
KBSSS	Stainless Steel Shower Shelf	1




Aluminium Shower Shelf

Stylish shower shelf in aluminium. Fits in 90° corner. The shelf attaches in the grout joint with silicone - no drilling required! Can be tiled in during installation or fitted retrospectively.

- 1.7mm thick
- No exposed sharp edge
- Aluminium finish
- Holes for drainage

Code	Description	Qty
KBSSA	Aluminium Shower Shelf	1



Surface Protector

Retrofit 3M self adhesive stainless steel surface protecting tactiles.

Set contains 8 stainless steel heat resistant tactiles (25mm) and template.

Code	Description	Qty
KBWPP8	25mm x 4mm Flat Top x 8 pcs	1
KBSWP28	Worktop protector 280 x 16 x 3.5mm x 4 pcs	1



Knee Pads



- Foam core gives maximum cushioning
- Perforated neoprene lining
- One size fits all
- Heavy Duty construction
- Velcro straps & Pressure clip secure below the knee increasing stability & comfort
- Pack contains one pair



Code	Description	Qty
989A	Knee Pads	12

Knee Pad Inserts



- Moulded EVA
- Lightweight and comfortable
- Vital protection for knees
- Quickly and easily inserted



Code	Description	Qty
989KI	Replacement Knee Pads	12

Work Wipes

- Antibacterial
- Anti-Weil's disease
- Dermatologically tested

Removes paint, oil, grease, adhesives, silicones, mastics and more from hands, tools and hard surfaces.



Code	Description	Qty
725WW	100 wipes per tub dispenser	6

Floor / Carpet Protector



- Self adhering cover for temporary protection for floor coverings
- The adhesive back makes it quick and easy to install. Perfect for protection when painting / decorating - No tape needed
- Ideal for high traffic areas
- Made of 50 micron PE plastic

Code	Description	Qty
B869007	Floor Protector	16
B869011	Carpet Protector	16

PDQ available upon request - 16 rolls per PDQ

Cover Blanket



Cover Blanket can be reused several times thanks to the absorbent felt. The underside of the blanket is covered with a slip-resistant plastic, this makes it stable, prevents liquid from penetrating through to the surface, perfect for painters, tilers, bricklayers, mechanics, etc.

Code	Description	Qty
B776757	Cover Blanket 1 x 5m	6



Multi Layer Tak Mat 115 x 66cm



Designed to capture the dirt, etc. that sits under your shoes. The surface layer on Tak Mat has an adhesive that retains dirt.

When a sheet is dirty and has lost its adhesive strength tear it away to reveal a new surface.


Perfect size for a doorway.

Code	Description	Qty
B869010	Tak Mat - 30 sheets per mat	40



Cover System

- Twist locking spring loaded poles
- Simple to assemble
- Ideal for ceiling heights up to 3.5m
- Lightweight poles
- Prevents dust and odour spreading during decoration
- Easy to carry, store and fold



Code	Description	Qty
B869001	Dust shield Standard Contains 4 telescopic poles, Clips, Sheeting and 1 Zipper	2
B869002	Aluminium, pole 1,5-3,9m	3
B869003	U-Clips, 12pcs	10
B869004	End-clips, 4pcs	10
B869005	Plastic sheeting 4x5 m	10
B869006	Zipper, 2m	10
B869008	Seal profile, 1,4m	3


Zipper Door





- Reusable
- Dustproof-protection door
- Dual zippers giving access from both sides
- Prevents dust and odour spreading during decoration
- Easy to carry, store and fold
- Perfect for 1m width doors



U Shape




L Shape



Code	Description	Qty
880ZD	Zipper Door U Shape	10
B869635	Zipper door L shape	5

Commercial Nosing

We offer you a combination of profiles to suit all types of stairs and installation requirements. Carpet, laminate, tile or vinyl solutions can be found.



LRV's – Clarification

Reflectance is the proportion of light that a surface reflects compared to the amount or volume of light that falls on the said surface. An LRV is a value given to a surface to identify the amount of light reflected. People with impaired vision can perceive light and dark, therefore LRV's are a suitable method to measure contrast between 2 different surfaces.

Note that dark, matt or textured surfaces absorb a large amount of light, therefore have low reflectance values, however a combination of one or all light, shiny or smooth surfaces reflect the majority of light and therefore have higher reflectance values.

In order to achieve a suitable contrast between different surfaces, ADM 2004 recommend at least a 30 point difference in the LRV's of the two contrasting surfaces.

Please note the RAL numbers in the table is a guide only and cannot guarantee an exact match as there are a number of variables within the manufacturing process.

Genesis Finish	LRV	RAL
01 White	79.9	9003
16 Black	4.5	9004
20 Brown	9.1	8014
25 Beige	41.1	1001
27 Canvas	53.2	1013
30 Red	10.6	3031
43 Dolphin Grey	27.6	7042
44 Ice Grey	42.1	7001
46 Midnight Grey	12.8	7024
47 Yellow	55.7	1018
48 Cobalt Blue	9.2	5000
54 Saffron		1017
80 Mill Aluminium	78.9	
113 Tangerine		2000
601 White	82.7	9003
616 Black	4.8	9004
643 Dolphin Grey	18.3	7000
647 Yellow	46.1	1012



Nosing Insert Slip Resistance

Slip-resistance tests have been independently undertaken by Lucideon Ltd using the pendulum and inclined platform test.

Inclined Platform Test DIN 51130:2010

The critical angle at which a test person reaches the limit of safe walking on an inclined plane is used as a measure of slip resistance.

Pendulum Test BS 7976-2:2002

The energy absorbed by contact with the pre-set distance is read from a physical scale by a pointer that follows the overswing of the pendulum arm. 12 results are averaged to give the final pendulum number which is used to categorise the tile surface.

The UK slip resistance group recommends the following guidelines;

PTV	Slip Potential
0-24	High
25-35	Moderate
36+	Low



Results

Insert	Inclined Platform Test DIN 51130:2010*	Category	Pendulum Test BS 7976-2:2002 [†]	
			Dry	Wet
Standard	22.9°	R11	66	54
Tredsafe®	24.7°	R11	57	47

*Average of Six Shod Results (Corrected)

[†]PTV Average Value

Drilling Instructions



Drill using Genesis countersunk drill bit

Start 75mm from one end and set all holes equally as indicated for single and double channel.

Length	No. of Holes
600 - 699	2
700 - 1049	3
1050 - 1399	4
1400 - 1749	5
1750 - 2099	6
2100 - 2449	7
2450 - 2799	8
2800 - 3220	9

Installation - Mechanical Fix

If fixing inserts separate follow steps 1 – 6, remove release paper from channel and position insert ends flush applying pressure towards the centre finishing with hand roller to ensure adhesion.



1
Prepare surface, it must be clean, smooth and free of debris.



2
Position the profile, check the fit and mark the drill holes.



3
Drill and Plug to suit the screw size.



4
Apply adhesive as per manufacturer's instructions.



5
Position onto step.



6
Mechanically fix.



7
Insert plug.




8
Remove protective film when applicable.

Installation - Adhesive

Installer must follow individual manufacturers guidelines.




1
Prepare surface, it must be clean, smooth and free of debris.



2
Apply 5mm bead to the underside of the profile, 2 lines for Single and 3 for double channel.



3
Position, press and slide to ensure full bond.




4
Allow min. 1 hour after fixing. It is the contractor's responsibility to ensure the bond is secure before opening the area.

Insert quick reference guide




Standard - NISL38



Standard - NISL50




Standard - NIHD38



Standard - NIHD50



Tredsafe® - NITR38



Tredsafe® - NITR50



Castellated - NIA50



Insert	LRV	NSL		ASL		NHD		AHD		NTC/S	ATC/S	NXF/S	LNR	P.V.C
		SINGLE	DOUBLE	SINGLE	DOUBLE	SINGLE	DOUBLE	SINGLE	DOUBLE					
Standard														
01 White	79.9	○	○	○	○	○	○	○	○	○	○		○	○
16 Black	4.5	●	●	●	●	●	●	●	●	●	●	●	●	●
20 Brown	9.1	●	●	●	●	●	●	●	●	●	●		●	●
25 Beige	41.1	●	●	●	●	●	●	●	●	●	●		●	●
27 Canvas	53.2	●	●	●	●	●	●	●	●	●	●		●	●
30 Red	10.6	●	●	●	●	●	●	●	●	●	●		●	●
43 Dolphin Grey	27.6	●	●	●	●	●	●	●	●	●	●		●	●
44 Ice Grey	42.1	○	○	○	○	○	○	○	○	○	○	○	○	○
46 Midnight Grey	12.8	●	●	●	●	●	●	●	●	●	●		●	●
47 Yellow	55.7	●	●	●	●	●	●	●	●	●	●	●	●	●
48 Cobalt Blue	9.2	●	●	●	●	●	●	●	●	●	●		●	●
54 Saffron		●												●
113 Tangerine		●												●
120H Hazard						●	●	●	●					●
Tredsafe®														
601 White	82.7	○	○	○	○	○	○	○	○	○	○		○	○
616 Black	4.8	●	●	●	●	●	●	●	●	●	●		●	●
643 Dolphin Grey	18.2	●	●	●	●	●	●	●	●	●	●		●	●
647 Yellow	46.1	●	●	●	●	●	●	●	●	●	●		●	●
NIA50														
80 Mill Aluminium	78.9					○				○			○	
P.V.C Channel														
16 Black														●
Anodising														
16 Black		●	●	●	●	●	●	●	●			●	●	
81 Matt Silver		○	○	○	○	○	○	○	○			○	○	
86 Bright Brass		●	●	●	●	●	●	●	●			●		
91 Bright Silver		○	○	○	○	○	○	○	○			○		

Insert	Fits	External
NISL38	NSL Twin Channel	No
NISL38	NSL Twin Channel	No
NISL50	NSL Single Channel	No
NIHD38	NHD Twin Channel	No
NIHD50	NHD Single Channel	No
NITR38	NSL, NHD Twin Channel	Yes
NITR50	NSL, NHD Single Channel	Yes
NIA50	NHD Single Channel	No



Frontier NXF/S

Available in 2.77m
Standard Lengths.

The Frontier range offers a unique mechanism to secure the insert in position while offering heightened exposure to the leading edge.


This increased foot contact to the slip-resistant insert reduces the risk of slips, trips and falls on stairs designed to meet the guidance in Approved Document M and BS8300-2:2018.

The profile is supplied Mill finish as standard, other anodised and powder coated options can be made available on request.




Insert	LRV	NXF	N	XFS
Standard				
16 Black	4.5			
44 Ice Grey	42.1			
47 Yellow	55.7			
Anodising				
16 Black				
81 Matt Silver				
86 Bright Brass				
91 Bright Silver				


NXF/S Rigid & Flexible




NXF05



NXFS01




NXF06




NXFS02

Channel


80
Mill Aluminium



*16
Black



*81
Matt Silver



*86
Bright Brass




*91
Bright Silver



Standard Insert

16
Black



44
Ice Grey



47
Yellow



*Anodising - Maximum length 3m
Please note; anodising is not a stock item - lead times apply



Slimline Aluminium Nosings

Available in 2.46m, 2.77m, 3.22m Standard Lengths.


The NSL Profile comprises of an aluminium channel with a choice of insert material designed to meet the guidance in Approved Document M and BS8300:2009+A1:2010. It is a straight edge, single channel profile and is ideal for use with resilient flooring.

The profile is supplied Mill finish as standard, other anodised and powder coated options can be made available.

Designed to meet the guidelines in BS8300:2009+A1:2010.

External grade Tredsafe® Insert.

Tredsafe® insert is manufactured from a special blend of P.V.C., silica quartz and polymeric plasticiser giving an homogeneous hard wearing anti-slip flooring for wet and dry conditions. The three dimensional pyramid pattern which provides excellent slip resistance in both wet and dry conditions.




Channel




*Anodising - Maximum length 3m
Please note; anodising is not a stock item - lead times apply

Standard Insert




Tredsafe® Insert





Insert	LRV	SINGLE	DOUBLE
Standard			
01 White	79.9		
16 Black	4.5		
20 Brown	9.1		
25 Beige	41.1		
27 Canvas	53.2		
30 Red	10.6		
43 Dolphin Grey	27.6		
44 Ice Grey	42.1		
46 Midnight Grey	12.8		
47 Yellow	55.7		
48 Cobalt Blue	9.2		
54 Saffron			
113 Tangerine			
Tredsafe®			
601 White	82.7		
616 Black	4.8		
643 Dolphin Grey	18.2		
647 Yellow	46.1		
Anodising			
16 Black			
81 Matt Silver			
86 Bright Brass			
91 Bright Silver			

Standard



Tredsafe®





Aluminator® Slimline Aluminium Nosings

Available in 2.46m, 2.77m, 3.22m Standard Lengths.

In addition to the function of step edge protection the **Aluminator®** range offers an easy, energy efficient solution to illuminate steps. Should a local or emergency power failure occur on stairways, increasing the risk of hazard for evacuees, the **Aluminator®** system allows the evacuee to orientate, locate stair edges and risers, and to assist in the safe evacuation of the premises. The system requires no electrical connection, is simple to install and requires no special maintenance other than that which you would normally carry out on any similar product. Only normal illumination, daylight, fluorescent or standard tungsten filaments are required to activate its performance. The highly durable and slip resistant silicone carbide is suitable for external use, ideal for both commercial and domestic applications where public safety is paramount.




The diverse range can be used on a wide variety of substrates such as concrete, timber, tiles, vinyl, steel and checker plate with inserts available in a wide array of colours promoting the visibility while complementing the aesthetics.

Channel





*Anodising - Maximum length 3m
Please note; anodising is not a stock item - lead times apply

Standard Insert



Tredsafe® Insert





Insert	LRV	SINGLE	DOUBLE
Standard			
01 White	79.9		
16 Black	4.5		
20 Brown	9.1		
25 Beige	41.1		
27 Canvas	53.2		
30 Red	10.6		
43 Dolphin Grey	27.6		
44 Ice Grey	42.1		
46 Midnight Grey	12.8		
47 Yellow	55.7		
48 Cobalt Blue	9.2		
Tredsafe®			
601 White	82.7		
616 Black	4.8		
643 Dolphin Grey	18.2		
647 Yellow	46.1		
Anodising			
16 Black			
81 Matt Silver			
86 Bright Brass			
91 Bright Silver			

Standard



Tredsafe®





Heavy Duty Aluminium Nosings

Available in 2.46m, 2.77m, 3.22m Standard Lengths.

The NHD Profile is designed to be used in most commercial and industrial applications with a coloured PVC insert. It is available in a 5mm gauge allowing for fixing with carpet or similar floor covering. The profile is available in a range of designs with DDA and building regulations accounted for.

Designed to meet the guidelines in BS8300:2009+A1:2010.


External grade Tredsafe® Insert.

Tredsafe® insert is manufactured from a special blend of P.V.C., silica quartz and polymeric plasticiser giving an homogeneous hard wearing anti-slip flooring for wet and dry conditions. The three dimensional pyramid pattern which provides excellent slip resistance in both wet and dry conditions.




Channel


80
Mill Aluminium




*16
Black



*81
Matt Silver



*86
Bright Brass



*91
Bright Silver



*Anodising - Maximum
length 3m

Please note; anodising
is not a stock item -
lead times apply

NIA50 Insert

80
Mill Aluminium




Standard Insert

01
White



16
Black



20
Brown



25
Beige




27
Canvas



30
Red




43
Dolphin Grey



44
Ice Grey



46
Midnight Grey



47
Yellow



48
Cobalt Blue




120H
Hazard



Tredsafe® Insert

601
White



616
Black




643
Dolphin Grey



647
Yellow






Insert	LRV	SINGLE	DOUBLE
Standard			
01 White	79.9		
16 Black	4.5		
20 Brown	9.1		
25 Beige	41.1		
27 Canvas	53.2		
30 Red	10.6		
43 Dolphin Grey	27.6		
44 Ice Grey	42.1		
46 Midnight Grey	12.8		
47 Yellow	55.7		
48 Cobalt Blue	9.2		
120H Hazard			
Tredsafe®			
601 White	82.7		
616 Black	4.8		
643 Dolphin Grey	18.2		
647 Yellow	46.1		
NIA50			
80 Mill Aluminium	78.9		
Anodising			
16 Black			
81 Matt Silver			
86 Bright Brass			
91 Bright Silver			

Standard



Tredsafe®



NIA50



NNL01 Carpet Connector*

NNL02 Ramp Connector*

*Available in 3.22m Standard Lengths only




Aluminator® Heavy Duty Aluminium Nosings

Available in 2.46m, 2.77m, 3.22m Standard Lengths.

In addition to the function of step edge protection the **Aluminator®** range offers an easy, energy efficient solution to illuminate steps. Should a local or emergency power failure occur on stairways, increasing the risk of hazard for evacuees, the **Aluminator®** system allows the evacuee to orientate, locate stair edges and risers, and to assist in the safe evacuation of the premises.

The system requires no electrical connection, is simple to install and requires no special maintenance other than that which you would normally carry out on any similar product. Only normal illumination, daylight, fluorescent or standard tungsten filaments are required to activate its performance.




Channel





*Anodising - Maximum length 3m
Please note; anodising is not a stock item - lead times apply

Standard Insert



Tredsafe® Insert






Insert	LRV	SINGLE	DOUBLE
Standard			
01 White	79.9		
16 Black	4.5		
20 Brown	9.1		
25 Beige	41.1		
27 Canvas	53.2		
30 Red	10.6		
43 Dolphin Grey	27.6		
44 Ice Grey	42.1		
46 Midnight Grey	12.8		
47 Yellow	55.7		
48 Cobalt Blue	9.2		
120H Hazard			
Tredsafe®			
601 White	82.7		
616 Black	4.8		
643 Dolphin Grey	18.2		
647 Yellow	46.1		
Anodising			
16 Black			
81 Matt Silver			
86 Bright Brass			
91 Bright Silver			

Standard




Tredsafe®






External Nosing

Available in 2.77m & 3.22m Standard Lengths.



81
Matt Silver




Insert	LRV	NSL /AHD
Silicone Carbide		
16 Black	4.5	
47 Yellow	55.7	

Silicone Carbide Safety Strip

A versatile anti slip tape made from a fine grade aluminium oxide, which makes it suitable for use in a wide range of applications.

The 60 grit is a medium anti slip abrasive coating, perfect for general anti slip requirements possessing excellent levels of grip.

Code	W x L (mm)	Finish
NIW250.16	25 x 1830 roll	16,47,120H
NIW250.47	25 x 1830 roll	16,47,120H
NIW250.120	25 x 1830 roll	16,47,120H
NIW500.16	50 x 1830 roll	16,47,120H
NIW500.47	50 x 1830 roll	16,47,120H
NIW500.120	50 x 1830 roll	16,47,120H



Stainless Steel Tread Plates



Screw down anti slip plates are ideal for applications exposed to harsh environments with countersunk eyelets for easy application.

Manufactured from resilient Stainless Steel with a Anti slip coating covering most of the top surface and finished with rounded corners for a more aesthetic appearance.

NEW



Code	W x L (mm)	Finish
NTP063.16	63 x 635	16,47,120H
NTP063.47	63 x 635	16,47,120H
NTP115.16	115 x 635	16,47,120H
NTP115.47	115 x 635	16,47,120H





Hard Nose P.V.C

Available in 3.22m Standard Lengths.

Designed to be used in most commercial and domestic applications, the rear of the profile tapers to 3mm offering greater installation opportunities.

In addition to the function of step edge protection the **Aluminator**® offers an easy, energy efficient solution to illuminate steps. Should a local or emergency power failure occur on stairways, increasing the risk of hazard for evacuees, the **Aluminator**® system allows the evacuee to orientate, locate stair edges and risers, and so assist in the safe evacuation of the premises.



Channel

16
Black




Standard Insert


01
White



16
Black



20
Brown



25
Beige



27
Canvas



30
Red




43
Dolphin Grey



44
Ice Grey




46
Midnight Grey



47
Yellow



48
Cobalt Blue



54
Saffron



113
Tangerine



120H
Hazard



Tredsafe® Insert

601
White



616
Black




643
Dolphin Grey




647
Yellow



Heavy Duty



Slimline



Insert LRV SLIM HD

Standard

01 White	79.9		
16 Black	4.5		
20 Brown	9.1		
25 Beige	41.1		
27 Canvas	53.2		
30 Red	10.6		
43 Dolphin Grey	27.6		
44 Ice Grey	42.1		
46 Midnight Grey	12.8		
47 Yellow	55.7		
48 Cobalt Blue	9.2		
54 Saffron			
113 Tangerine			
120H Hazard			

Tredsafe®

601 White	82.7		
616 Black	4.8		
643 Dolphin Grey	18.2		
647 Yellow	46.1		


P.V.C Channel

16 Black		
----------	---	---


Standard




Tredsafe®



Stair Edge Trim Pre-Formed / Landing Strip




Side Profile



Front Face

Code	D (mm)	Length (mm)	Finish	Style	Box Qty
NSA290	42	350	16,80	Straight	10
NSA283	42	350	16,80	Rakeback	10
NTL1	42	2500	16,80		10

Stair Edge Trim Clips



Side Profile of NSA/NTL with NTAB1


Code	D (mm)	Pack Qty
NTAB1	4.5 / 7 Dual Height	20

Templates/Curves

Stair casings can be made to fit most irregular shapes and curves. However each curved step must be treated individually and a separate template made for each using card, felt or paper. Follow these three simple steps as an easy guide to the perfect edge.

For assistance with any aspect of measuring or making templates please speak to Technical Services.


Not available for NXF/S, NTC, ATC or Vision



Step 1

Place the card or felt on top of the curve that requires a template and draw a line underneath with a felt pen or marker (see Figure 1) following the edge of the curve to create a smooth line.


Figure 1



Step 2

Cut the shape along the felt pen mark (Figure 2) and clearly indicate the top and front edge of the template.


Figure 2



Step 3

Clearly mark on the template, the customer name and reference, the profile required, the colour insert required and finally whether your curve is required drilled or undrilled (Figure 3).

Figure 3



Step Edges

Offering anti-slip and decorative solutions with an array of installation options and materials.




Ceramic Tile-In Edges

This Tile-In Nosing offers a cost effective alternative to ceramic treads. The PVC insert on the tread has been designed to provide additional slip resistance. Although mainly used with ceramic tile it can also be used with wood, laminate and stone. Meets DDA Guidelines and Building regulations.


The **Aluminator**® range of profiles are available with the innovative external grade Tredsafe® Insert.

Tredsafe® insert is manufactured from a special blend of P.V.C., silica quartz and polymeric plasticiser giving an homogeneous hard wearing anti-slip flooring for wet and dry conditions. The three dimensional pyramid pattern which provides excellent slip resistance in both wet and dry conditions.




Channel

81
Matt Silver



NIA50 Insert

80
Mill Aluminium




Standard Insert

01
White



16
Black



20
Brown



25
Beige



27
Canvas



30
Red




43
Dolphin Grey



44
Ice Grey



46
Midnight Grey



47
Yellow



48
Cobalt Blue



120H
Hazard



Tredsafe® Insert

601
White



616
Black



643
Dolphin Grey




647
Yellow



Heavy Duty


Available in 3.22m Standard Lengths.




Code	D (mm)	Length (m)	Finish	Box Qty
NTC10	10	3.22	81	10
NTC12	12.5	3.22	81	10
ATC10	10	3.22	81	10
ATC12	12.5	3.22	81	10

Slimline

Available in 2.8m Standard Lengths.



Code	D (mm)	Length (m)	Finish	Box Qty
NTS10	10	2.8	81	10
NTS12	12.5	2.8	81	10
ATS10	10	2.8	81	10
ATS12	12.5	2.8	81	10



Insert	LRV	SLIM	HD
Standard			
01 White	79.9		
16 Black	4.5		
20 Brown	9.1		
25 Beige	41.1		
27 Canvas	53.2		
30 Red	10.6		
43 Dolphin Grey	27.6		
44 Ice Grey	42.1		
46 Midnight Grey	12.8		
47 Yellow	55.7		
48 Cobalt Blue	9.2		
120H Hazard*			
Tredsafe®			
601 White	82.7		
616 Black	4.8		
643 Dolphin Grey	18.2		
647 Yellow	46.1		
NIA50*			
80 Mill Aluminium	78.9		

*NTC Only

Standard



Tredsafe®




NIA50




Step Edges

Aluminium Stair Grip + PVC Top and End Caps




Code	W x D (mm)	Length (m)	Finish	Box Qty
NIB106	30 x 10	2.5	16,35	10
NIB126	30 x 12	2.5	16,35	10
End Caps				
Code	Description	Finish	Pack Qty	
NUC102	Pair of universal end caps	16,35	2	

Aluminium Self Adhesive Retro-Fit




Code	W x D (mm)	Length (m)	Finish	Box Qty
NAS207	30 x 20	2.7	40,81,83	10
NAS209	30 x 20	0.9	40,81,83	10
NAS107	25 x 10	2.7	40,81,83	10
NAS109	25 x 10	0.9	40,81,83	10

Aluminium Tile-In with Carbide Insert



Code	D (mm)	Length (m)	Finish	Box Qty
NLC106	10	2.6	81	10
NLC126	12.5	2.6	81	10




Aluminium Tile-In



Code	W x D (mm)	Length (m)	Finish	Box Qty
NLM103	26 x 10	3	81	10
NLM123	26 x 12	3	81	10






Aluminium Retro-Fit



80
Mill Aluminium

Code	W x D (mm)	Length (m)	Finish	Box Qty
NRA50	50 x 30	2.77	80	10

Aluminium Nosing with Black Rubber Insert



16
Black


Code	W x D (mm)	Length (m)	Finish	Box Qty
NRE05	54 x 30	2.7	16 (81 Matt Silver Channel)	10

Step Edges

Aluminium Formable 2 in 1



81
Matt Silver




91
Bright Silver

Code	W x D (mm)	Length (m)	Finish	Box Qty
NFA125	3 x 10/12	2.6	81,91	20

Aluminium Tile-In Bullnose




91
Bright Silver



81
Matt Silver

Code	D (mm)	Length (m)	Finish	Box Qty
NAT105	10	2.6	81,91	20
NAT125	12	2.6	81,91	20


Stainless Steel Tile-In Nosing



84
Stainless Steel


Code	D (mm)	Length (m)	Finish	Box Qty
NSS106	10	2.5	84	10
NSS126	12	2.5	84	10

Aluminium Tile-In Step Edge



81
Matt Silver

Code	W x D (mm)	Length (m)	Finish	Box Qty
NLT108	19 x 10	2.8	81	10
NLT128	19 x 12.5	2.8	81	10



vision

Vision is comprised of both commercial
and domestic profiles with an option of
illumination – RGB or three shades of white.




VISION

Vision offers a range of premium profiles for commercial and domestic applications, designed to protect and inspire with variable mood accents.

The range is specifically designed to accept universal LED systems and RGB for Steps, Listello, Edges and Skirting offering unlimited freedom of design.

Developed with simplicity in mind, the range of supporting hardware offers the most frequently installed systems with Polycarbonate Diffusers that eliminate the hotspots.

- 220 & 110V Drivers
- Durable aluminium carriers
- Efficient LED 4.8W or 9.6W per metre
- Average lifespan 40,000 Hours
- Simple installation and selection
- Cutting Intervals - 25mm for LED and 50mm for RGB
- IP65 Certified LED and RGB
- 120 LED's per metre
- UL approved diffusers
- Enhanced safety
- Manufactured to A-A++ energy rating
- Remote control and Smart Home options available
- 3M VHB adhesive backing



Vision - Light Down & Light Out


Commercial style stair nosing incorporating a range of non-slip PVC based inserts and Vision LED, CCT and RGB lighting systems in a 'light down' configuration.

Supplied in anodised Matt Silver finish, others finishes are available on request. Standard length is 2.8m but we offer a bespoke cutting and drilling service if required and end caps to complete the professional aesthetic. Complete with frosted polycarbonate diffuser to ensure optimum light dispersion.



Channel

81
Matt Silver




Standard Insert


01
White



16
Black



20
Brown



25
Beige



27
Canvas



30
Red




43
Dolphin Grey



44
Ice Grey




46
Midnight Grey



47
Yellow



48
Cobalt Blue



54
Saffron



113
Tangerine



Tredsafe® Insert

601
White



616
Black







643
Dolphin Grey



647
Yellow






Insert	LRV	NSLR	NALR
Standard			
01 White	79.9	☐	☐
16 Black	4.5	☒	☒
20 Brown	9.1	☒	☒
25 Beige	41.1	☒	☒
27 Canvas	53.2	☒	☒
30 Red	10.6	☒	☒
43 Dolphin Grey	27.6	☒	☒
44 Ice Grey	42.1	☒	☒
46 Midnight Grey	12.8	☒	☒
47 Yellow	55.7	☒	☒
48 Cobalt Blue	9.2	☒	☒
54 Saffron		☒	☒
113 Tangerine		☒	☒
Tredsafe®			
601 White	82.7	☒	☒
616 Black	4.8	☒	☒
643 Dolphin Grey	18.2	☒	☒
647 Yellow	46.1	☒	☒
Channel			
81 Matt Silver		☒	☒



Standard



Tredsafe®




Vision - Step



81
Matt Silver

Code	D x X (mm)	Length (m)	Finish	Description	Box Qty
NLD908	9 x 20	2.8	81	Channel	10
NLD118	11 x 22	2.8	81	Channel	10
End Caps					
NPC100	10		81	End Caps	10



Vision - Skirting



81
Matt Silver
94
Brushed Silver

Code	W x D (mm)	Length (m)	Finish	Description	Box Qty
KLD118	100 x 11	2.8	81,94	Channel	10
End Caps					
NPC100	10		81,94	End Caps (pair)	10

Vision - MultiFix




81
Matt Silver

Notch to make leg removable

Code	D (mm)	Length (m)	Finish	Description	Box Qty
TLD108	10	2.8	81	Channel	10
TLD128	12	2.8	81	Channel	10
End Caps					
TUC100	10		81	End Caps (pair)	10






LED System

Safe and secure with 12V IP65 protection class as standard and premium 4.8W or 9.6W 120 LED's per metre. Available in 4000K, or to achieve the optimal effect, our CCT option offers 3000K, 4000K and 6000K in a single length.

Code	Description	Box Qty	
LD12481.NW	4.8W 1MTR LED Natural White	1	NEW NEW NEW NEW
LD12961.NW	9.6W 1MTR LED Natural White	1	
LD12482.NW	4.8W 2MTR LED Natural White	1	
LD12962.NW	9.6W 2MTR LED Natural White	1	
LD12483.NW	4.8W 3MTR LED Natural White	1	NEW NEW
LD12963.NW	9.6W 3MTR LED Natural White	1	
LD12484.NW	4.8W 4MTR LED Natural White	1	
LD12964.NW	9.6W 4MTR LED Natural White	1	
LD12485.NW	4.8W 5MTR LED Natural White	1	
LD12965.NW	9.6W 5MTR LED Natural White	1	

Code	Description	Box Qty
LCT12965	9.6W 5MTR CCT Multiple White Warm, Natural & Cool	1



RGB System

This dynamic system offers a range of mood lighting powered by 12V IP65 protection, the 60 LED per metre powers varying colours with remote colour changing and dimming within a maximum of 4 Zones.

RGB is 14.4W per metre and cuttable every 50mm.

Code	Description	Box Qty	
LGB12141	14.4W 1MTR RGB	1	NEW NEW NEW NEW
LGB12142	14.4W 2MTR RGB	1	
LGB12143	14.4W 3MTR RGB	1	
LGB12144	14.4W 4MTR RGB	1	
LGB12145	14.4W 5MTR RGB	1	

Accessories on page 113



Drivers

Selecting the right driver is easy – use the below formula to find the best option for your installation:

Total Power (W) = Length of LED x Power Rating of LED (W)

For example:


5 metres of Vision 9.6W LED tape uses a total of 48W. This installation will need to use a driver with a rating of at least 50W. The perfect option would be our 50W LED driver LDD50.

12V Drivers (LED) - Single White



Code	Description	Box Qty
LDD30	LED DRIVER 30W	1
LDD50	LED DRIVER 50W	1
LDD100	LED DRIVER 100W	1
LDD180	LED DRIVER 180W	1
LDD1103 (110V)	LED DRIVER 30W	1
LDD1105 (110V)	LED DRIVER 50W	1

CCT / RGB - Multiple White & Red, Green, Blue



Code	Description	Box Qty
LUNDR30	CCT RGB DRIVER 30W	1
LUNDR50	CCT RGB DRIVER 50W	1
LUNDR100	CCT RGB DRIVER 100W	1
LUNDR180	CCT RGB DRIVER 180W	1

Drivers have six ports, use LEDCON (page 113) to add additional ports
(1 x LEDCON = 9 ports, 2 x LEDCON = 12 ports)

Smart Drivers

Vision Smart LED Drivers can be used to control Vision LED lights using a compatible smart speaker or smart hub. This allows the user to turn the light on and off, adjust brightness and change the colour of the light using their voice or smartphone.


Code	Description	Box Qty
LAZ030	LED Smart Driver Compatible with Alexa/Zigbee - 30W	1
LAZ050	LED Smart Driver Compatible with Alexa/Zigbee - 50W	1

“Alexa, dim the lights”



Remote Control Options


Single Zone Options - 4 Ports
 (CCT / RGB Driver Compatible)



Code	Description	Box Qty
LEDRAD	Single White - LED Remote Dimmer and Controller	1



Code	Description	Box Qty
LCTRAD	Multiple White - CCT Remote Dimmer and Controller	1



Code	Description	Box Qty
LGBRAD	RGB - Remote Dimmer and Controller	1

Need more control? Vision RGB is compatible with single and multi-zone remote control, all you need is a receiver and remote control handset.

Multi Zone Options (4 Zones / 3 Scenes)

1x driver and 1x receiver required per independent zone.

Driver and remote sold separately.



Code	Description	Box Qty
LEDMZR	Single White - LED Receiver - Max 288W	1
LEDREM	Single White - LED Remote - 30M Range	1




Code	Description	Box Qty
LCTMZR	Multiple White - CCT Receiver - Max 720W	1
LCTREM	Multiple White - CCT Remote - 30M Range	1



Code	Description	Box Qty
LGBMZR	Multi White & RGB - Receiver - Max 720W	1
LGBREM	Multi White & RGB - Remote - 30M Range	1





EyeLEDs



EyeLEDs are an individual, recess mounted LED unit which can be used to accentuate your installation. Compatible with our standard LED drivers and available in 3 colour temperatures – Cool, Natural and Warm White.

Code	Description	Box Qty
LDP1204	12V, IP65 0.4W Recess Mounted with Micro connection, total Ø30mm, available 3000, 4000, 6000K. LDD30 Driver required	1

Dotless Flexible LED Tape



- 10w per metre
- Natural White
- 1m, 2m and 3m coils
- Compatible with our standard drivers

A flexible strip of continuous lighting with 144 LED's per metre. Cutting intervals of 21mm with 2m power lead and micro connector.

Code	Description	Box Qty
LSD14101.NW	IP66 Continuous LED Tape - 1m Coil	1
LSD14102.NW	IP66 Continuous LED Tape - 2m Coil	1
LSD14103.NW	IP66 Continuous LED Tape - 3m Coil	1

1. Lighting System

2. Driver

3. Receiver (optional)

Single Zone

or

Multi Zone



LED



CCT
RGB



or



CCT
RGB



or




CCT
RGB



or



Accessories



Code	Description	Box Qty
LEEXT	LED 2m Extension	1
LEDCON	Additional Connector Block with 4 Ports	1


Zones

Zone 0 is IP67 and above

Zone 1 is IP64 plus

Zone 2 is IP64 plus

The tape should be at least 60cm from water source due to the wires / leads.



0
ZONE

1
ZONE

2
ZONE

OUTSIDE
ZONES



Anti-Slip, Matting and Access

Functional and compliant range to protect pedestrians and floor coverings as well as provide guidance to the visually impaired.

RezTred®

Genesis are proud to introduce our anti-slip services to the corporate and retail world. Our patented anti-slip resin finishes can be applied onto virtually any surface including natural stones, terrazzo, ceramics, porcelains, glazed tiles, metal treads, wood and glass. All products can be retro-fitted as well as factory installed.


Theoretical coverage per tube:

- 3 x 10mm = 12m
- 2 x 25mm = 8m
- 25mm Discs = 24m (360 discs)



Code	Description	Finish	Box Qty
NRES	Tube of Resin - 400ml	01,16,47	1
NRES252 - STEN	25mm Strip Stencil - 1.2m		1
NRES103 - STEN	10mm Strip Stencil - 1.2m		1
NRES25D - STEN	25mm Disc Stencil - 1.2m		1
NRES - GUN	Applicator Gun		1
NRES - SQUEEGEE	Applicator Squeegee		1
NRES - CLEAN	Cleaner		1
NRES - NOZZ	Replacement Nozzle		1
NRES - GLOVE	Gloves		1






Case Study: Shaare Sedek Synagogue - Manchester

The Shaare Sedek Synagogue in Manchester requested a safer solution to make their stair edges slip resistant as they were currently using caution tape. Our RezTred® Anti Slip Tread Kit provided the perfect solution and we were able to install it the same day so that it was ready for use by the 6pm service. We are not limited to straight lines, think outside the box and we can create almost any design you require.

PATHWAY GUIDANCE SYSTEM




The traditional 9mm Ø shank method or 3M adhered versions offer an incredibly versatile system that can provide an instant DDA and Equality Act 2010 compliant tactile surface to any platform edge, stairway or ramp due to their unique installation methods.

Manufactured from Stainless Steel grade 316 or Polyurethane, both of which are highly durable and offer excellent contrasting options to ensure conformity within internal and external applications.


Aluminium, Brass and other design options available, minimum order quantities may apply.

Based on 60mm centres - 361 tactiles per m²

Standard Pattern



Platform Pattern



Stainless Steel Shanked

Code	Ø (mm)	Description	Finish	Box Qty
FTSSD25	25	Stainless Steel Anti-Slip Tactile	01,16,47	20
FTSCD25	25	Stainless Steel Circle Tactile	84	20
FTCHD25	25	Stainless Steel Crosshatch Tactile	84	20

Stainless Steel Self Adhesive 3M

Code	Ø (mm)	Description	Finish	Box Qty
FTSAS25	25	Stainless Steel Anti-Slip Tactile	01,16,47	20
FTSSA25	25	Stainless Steel Circle Tactile	84	20
FTSCA25	25	Stainless Steel Crosshatch Tactile	84	20

Stainless Steel Corduroy Tactile Trim

Code	W x L (mm)	Description	Finish	Box Qty
FTCD280	25 x 280	Stainless Steel Anti-Slip Shanked	01,16,47	20
FTCA280	25 x 280	Stainless Steel Anti-Slip Self Adhesive 3M	01,16,47	20

PU Tactile Shanked

Code	W x L (mm)	Description	Finish	Box Qty
FTPHD25	25 x 25	PU Cross Tactile	16	20

PU Tactile Self Adhesive 3M

Code	W x L (mm)	Description	Finish	Box Qty
FTPYA25	25 x 25	PU Groove Tactile	16	20
FTPCA25	25 x 25	PU Cross Tactile	16	20


PU Corduroy Tactile Self Adhesive 3M

Code	W x L (mm)	Description	Finish	Box Qty
FTPA280	27 x 295	PU Corduroy Tactile	16	20


Stainless Steel Tactile






Infill




PU Tactile





Entrance Matting

TrakMat® ENTRANCE MATTING



A versatile system incorporating aluminium sections with rubber or carpet inserts linked by semi-rigid P.V.C to cushion traffic and reduce noise.

The unique design allows the matting to be rolled easing transport, relocation and cleaning.

Light to medium traffic <2,000/day.

Use TrakMat® Fluted Rubber outside for primary coarse dirt retention.

Use TrakMat® Loop Pile inside to clean and absorb residual moisture and dirt.



TrakMat® Fluted Rubber

Code	Height (mm)	Finish	Size
EM8950	12	16	m ²
EM8951	17	16	m ²
EM8952	22	16	m ²

TrakMat® Loop Pile

Code	Height (mm)	Finish	Size
EM8900	12	Anthracite	m ²
EM8901	12	Grey	m ²
EM8902	12	Natural	m ²
EM8903	12	Red	m ²
EM8910	17	Anthracite	m ²
EM8911	17	Grey	m ²
EM8912	17	Natural	m ²
EM8913	17	Red	m ²
EM8920	22	Anthracite	m ²
EM8921	22	Grey	m ²
EM8922	22	Natural	m ²
EM8923	22	Red	m ²

End Profile



Code	Height (mm)	Finish	Length (m)
EMCAP12	12	16	3



Case Study: Home Furnishings Store - Birmingham

Our TrakMat® Entrance Matting has been installed at a busy market leading store in Birmingham.

The TrakMat® system meets the high traffic specification as it offers a durable, effective, practical solution with simple and efficient installation.



Entrance Matting

Reversible Rubber



16
Black

Heavy Traffic: >2000/day

Use outside for primary coarse dirt retention.

Aluminium sections containing rubber inserts linked with galvanised steel cables and secured with plated fixings. Designed for internal or external use.

Code	Height (mm)	Finish	Size
R8030	18	16	m ²
R8031	12	16	m ²

Reversible Superior Insert



Black



Grey

Heavy Traffic: >2000/day

Use inside to clean and absorb residual moisture and dirt.


Reversible inserts are fitted between mill profiles and assembled with galvanised steel rods.

Code	Height (mm)	Finish	Size
R8000	18	Grey	m ²
R8016	18	Black	m ²
R8002	12	Grey	m ²
R8003	12	Black	m ²

Matwell Frame



Brass




R6100 / R6101

R6113

Code	Length (m)	Description	Box Qty
R6100	4	For mats 17 or 23mm deep - Silver	1
R6101	4	For mats 17 or 23mm deep - Brass	1
R6113	4	For mats up to 13mm deep - Silver	1

Aluminium Bevelled Access Profile



Silver

Code	Height (mm)	Length (m)	Finish	Box Qty
R6115	20	3	Silver	1

See also RAA154 Aluminium Access Ramp - Page 130

Corners



Code	Description	Box Qty
R16104	Pack of 4 corner angles for frame - Silver	1

Now available...



...Entrance Matting
Samples Folder

Order yours today!


Transitions

Our range of transition profiles provide an extensive portfolio of both commercial and DIY products – all giving you performance, function and aesthetics.




Self Adhesive - Cover


40
Oak



81
Matt Silver



83
Matt Brass





Code	W x D (mm)	Length (m)	Finish	Box Qty
CAS407	37 x 3	2.7	40,81,83	10
CAS409	37 x 3	0.9	40,81,83	10
CAS257	25 x 3	2.7	81	10

Self Adhesive - Nosing


81
Matt Silver



83
Matt Brass




40
Oak



Code	W x D (mm)	Length (m)	Finish	Box Qty
NAS207	30 x 20	2.7	40,81,83	10
NAS209	30 x 20	0.9	40,81,83	10
NAS107	25 x 10	2.7	40,81,83	10
NAS109	25 x 10	0.9	40,81,83	10

Self Adhesive - Vinyl/LVT Ramp



81
Matt Silver

83
Matt Brass



Code	W x D (mm)	Length (m)	Finish	Box Qty
TAV257	30 x 2.5	2.7	81,83	10
TAV259	30 x 2.5	0.9	81,83	10

Self Adhesive - Ramp


40
Oak



81
Matt Silver





83
Matt Brass



Code	W x D (mm)	Length (m)	Finish	Box Qty
TAS157	50 x 15	2.7	40,81,83	10
TAS159	50 x 15	0.9	40,81,83	10
TAS107	43 x 10	2.7	40,81,83	10
TAS109	43 x 10	0.9	40,81,83	10

Fast Fit Slimline



Perfect finishing for junctions of different floor coverings of same height.

- Covers a gap up to 30mm
- TCS for drill fitting option
- TCG Multiflex for Carpet installation
- TCC Multiflex for all other floor coverings

Code	W (mm)	Length (m)	Finish	Box Qty
TCS409	40	0.92	81,83,85	20
TCS405	40	1.85	81,83,85	20
TCG109	9	0.92	80	20
TCC109	9	0.92	80	20


81
Matt Silver





83
Matt Brass



85
Pewter



Fast Fit Ramp System




Unique Clip System. Allows use with different floor covering material depths. Accommodates height variation up to 20mm.









- TCR for drill fitting option
- TCG Multiflex base for carpet installation
- TCC Multiflex base for all other floor coverings
- TTG Multiflex set with gripper base
- TTC Multiflex set with universal base
- All Bases include 5 + 5 clips

Code	W (mm)	Length (m)	Finish	Box Qty
TCR409	40	0.92	40,81,83,85,87,91	20
TCR405	40	1.85	40,81,83,85	20
TCG109	9	0.92	80	20
TCC109	9	0.92	80	20
TTG409 ¹	40	0.92	87,91	20
TTC409 ²	40	0.92	87,91	20


¹TTG409 (TCR & TCG Combined)

²TTC409 (TCR & TCC Combined)





Aluminium Z-Bar Carpet Lock




The Aluminum Z-Bar Carpet Lock from Genesis provides an effective transition between different heights and types of floor finishes.


Simple to install the TGA profile provides a neat finish and protects the edges of both floor coverings even when they are slightly different depths.

Code	W x D (mm)	Length (m)	Finish	Box Qty
TGA909	28 x 9	0.9	81,83,87,91	45
TGA907	28 x 9	2.7	81,91	15
TGA149	28 x 14	0.9	81,83	45


81
Matt Silver



83
Matt Brass



87
Brass Effect




91
Bright Silver



Aluminium Retro-Fit Vinyl Reducer

Pre drilled




81
Matt Silver

Code	W x D (mm)	Length (m)	Finish	Box Qty
TVA259	40 x 2.5	0.92	81	20
TVA258	40 x 2.5	2.8	81	20

Brushed Stainless Cover


Pre drilled



102
Brushed
Stainless Steel

Code	W x D (mm)	Length (m)	Finish	Box Qty
TSC307	30	2.7	102	40
TSC407	40	2.7	102	40

Vinyl Tread




80
Mill Aluminium

Code	W x D (mm)	Length (m)	Finish	Box Qty
TSL547	70 x 4	2.7	80	10

Inserts available NITR50 & NISL50. See pages 82

Aluminium Z-Bar Pro

91
Bright Silver



87
Bright Brass


Code	H (mm)	Length (m)	Finish	Box Qty
TGS159	30 x 15	0.9	87,91	45

Aluminium Reducer


Pre drilled



81
Matt Silver





RAR077 - for carpet tiles,
loose lay PVC tiles etc.



RAR157 - for easy access
with pallet trucks, trolleys
and wheelchairs.

Code	H (mm)	Length (m)	Finish	Box Qty
RAR077	5 - 7	2.7	81	10
RAR157	10.5 - 15	2.7	81	20


Adjustable Ramp



81
Matt Silver

Code	D (mm)	Length (m)	Finish	Box Qty
RAD100	10	2.5	81	10
RAD120	12	2.5	81	10

Stainless Steel Tile-in Ramp






84
Stainless Steel

Code	W x D (mm)	Length (m)	Finish	Box Qty
RSS104	20 x 10	2.5	84	10
RSS124	25 x 12.5	2.5	84	10

Tile Aluminium Ramp





80
Mill Aluminium



81
Matt Silver

Code	W x D (mm)	Length (m)	Finish	Box Qty
RSA104	20 x 10	2.5	80,81	20
RSA124	23 x 12	2.5	80,81	20
RUA104	16 x 10	2.5	81	20
RUA124	19 x 12	2.5	81	20

Aluminium Access Ramp



81
Matt Silver

Code	W x D (mm)	Length (m)	Finish	Box Qty
RAA104	65 x 10	2.5	81	10
RAA124	65 x 12.5	2.5	81	8
RAA154	90 x 15	2.5	81	7

Movement & Structural Joints

Performance and function are paramount
when making your selection and our
range meets both those requirements.





We make movement as easy as 1,2,3...

- 1 Material Selection** – the material used to form the joint anchoring legs has no bearing on the movement capacity. Different materials provide added protection to the edge of the floor covering depending on the type and volume of traffic;

PVC - Light duty traffic, foot traffic only. Sight line is a consistent colour making it ideal for domestic applications in large rooms or doorways, removable leg for use as a perimeter in rooms greater than 4sqm, waterproof and suitable for swimming pool surrounds and wet areas.

Aluminium - Grade 6063 Aluminium provides extra protection to the floor covering and can be used in heavy traffic areas with foot and low point loading wheel traffic, ideal for use in car showrooms and shopping centres.

Stainless Steel - Available in Grade 304 and 316, this is the strongest of the materials giving the ultimate protection to the floor covering and ideal for all traffic. Popular with Airports and supermarkets where the wheel traffic has a high point loading and can cause the most impact damage. Grade 316 is recommended in swimming pool surrounds, food prep areas, hospitals and wet areas due to its increased corrosive resistance and strength.





2 Performance – the movement accommodation is determined by the width of the joint infill. All Genesis joints conform to the BS5385 recommendations providing minimum 20% movement capacity on minimum capacity due to it's flexibility.

3 Positioning – the following points must be considered when choosing your movement joint:



Key points

- In all applications a movement joint must be used **DIRECTLY** above a joint in the sub-floor, whether this is the same type of subfloor or not. It is often missed domestically on extensions where a new subfloor will be constructed
- In the instance of commercial applications where there is a structural gap in the subfloor the movement joint must not overhang the gap, if the gap is 10mm and the infill of the movement joint is 6mm then select a different movement joint
- When tiling continues from room to room it is good practice to use a movement joint in the doorways, especially if the walls are load bearing

Considerations

- If there are no joints in the subfloor, start from the wall. If there are joints in the subfloor, start from the location of the joint. Positioning should then be 5-8m apart in any direction and ideally in square/rectangular bays. In domestic applications or corridors this can be extended to 10m
- A room 4sqm or larger with load bearing walls should have a perimeter joint in place
- Once a room/project exceeds 20sqm or extends into a second room you should be asking the question about a movement joint!



P.V.C. Movement & Perimeter Joint



Notch to make leg removable

Code	D (mm)	Length (m)	Infill Finish	Box Qty
MLB100	10	2.5	16,25,35	25
MLB125	12.5	2.5	16,25,35	25



P.V.C. Movement & Perimeter Joint - Thin



Notch to make leg removable


Code	D (mm)	Length (m)	Infill Finish	Box Qty
MLT100	10	2.5	16,25,35	25
MLT125	12.5	2.5	16,25,35	25

P.V.C. Joint Covers





Code	W x D (mm)	Length (m)	Infill Finish	Box Qty
MVP250	50 x 2	15	16,43	10
MVP275	75 x 2	15	16,43	10

Compression Joint with Barbs & Anchors



Code	W x D (mm)	T (mm)	Length (m)	Finish	Material	Box Qty
MCA300	12 x 30	1.5	2.5m	16,35	Aluminium	10
MCB300	12 x 30	1.5	2.5m	16,35	Brass	10
MCS300	11 x 30	1	2.5m	16,35	Stainless Steel	10
MCA500	12 x 50	1.5	2.5m	16,35	Aluminium	10
MCB500	12 x 50	1.5	2.5m	16,35	Brass	10
MCS500	11 x 50	1	2.5m	16,35	Stainless Steel	10

Optimax Aluminium Heavy Duty



The use of Santoprene as a movement accommodation material offers an outstanding flexibility, chemical and weathering resistance, in addition the tensile strength is a contributing factor to the durability; the anchoring angles are Aluminium grade 6063 T6, which is heat treated to increase tensile strength.

Code	D (mm)	Length (m)	Infill Finish	Box Qty
MSA080	8	2.5	16,25,35	10
MSA100	10	2.5	16,25,35	10
MSA125	12	2.5	16,25,35	10
MSA150	15	2.5	16,25,35	10
MSA180	18	2.5	16,25,35	10
MSA225	22,5	2.5	16,25,35	10

Optimax Aluminium Heavy Duty Replaceable Infill


Code	D (mm)	Length (m)	Finish	Box Qty
MSI100	9,8	2,5	16,25,35	20



Stainless Steel Heavy Duty

16
Black

25
Beige




35
Dark Grey

Code	D (mm)	Length (m)	Infill Finish	Box Qty
MHS100	10	2.5	16,25,35	10
MHS120	12	2.5	16,25,35	10
MHS150	15	2.5	16,25,35	10
MHS225	22.5	2.5	16,25,35	10

Optimax Stainless Steel Heavy Duty

16
Black

35
Dark Grey



Code	D (mm)	Length (m)	Infill Finish	Box Qty
MSS100	10	2.5	16,35	10
MSS125	12.5	2.5	16,35	10

Case Study: Gatwick Airport


When the Gatwick consortium began to renovate the South terminal of Gatwick Airport they needed to ensure that the new floors were protected against the movement of all the daily traffic that they endure. Genesis were able to provide a solution; working with the main contractors, architects and installation contractors a cost effective Stainless Steel Movement Joint was selected from the Genesis range as the perfect fit. The renovation has been part of a (circa) £850million investment to see the replacement of floors and ceilings and enhance the experience travellers receive; The Genesis Movement Joint meets and exceeds all standards of Movement Joints and will save the floors from cracking long into the future.



Aluminium Intermediate Joint

35
Dark Grey

16
Black



Code	D (mm)	Length (m)	Infill Finish	Box Qty
MMA100	10	2.5	16,35	10
MMA120	12	2.5	16,35	10

Any RAL, Anywhere, Any time...



Our MHS, MHA & MMA profiles can now be ordered in a RAL of your choice, with matching angles and bespoke dimension all available with a quick turnaround.

...the possibilities are endless!

Heavy Duty Aluminium




Heavy Duty Aluminium - 30mm





Smooth						
Code	W (mm)	D (mm)	A (mm)	Length (m)	Finishes	Lateral Movement (mm)
GFSR3023	36	23	30	3	16,35	8 (± 4)
GFSR3030	36	30	30	3	16,35	8 (± 4)
GFSR3050	36	50	30	3	16,35	8 (± 4)
GFSR3070	36	70	30	3	16,35	8 (± 4)
Grooved						
Code	W (mm)	D (mm)	A (mm)	Length (m)	Finishes	Lateral Movement (mm)
GFGR3023	36	23	30	3	16,35	10 (± 5)
GFGR3030	36	30	30	3	16,35	10 (± 5)
GFGR3050	36	50	30	3	16,35	10 (± 5)
GFGR3070	36	70	30	3	16,35	10 (± 5)



Heavy Duty Aluminium - 50mm





Smooth						
Code	W (mm)	D (mm)	A (mm)	Length (m)	Finishes	Lateral Movement (mm)
GFSR5023	56	23	50	3	16,35	12 (± 6)
GFSR5030	56	30	50	3	16,35	12 (± 6)
GFSR5050	56	50	50	3	16,35	12 (± 6)
GFSR5070	56	70	50	3	16,35	12 (± 6)
Grooved						
Code	W (mm)	D (mm)	A (mm)	Length (m)	Finishes	Lateral Movement (mm)
GFGR5023	56	23	50	3	16,35	14 (± 7)
GFGR5030	56	30	50	3	16,35	14 (± 7)
GFGR5050	56	50	50	3	16,35	14 (± 7)
GFGR5070	56	70	50	3	16,35	14 (± 8)





Insert - Smooth

Insert - Grooved



Central Support



Self Adhesive Structural Covers




81
Matt Silver

102
Brushed Stainless Steel

Stainless Steel Covers



Code	W x D (mm)	Length (m)	Finish	Side Drill	Max Load	Box Qty
GC2796	60 x 5	2.5	102	On request	25kg/cm ²	10
GC2797	80 x 5	2.5	102	On request	15kg/cm ²	10
GC2798	100 x 5	2.5	102	On request	11kg/cm ²	10



Aluminium Covers




Code	W x D (mm)	Length (m)	Finish	Side Drill	Max Load	Box Qty
GC2806	60 x 4	3	81	On request	8kg/cm ²	10
GC2820	80 x 4	3	81	On request	55kg/cm ²	10
GC2814	100 x 3	3	81	On request	75kg/cm ²	10



Marketing

Grab customer attention with our range of eye catching display stands, POS items, countertop displays and sample folders.



A vast range of eye-catching marketing materials are available to help promote your Genesis products, from robust display stands that offer an excellent way of displaying full length trims to smaller point of sale displays. Promotional items that help to represent the Genesis brand by combining functionality with advertising with such items as pens, calendars, note pads etc.

Bespoke marketing materials are available on request.





Z103 1m Maxi Stand

- 24 slots for leaning profiles in position
- 10 euro hooks (for tools or corner pcs)
- Divider bar clips onto back to divide profiles
- Each slot holds 10 - 20 profiles
- Price tag divider
- Anti slip mat
- Versatile options - tools and / or profiles
- Basket not included, available on request

2200
mm

Code	Description	Qty
Z103	1m Genesis Display	1
Z112	Euro Hooks (double prong)	10
Z151	Replacement Header	1
Z103B	Basket	1

600mm

1000mm

Note: Image shows two stands side by side

Z100 Mini Stand

- A bespoke unit to display the Genesis range of tools
- A simple grid system to display products
- Supplied with a display tray and 20 euro hooks
- 12 profile location points
- Basket not included, available on request

Code	Description	Qty
Z100	Tool Stand	1
Z112	Euro Hooks (double prong)	10
Z103B	Basket	1



Note: Image shows two stands side by side

Z110 1m Deluxe Stand

- Rubber mat and specially strengthened base ideal for Metal profiles
- Profiles are simply leaned against the back of the display and rested on the rubber mat on the base
- Works on its own or combined to form a run of displays for larger showrooms
- Dividers create 24 sections on this display
- Each section holds on average 20 profiles depending on the profile shape and size
- The display unit can also be slit 50/50 to display 12 divided sections of profiles and then use the euro hooks to display tools on the other half of the stand. If used this way the stand will hold approximately 180 profiles
- If all 24 divider spaces are used approximately 360 profiles can be displayed
- Complete assembly instructions are included with each display stand

2200 mm

600mm

1000mm

NEW

Z115 .5m Deluxe Stand

Due to popular demand the Z110 is now available in a half meter option



Note: Image shows two stands side by side

Personalised Samples Panel for Z110



A brand-new stand attachment is available for the Z110, offering an installed vision of the 4 profile designs offered by Genesis; Triangular, Square, Straight and Round. The Z109 also acts as a sales aid for highlighting and upselling the use of corner pieces to clients and homeowners allowing them to keep their options open on design and finish.

Code	Description	Qty
Z110	Lean back display unit	1
Z115	Half meter display unit	1
Z111	Single prong hooks	10
Z113	300mm Extension	1
Z109	Framework (board not included)	1
Z109-BOARD	Genesis Branded Board	1
Z109-BESPOKE	Personalised Board	1
Z420	Replacement Header	1




Transition Stand



- 10 hooks to hold Genesis 0.92m lengths of transition profiles
- Comes complete with Genesis header


Code	Description	Qty
Z015	Transition Stand	1

Samples Folders



Code	Description
Z870	RezTred® and Accessibility
Z871	Entrance Matting
Z424	Metal Profiles
Z425	Ramps and Transitions
Z428	Movement Joints & Nosing
Z429	PVC Profiles
Z430	Edge Protection and Skirting
Z432	Vision


Samples Boards



Code	Description
Z422	Self Adhesive
Z865	Panel Profiles
Z889	Transitions Board
Z890	Metal Trim Samples Board (1)
Z895	PVC Trim Samples Board
Z897	Metal Trim Samples Board (2)
Z888	Triangular POS Board
Z893	Counter Top Display - Stone
Z894	Counter Top Display - Pathway
Z899	Counter Top Display - Stainless




Luxe Display Box



Code	Description
Z433	Luxe Display Box

Display Modules



- Individual modules constructed with ceramics specified by you and using prescribed Genesis profiles to create the perfect point of sale display
- These modules have been designed to show a selection of Genesis Profiles and perfectly illustrate the function of the product as well as the aesthetics
- Eye-catching and perfect for displaying corner pieces

Code	Description	Qty
Z123	Display Module	1


Sample Cases



Code	Description	Qty
Z751	Genesis Flooring Sample Case	1
Z752	Contract Tiling Sample Case	1

Promotional Items

External Banner



Code	Description	Qty
Z880	External Banner 0.6 x 1.8 m	1

Catalogue & Price List



Code	Description	Qty
Z313	Genesis Catalogue	50
Z312	Genesis Price List	50
Z405	Contract Flooring Price List	50

Wall Chart




Code	Description
Z324	Wall Chart (A1)

2020 Desk Calendar



Code	Description
Z-CALENDAR	2020 Desk Calendar

Genesis Logo Mat



Code	Description	Qty
Z703	Genesis Logo Mat 90 x 60 cm	1

Hydration Device



Code	Description
Z802HD	Water Bottle

Pens



Code	Description
Z801	Pen


Note Pads



Code	Description
Z502	A5 Note Pad
Z503	Sticky Notes

NEW website, now live

www.genesis-gs.com



Got a question? Chat to us online



AHB	94-95	ESP	39	NAT	102	R61	122	Vision - Remote	111
AHD	90-91	ESQ	21	NFA	102	R80	122	Vision - RGB System	109
AHD23	92	ESR	29	NHB	94-95	RAA	130	Vision - Skirting	108
AHP	94-95	ESS	22	NHD	88-89	RAD	130	Vision - Smart Drivers	110
ASB	94-95	ESS - Luxe	5	NHP	94-95	RAR	129	Vision - Step	108
ASL	86-87	ETA	14	NIA50	82	RDIM	42	Z-CALENDAR	150
ASP	94-95	ETI	38	NIB	100	RSA	130	Z015	147
ASR	94-95	ETP	38	NIHD38	82	RSS	130	Z100	145
ATC	98-99	ETR	36-37	NIHD50	82	RUA	130	Z103	144
ATS	98-99	ETS	23	NISL38	82	SBS	40	Z103B	144-145
CAS	124	EVC	41	NISL50	82	SMP	40	Z109	147
EAA	30	EVT	41	NITR38	82	SMT	40	Z109-BESPOKE	147
EAC	15	EWA	18	NITR50	82	SOR	40	Z109-BOARD	147
EAD	14	EWB	18	NIW	92	SPS	40	Z110	146-147
EAM	10	EWG	18	NLC	100	SRE	40	Z111	147
EAQ	15	EWI	18	NLM	100	SRI	40	Z112	144-145
EAS	30	GC2	140	NLT	102	SRP	40	Z113	147
EAT	17	GFGR	138-139	NNL	89	SRT	40	Z123	149
ECG	10	GFSR	138-139	Nosing Inserts	82	SSP	40	Z151	144
ECK	14	KAA	27	NRA	101	TAS	124	Z312	150
ECQ	21	KAC	26	NRE	101	TAV	124	Z313	150
ECT	38	KCOV	42	NRES	116-117	TCC	125,126	Z324	150
EDA	19	KCS	42	NSA	96	TCG	125,126	Z405	150
EDP	13	KEC	26	NSB	94-95	TCR	126-127	Z420	147
EDP - Luxe	4	KIC	26	NSL	84-85	TCS	124	Z422	148
EDQ	20	KLC	26	NSL23	92	TDB - Luxe	6	Z424	148
EDQ - Luxe	5	KPC	27	NSP	94-95	TDG	10	Z425	148
EDS	19	KPE	27	NSR	94-95	TDP	12-13	Z428	148
EET	17	KPI	27	NSS	102	TDP - Luxe	4	Z429	148
EFA	8-9	KRC	26	NTAB	96	TGA	128	Z430	148
EFU	41	KSI	42	NTC	98-99	TGS	129	Z432	148
EIK	14	KSO	42	NTL	96	TMG	10	Z433	149
EIQ	15	LFA	24-25	NTP	93	TPP	38	Z502	150
EIT	17	LGA	23	NTS	98-99	TSC	129	Z503	150
EM89	120-121	LPA	23	NUC	100	TSL	129	Z703	150
EMA	10	LPS	23	NXF	82	TVA	129	Z751	149
EMG	10	MCA	134	Pathway Guidance	118-119	TVE	34	Z752	149
EPS	30	MCB	134	PCL	38	TVI	32	Z801	150
EQQ	20	MCS	134	PDL	37	TVN	34	Z802HD	150
EQQ - Luxe	5	MHS	136	PDM	37	TVR	34	Z865	148
ERA	14	MLB	134	PDP	37	Vision - Accessories	113	Z870	148
ERP	41	MLT	134	PDX	37	Vision - Drivers	110	Z871	148
ESA	8-9	MMA	136	PHA	28	Vision - EyeLED	112	Z880	150
ESA - Luxe	4	MSA	135	PIA	28	Vision - Guide	113	Z888	148
ESB - Luxe	6	MSI	135	PSA	29	Vision - LED System	109	Z889	148
ESC	9	MSS	136	PTP	38	Vision - LED Tape	112	Z890	148
ESF	22	MVP	134	PUA	28	Vision - MultiFix	108	Z895	148
ESL	29	NAS	100,124	PXA	28	Vision - Nosing	106-107	Z897	148

73mm Tri Bore	53	GLS Clip Dozer	60	Sealant Finishers	69
Bihui Electric Cutter	50	Grout Float	66	Shower Shelf	72-73
Bihui Lifting System	50	Grout Float - Premium	66	Spacers	45
Bihui Platform	51	Grout Float - Universal	66	Spacers - Reusable	45
Bihui Rail Cutting System	49	Grout Rake	70	Spacers - Roter Wedge	44
Bihui Suction Cup	47	Knee Pads	74	Spike Roller	71
Bihui Transport Cart	48	Levelling System - GLS Cap	61	Spike Shoes	71
Bihui Vacuum Sucker	51	Levelling System - GLS Spin	61	Sponges	67
Bihui Vibration Tile Beater	51	Levelling System - GLS Wedge	60	Suction Cups	47,70
Bihui Workbench	49	Mitre Block	71	Surface Protector	73
Caulking Gun	69	Mixer	70	Tile / Glass Drill Bits	53
Cleaning Pads	66	Mosaic Backing System	46	Tile Cutters - 400mm	52
Combination Spreader	68	Mosaic Mesh	46	Tile Cutters - 600mm	52
Cover Blanket	75	Multi Layer Tak Mat	75	Tile Cutters - Super Pro Cutter	52
Cover System	76	Nippers - Soft Grip Heavy Duty	71	Tile Magnets	70
Cutting Blade for Stainless Steel	70	Nozzle Stop	69	Tile Markers	70
Diamond Hand Pads	55	Pro Caulking Gun	69	Tile Remover / Scraper	70
Diamond Hole Saws	53	Pro Floor Squeegee	68	Trim Mitre Cutter	71
Dry Drill Bits	53	Pro Mallet - 500g	70	Trowel Sets - Quick Switch	62
Dust Extraction	58-59	Revolution Blades	56-57	Trowels - Basic	65
Extra Large Screeding Blade - Quick Switch	62	Revolution Blades - Continuous Rim	57	Trowels - Plastic	65
Flexi Nozzle	69	Revolution Blades - Cyclone	57	Trowels - Soft Grip	64
Float - Epoxy Cellulose Sponge	67	Revolution Blades - Multi Wheel	54	Trowels - Tiger	65
Float - Quick Switch	63	Revolution Blades - Turbo	57	Washboy	68
Float - with Hydro Sponge	67	Revolution Drills - Diamond Pro Wet Flex	55	Work Wipes	74
Floor / Carpet Protector	75	Revolution Drills - Turbo Dry Drills	54	Zipper Door	76



Genesis

For the Perfect Finish

Tel: +44 (0)1642 713000 Email: info@genesis-gs.com

www.genesis-gs.com

Genesis Global Systems Ltd

Head Office: Stokesley Business Park Stokesley North Yorkshire TS9 5JZ

Colombia

Genesis LatAm SAS

Calle 162 No 16C-32. Orquideas, Bogotá
Cundinamarca, 110131. Colombia

Tel: +57 (1) 805 1235 Fax: +57 (1) 805 1235

www.genesis-latam.com

India

Genesis Profile Systems India PVT. Limited

SURYA WAREHOUSE, Door Nos. 21/562-B & 21/562-C,
Marathakkara Village, Thrissur, Kerala 680306

Tel: +91 0487 2355 577 Email: sales@genesis-gs.in

www.genesis-gs.in