



# Quantum

PRODUCT FOCUS  
AQUATANK

## AquaTank - A NeoFlex Membrane

AquaTank is a latex based, water resistant bonding agent and admixture for use in areas which are subject to humidity, dampness and water contact.

# AquaTank

### A SIMPLE METHOD FOR MANY WATERPROOFING AND VAPOUR PROOFING APPLICATIONS

#### AquaTank Kit

The AquaTank kit is a complete waterproofing system designed for the protection of substrates in wet areas, such as beneath ceramic, porcelain, natural stone and mosaic tiles. The kit comes everything you need to completely waterproof a 10m sq. wall or floor area ready for tiling. This superior product provides the convenience of an all in one solution with complete waterproof protection.

#### AquaTank Pro-Tile Primer

This professional grade, multi-purpose liquid latex is one of the products included within the AquaTank kit. As a water resistant primer, bonding agent and flexi-additive, it will improve water resistance, flexibility and long term durability of renders, floor screeds, concrete and patching mortar.

#### AquaTank SA+ Tape

Included within the kit is the 750mm wide AquaTank SA+ Tape, a self-adhesive, flexible tape which is designed for use with the AquaTank Neo-Flex Membrane. The tape is a key component of creating an effective waterproof layer in corners, wall and floor connections, panel joints, pipe and balustrade junctions and bathroom outlets.

#### AquaTank Neo-Flex Membrane

This flexible liquid tanking membrane is a key component of the AquaTank kit and is designed for use with the SA+ Tape when waterproofing joints or substrates. This water based membrane is eco-friendly and will provide total water-resistance in areas such as bathrooms, showers and wet rooms. The membrane is designed for internal use only and its striking colour will provide a useful indication of completeness of coverage.

[VISIT OUR WEBSITE TO VIEW THE AQUATANK VIDEO](#)



#### The Kit Contains:

1. AquaTank Neo-Flex Membrane
2. AquaTank Pro-Tile Primer
3. AquaTank SA Tape+
4. Paint brush
5. Gloves
6. Instructions and application

### 4 EASY STEPS TO THE ULTIMATE AQUATANK

## BENEFITS

- ✓ **WATERPROOF**  
AN EXCELLENT RESISTANCE TO WATER AND WATER VAPOUR, WHICH IS ESPECIALLY USEFUL IN DAMP AND HUMID
- ✓ **RESISTANCE**  
A HIGH LEVEL OF RESISTANCE TO FROST, SALT PERMEATION, SILAGE ACIDS AND MANY OTHER CHEMICALS
- ✓ **TOUGH AND FLEXIBLE**  
IMPROVED TOUGHNESS, FLEXIBILITY, EXTENSIBILITY AND CRACKBRIDGING PROPERTIES
- ✓ **A COMPLETE KIT**  
THE COMPLETE AQUATANK KIT INCLUDES EVERYTHING REQUIRED TO COMPLETELY WATERPROOF A SURFACE
- ✓ **EASY TO USE**  
THE SYSTEM IS VERY EASY TO USE AND WILL BE DRY AND READY TO TILE ON AFTER JUST 2 HOURS

#### STEP 1

Ensure the application area is clean and dry. Apply AquaTank Pro-Tile Primer as instructed on the label.



#### STEP 2

Once the primer is dry, tape all corners and joints with AquaTank SA Tape+.



#### STEP 3

Pay particular attention to the corners and any panel joints.



#### STEP 4

Next apply AquaTank Neo-Flex Membrane to the entire area, 30 minutes later apply a second coat





**4 Courtauld Way,  
Campsie, L'Derry  
N. Ireland, BT47 3DN**

Target House,  
Ruthvenfield Road, Perth  
Scotland, PH1 3EE

**[info@quantumgroupni.com](mailto:info@quantumgroupni.com)**

**+44 (0)28 7131 2064**

**[quantumgroupni.com](http://quantumgroupni.com)**

