

TILING PRODUCT GUIDE 22/23

Welcome to our 22/23 product catalogue.

As a leading supplier of tiling and wet room products throughout the UK and Ireland, we are passionate about our extensive and innovative range.

VISIT OUR WEBSITE

The Quantum Group website is designed to be easy to browse and informative, with product guides, images, videos and useful company news. With an ever-expanding range, our website is the best place to explore our growing range of new and innovative tiling products, simply visit:



www.quantumgroupni.com

With decades of experience, Quantum is a forward-thinking business built with honesty, integrity and trust at its core. Our business has a reputation for offering an extensive product range, industry expertise and an exceptional level of service.

Our experience and knowledge of the market puts us in an ideal position to provide the service and products our customers require.

We operate on a trade only basis through our network of retailers, wholesalers, and builders' merchants. To find out more about stocking our products, or to find your nearest supplier of Quantum products, please contact our team today.

Next day delivery is free on all orders over £100/€100 placed before 3.00pm.

Contents

| TILE TRIMS AND MOVEMENT JOINTS | 04-21 |
|------------------------------------|---------|
| MOVEMENT AND WATERPROOF MATTING | 22-27 |
| TILE BACKER BOARD | 28-35 |
| WATERPROOFING | 36-41 |
| CONFLUO SMART DRAINS | 42-45 |
| CLEANERS, SEALERS AND POLISHES | 46-55 |
| TILING TOOLS AND ACCESSORIES | 56-75 |
| DIAMOND BLADES | 76-79 |
| TILE CUTTERS | 80-87 |
| ELECTRIC TILE SAWS | 88-95 |
| MARBLE, GRANITE AND STONE PRODUCTS | 96-103 |
| ADHESIVE, GROUTS AND SEALANTS | 104-107 |
| TILE HANDLING PRODUCTS | 108-113 |
| NAVARRO TILES | 114-117 |
| STOCK CODES | 118-122 |
| | |



| ATRIM STRAIGHT EDGE TRIMS | 06-08 |
|------------------------------------|-------|
| ATRIM ROUND EDGE TRIMS | 09 |
| BATHTRIMS & SHOWER CHANNELS | 10 |
| FORMABLE TRIM | 10 |
| INTERNAL & SKIRTING TRIM | 11 |
| ATRIM CUBEC & LISTELLO TRIMS | 11-12 |
| JOINT COVER TRIMS | 13 |
| ATRIM FLAT BAR | 13 |
| ATRIM MOVEMENT JOINTS | 14-15 |
| TRANSITION PROFILES | 15-16 |
| STAIR NOSINGS & PROTECTIVE EDGINGS | 16-17 |
| COLOURED & STONE FINISHED TRIMS | 18 |
| ALUMINIUM COLOURED TRIMS | 19 |
| PANEL PROFILES | 20-21 |

Tiling Trims & Movement Joints

4 s

Mon - Fri | 7.30am - 4.30pm

Customer Services

Sales + Service

IRELAND: +44 (0)28 7131 2064 UK: +44 (0)1738 231 800

An extensive range of profiles and trims for the finishing and protection of tiled edges and surfaces.



Merchandising Stand

The ATRIM freestanding merchandise unit holds over 250 products, maximising the diversity of the product range and aiding customers in their selection.

 $f{\star}$ This stand has a lead time, please check with our sales team



ATRIM PVC Straight Edge 2.5m

- Straight edge PVC trim, designed to provide a protective and neat finish to tiled corners and edges.
- Box quantity 100





| Stock Code. | Depth mm | Colour |
|----------------|-------------|------------|
| 4341* | 4.5 | White |
| 4342 | 6 | White |
| 4343 | 8 | White |
| 4344 | 10 | White |
| 4358 | 12 | White |
| 4364 | 8 | Jasmine |
| 4379 | 10 | Jasmine |
| 4383 | 12 | Jasmine |
| 4445 | 8 | Light Grey |
| 4447 | 10 | Light Grey |
| 4449 | 12 | Light Grey |
| 4365* | 4.5 | Black |
| 4370* | 6 | Black |
| 4371 | 8 | Black |
| 4372 | 10 | Black |
| 4373 | 12 | Black |

ATRIM Matt Straight Edge 2.5m

- Straight edge trim, designed for the protection and neat finishing of tiled corners and edges.
 For use in dry areas with low moisture exposure.



| Stock Code. | Internal Height mm |
|----------------|-----------------------|
| 4463* | 3 |
| 4465 | 4.5 |
| 4466 | 6 |
| 4468 | 8 |
| 4470 | 10 |
| 4472 | 12.5 |
| 4475* | 15 |
| 4477* | 18.5 |
| 4480* | 20 |
| 4482* | 22.5 |
| 4485* | 25 |

ATRIM Satin Anodised Aluminium Straight Edge 2.5m

- Straight edge trim, designed for the protection and neat finishing of tiled corners and edges.
- Protected from corrosion by natural matt anodisation. • Suitable for use in bathrooms, but not within submerged
- Suitable for exterior use.




| | Internal Height mm |
|-------|-----------------------|
| 4484* | 4.5 |
| 4486 | 6 |
| 4488 | 8 |
| 4490 | 10 |
| 4492 | 12.5 |
| 4493* | 15 |

ATRIM Chrome Straight Edge Trim 2.5m

• High-quality bright anodised aluminium trim.



| Stock Code. | Internal Height mm | Material / Finish |
|----------------|-----------------------|----------------------|
| 4500 | 6 | Bright Chrome |
| 4551 | 8 | Bright Chrome |
| 4552 | 10 | Bright Chrome |
| 4553 | 12.5 | Bright Chrome |
| 4504 | 15 | Bright Chrome |
| 4505 | 18 | Bright Chrome |
| 4507 | 22 | Bright Chrome |
| | | |



| | Internal Height mm | Material / Finish |
|------|-----------------------|----------------------|
| 4508 | 8 | Brushed Chrome |
| 4510 | 10 | Brushed Chrome |
| 4512 | 12.5 | Brushed Chrome |
| 4549 | 15 | Brushed Chrome |

 $f{*}$ Product has a lead time, please check with our sales team

Mon - Fri | 7.30am - 4.30pm

ATRIM Stainless Steel Straight Edge Trim

- 304 grade straight edge trim, designed for the protection and neat finishing of tiled corners and edges.
- Suitable for exterior use and industrial contract applications.
- Recommended wherever there is heavy exposure to wear, or if a high level of corner protection is required, e.g. commercial premises and other industrial areas.

| Stock Code. | Internal Height mm | | Material / Finish |
|----------------|-----------------------|------|----------------------|
| 4444* | 4.5 | 2.5m | Stainless Steel |
| 4446* | 6 | 2.5m | Stainless Steel |
| 4448 | 8 | 2.5m | Stainless Steel |
| 4450 | 10 | 2.5m | Stainless Steel |
| 4452 | 12.5 | 2.5m | Stainless Steel |
| 4454* | 15 | 2.5m | Stainless Steel |
| 4456* | 18.5 | 2.5m | Stainless Steel |
| 4458* | 20 | 2.5m | Stainless Steel |
| 4460* | 22.5 | 2.5m | Stainless Steel |
| 4462* | 25 | 2.5m | Stainless Steel |
| 4521* | 30 | 2.5m | Stainless Steel |
| 4547* | 6 | 2.5m | Brushed S/steel |
| 4451* | 8 | 2.5m | Brushed S/steel |
| 4467* | 10 | 2.5m | Brushed S/steel |
| 4478* | 11 | 2.5m | Brushed S/steel |
| 4469* | 12.5 | 2.5m | Brushed S/steel |
| 4471* | 15 | 2.5m | Brushed S/steel |
| 4967* | 10 | 3.0m | Brushed S/steel |
| 4968* | 12.5 | 3.0m | Brushed S/steel |
| 4969* | 15 | 3.0m | Brushed S/steel |
| 4960* | 6 | 3.0m | Stainless Steel |
| 4961* | 8 | 3.0m | Stainless Steel |
| 4962* | 10 | 3.0m | Stainless Steel |
| 4963* | 12.5 | 3.0m | Stainless Steel |

Stainless Steel



Stainless Steel Marine Straight Edge 2.5m

- 316 grade trim, designed for the protection and neat finishing of tiled corners and edges within swimming pool
- Suitable for heavy exposure to chemicals, or where a high level of hygiene is required, e.g. within the food industry.
- Gleaming mirror finish.



| Stock Code. | Internal Height mm | |
|----------------|-----------------------|--|
| 4432* | 4.5 | |
| 4434* | 6 | |
| 4453* | 8 | |
| 4455* | 10 | |
| 4457* | 12.5 | |
| 4479* | 15 | |
| 4481* | 18.5 | |
| 4483* | 20 | |
| 4487* | 22.5 | |

Brass Straight Edge 2.5m

- Straight edge trim, designed for the protection and neat finishing of tiled corners.
- Designed for areas which are subjected to high mechanical stress, e.g. edge protection for expansion
- Resistant to most chemicals and suitable for exterior use.



| Stock Code. | Internal Height mm |
|----------------|-----------------------|
| 4408 | 8 |
| 4410 | 10 |
| 4412 | 12.5 |
| 4415* | 15 |
| 4417* | 18.5 |
| 4420* | 20 |
| 4422* | 22.5 |
| 4425* | 25 |

PVC Round Profile 2.5m

- Extremely high-quality PVC edge trims, designed to protect and neatly finish tiled corners and other tiled edges.
- Available in 4 sizes and 3 potential colour finishes.
- Box quantity: 100

| Stock Code. | Depth mm | Colour |
|-------------|----------|------------|
| 4013 | 6 | White |
| 4014 | 8 | White |
| 4015 | 10 | White |
| 4018 | 12 | White |
| 4021 | 6 | Jasmine |
| 4023 | 8 | Jasmine |
| 4024 | 10 | Jasmine |
| 4025 | 12 | Jasmine |
| 4028* | 6 | Light Grey |
| 4030* | 8 | Light Grey |
| 4031* | 10 | Light Grey |
| 4032* | 12 | Light Grey |








ATRIM Round Edge Trim Open Profile 2.5m

 High-quality anodised aluminium round edge trims, designed for protecting and neatly finishing tiled corners

and edges. Very reflective surface which results in a tough finish, for both the chrome and matt anodised options.

| | _ | · |
|----------------|-------------|---------------|
| Stock Code. | Depth mm | Finish |
| 4377* | 6 | Chrome |
| 4381 | 9 | Chrome |
| 4385 | 10.5 | Chrome |
| 4394 | 12 | Chrome |
| 4473* | 8 | Matt Anodised |
| 4474* | 10 | Matt Anodised |
| 4476* | 12 | Matt Anodised |





Tiling Trims & Movement Joints

Bathtrim 1.8m

- Designed to provide a watertight seal between the bath and the tiled wall.
- Can be applied with the leg either over or under the tiling.
- Fill the bath with water before applying the trim to ensure a complete seal.
- Not suitable for shower areas where hot water could possibly distort the flexible seal.
- Box quantity: 50



| Stock Code. | Туре | Colour |
|----------------|-----------|--------|
| 4320 | Overtile | White |
| 4354 | Undertile | White |

ATRIM Shower Glaze Channel 2m

- Chrome channel for shower floor and wall. screen glass installations. • Fits 10mm glass.

- · Can be used both on the




| | Overall | Under Flange |
|-------|-----------|---------------------|
| Code. | Height mm | mm |
| 4287* | 17 | 13 |

ATRIM Formable Straight Edge Trim 2.5m

- A wide range of quality
- formable trims.

 Designed for the protection and neat finishing of curved tiled edges.
- Anchorage points to fix the desired shape prior to tiling.
- Minimum recommended radius is 1 metre.

| Stock Code. | Internal Height mm | Туре |
|----------------|-----------------------|----------------------|
| 4526* | 6 | Aluminium |
| 4528 | 8 | Aluminium |
| 4530 | 10 | Aluminium |
| 4532 | 12 | Aluminium |
| 4535* | 15 | Aluminium |
| 4811* | 4.5 | Stainless Steel |
| 4536* | 6 | Stainless Steel |
| 4538 | 8 | Stainless Steel |
| 4540 | 10 | Stainless Steel |
| 4542 | 12.5 | Stainless Steel |
| 4543* | 15 | Stainless Steel |
| 4544* | 18 | Stainless Steel |
| 4545* | 22.5 | Stainless Steel |
| 4813* | 6 | Marine Grade s/steel |
| 4814* | 8 | Marine Grade s/steel |
| 4815* | 10 | Marine Grade s/steel |
| 4816* | 12.5 | Marine Grade s/steel |
| 4817* | 15 | Marine Grade s/steel |





PVC Internal Trim 2.5m

• PVC trim that neatly finishes • Conveniently prevents the internal joints of tiled surfaces and worktops etc.



| tock ode. | Depth mm | Colour |
|--------------|-------------|--------|
| 256 | 9 | White |

ATRIM PVC Skirting Trim 2.5m

- PVC trim for neatly and hygienically joining Altro flooring at skirting level to wall tiling.
- Also known as 'H' trim or 'Tile to Vinyl Capping'.
- Box quantity: 50





| Black | Grey |
|--|------|
| | 一 |
| | |
| | |
| THE | |
| | |
| | |
| | N |
| WARE THE PROPERTY OF THE PROPE | |

| | Internal Height mm | Finish |
|------|-----------------------|--------|
| 4360 | 7.5 | White |
| 4361 | 7.5 | Black |
| 4362 | 7.5 | Grey |
| 4363 | 12 | White |

Listello Bar 2.5m

 Flat decorative aluminium profile, designed to create a feature in ceramic wall tile installations.

Customer Services Mon - Fri | 7.30am - 4.30pm

> • Can be used to provide a finished edge where tiling is not wall to wall.

IRELAND: +44 (0)28 7131 2064 UK: +44 (0)1738 231 800

Sales + Service

| Stock Code. | Width mm | Depth mm | Finish |
|----------------|-------------|-------------|----------------|
| TTMLS10B | 10 | 8 | Chrome |
| TTMLS20B | 20 | 8 | Chrome |
| LFA100.94 | 10 | 8 | Brushed Chrome |
| LFA200.94 | 20 | 8 | Brushed Chrome |
| LFA100.86 | 10 | 8 | Brass |
| LFA200.86 | 20 | 8 | Brass |





 $f{\star}$ Product has a lead time, please check with our sales team

ATRIM Metal Cubec Trim 2.5m

Quantum

- A profile which forms a right-angled edge, whilst providing a stylish and protective finish to tiled corners.
 Can also be used as a border feature between tiles.
- Marine grade finish provides a brilliant shine.

| Stock Code. | Internal Height mm | Finish | |
|----------------|-----------------------|-------------------------|--|
| 4567 | 10 | Chrome Aluminium | |
| 4577 | 12.5 | Chrome Aluminium | |
| 4865 | 10 | Brushed Chrome | |
| 4866 | 12.5 | Brushed Chrome | |
| 4533* | 10 | Matt Anodised Aluminium | |
| 4534* | 12.5 | Matt Anodised Aluminium | |
| 4160* | 4.5 | Stainless Steel | |
| 4161* | 6 | Stainless Steel | |
| 4162* | 8 | Stainless Steel | |
| 4163* | 10 | Stainless Steel | |
| 4164* | 12 | Stainless Steel | |
| 4165* | 15 | Stainless Steel | |
| 4170* | 4.5 | Brushed S/steel | |
| 4171* | 6 | Brushed S/steel | |
| 4172* | 8 | Brushed S/steel | |
| 4173* | 10 | Brushed S/steel | |
| 4174* | 12 | Brushed S/steel | |
| 4175* | 15 | Brushed S/steel | |
| 4181* | 6 | Marine Grade S/steel | |
| 4182* | 8 | Marine Grade S/steel | |
| 4183* | 10 | Marine Grade S/steel | |
| 4184 | 12 | Marine Grade S/steel | |
| 4185 | 15 | Marine Grade S/steel | |
| 7726 | 10 | Basalt | |
| 7727 | 12 | Basalt | |
| 7728 | 10 | Granite | |
| 7729 | 12 | Granite | |
| 7732 | 10 | Limestone | |
| 7733 | 12 | Limestone | |
| 7730 | 10 | Sandstone | |
| 7731 | 12 | Sandstone | |
| 7724 | 10 | Matt Black | |
| 7725 | 12 | Matt Black | |
| 7718 | 10 | Brushed Brass | |
| 7719 | 12 | Brushed Brass | |
| 7716 | 10 | Polished Brass | |
| 7717 | 12 | Polished Brass | |
| 7722 | 10 | Brushed Copper | |
| 7723 | 12 | Brushed Copper | |
| 7720 | 10 | Polished Copper | |
| 7721 | 12 | Polished Copper | |









Polished Copper





Polished & Brushed Brass

Joint Cover Transition (T-Bar Trims) 2.5m

- T-shaped bridge profiles for covering transitional joints.
 Available in stainless steel, aluminium and brass.
- Simply fill the cavity with silicone and insert anchoring leg.










| Stock Code. | Internal Height mm | Visible Width mm | Finish |
|----------------|-----------------------|---------------------|-----------------|
| 4791 | 9 | 25 | Silver |
| 4605 | 9 | 25 | Brass |
| 4609 | 9 | 25 | Stainless Steel |
| 4604 | 9 | 14 | Silver |
| 4595.M.G | 9 | 14 | Brass |
| 4602 | 9 | 14 | Stainless Steel |

ATRIM Flat Bar

- Flat profile, which is ideal as a dividing feature or as a border strip between granite, marble, and terrazzo wall and floor tiles.
 Top edge polished.
- Ideal as a border strip for wall tiles and as tread inserts for tile, stone and timber stairs.







| tock ode. | Cross Section mm | Length m | Finish |
|--------------|------------------|-------------|-----------------|
| 686* | 10x3 | 2 | Stainless Steel |
| 687 | 9.5x3.2 | 1.83 | Brass |

 $\ensuremath{^{\bigstar}}$ Product has a lead time, please check with our sales team

Tiling Trims & Movement Joints

Quantum

ATRIM Metal Movement Joints with Removable Inserts 2.5m

- Industrial movement joints with replaceable synthetic rubber inserts.
- Visible width of joint is 10-12mm (depending on type).
- Suitable for high traffic industrial and commercial applications.







| Stock Code. | Internal Height mm | Infill Colour | Finish |
|----------------|-----------------------|------------------|-----------------|
| 4743 | 10 | Grey | Stainless Steel |
| 4752* | 12.5 | Grey | Stainless Steel |
| 4760* | 15 | Grey | Stainless Steel |
| 4766* | 22.5 | Grey | Stainless Steel |
| 4746* | 10 | Black | Stainless Steel |
| 4753* | 12.5 | Black | Stainless Steel |
| 4764* | 15 | Black | Stainless Steel |
| 4767* | 22.5 | Black | Stainless Steel |
| 4749* | 10 | Jasmine | Stainless Steel |
| 4754* | 12.5 | Jasmine | Stainless Steel |
| 4765* | 15 | Jasmine | Stainless Steel |
| 4770* | 22.5 | Jasmine | Stainless Steel |
| 4793 | 10 | Grey | Aluminium |
| 4795 | 12.5 | Grey | Aluminium |
| 4801* | 15 | Grey | Aluminium |
| 4794 | 10 | Black | Aluminium |
| 4796 | 12.5 | Black | Aluminium |
| 4804* | 15 | Black | Aluminium |
| 4797 | 10 | Jasmine | Aluminium |
| 4799 | 12.5 | Jasmine | Aluminium |
| 4805* | 15 | Jasmine | Aluminium |

ATRIM PVC Thin Movement Joints 2.5m

- A thin yet highly durable PVC movement joint, featuring a blend of PVC and rubber within the infill section.
 Visible width of joint is only 5mm.
- Suitable for both pedestrian and light mechanical traffic.

| Stock Code. | Integral Height mm | |
|----------------|-----------------------|-------|
| MLT100.16* | 10 | Black |
| MLT120.16* | 12.5 | Black |
| MLT100.35* | 10 | Grey |
| MLT120.35* | 12.5 | Grey |




PVC Movement Joints 2.5m

• Economically priced PVC • Visible joint width is 9mm. movement joint, suitable for both wall and floor tiling.


| Stock Code. | Infill Colour | Internal Height mm |
|----------------|------------------|-----------------------|
| 4844 | Grey | 10 |
| 4845 | Grey | 12 |
| 4847 | Black | 10 |
| 4848 | Black | 12 |





Adjustable Ramp Trim 2.5m

- A trim with an adjustable ramp for covering transitional
- Strong PVC base and anodised aluminium ramp section.



| | Internal Height mm | Visible Width mm |
|------|-----------------------|---------------------|
| 4629 | 10 | 40 |
| 4631 | 12 | 40 |

Transition Profile 2.5m

 An economically priced profile, suitable for a step free transition between floor coverings of different heights.

 Sloping ramp section prevents a 'trip' hazard and protects adjacent floor coverings.

| Aluminium | |
|-----------|--|
| | |
| | |

| | Internal Height mm | | |
|------|-----------------------|----|-----------|
| 4663 | 10 | 20 | Aluminium |
| 4664 | 12 | 23 | Aluminium |

Tiling Trims & Movement Joints

Self-adhesive Angle Edge

 Aluminium metal angled edging, which provides a neat and clean finish in areas where two floor coverings meet at different levels.

Quantum

 Available in 3 colours; silver, gold and oak.



| | - | | | |
|---------------|-------------|--------------|--------|---------|
| Stock Code | Length m | Height mm | Finish | Box Qty |
| AE83SAS | 0.9 | 10 | Silver | 10 |
| AE83SAG | 0.9 | 10 | Gold | 10 |
| AE83SAO | 0.9 | 10 | Oak | 10 |
| AE89SAS | 2.7 | 10 | Silver | 10 |
| AE89SAG | 2.7 | 10 | Gold | 10 |
| AE89SA0 | 2.7 | 10 | Oak | 10 |
| AE149SAS | 2.7 | 15 | Silver | 10 |
| AE149SAG | 2.7 | 15 | Gold | 10 |
| AE149SAO | 2.7 | 15 | Oak | 10 |

Euro Cover Strip

- threshold with no screws required, so ideal for floors

 *Fitting tip: Cut to length with underfloor heating.
- A handy, self-adhesive door Available in 3 colours;
 - with a sharp hacksaw.



| Stock Code. | Length m | Visible Width mm | Finish | Box Qty |
|----------------|-------------|---------------------|--------|------------|
| ECS3SASP | 0.9 | 40 | Silver | 10 |
| ECS3SAGP | 0.9 | 40 | Gold | 10 |
| ECS3SAOP | 0.9 | 40 | Oak | 10 |
| ECS9SAS | 2.7 | 40 | Silver | 10 |
| ECS9SAG | 2.7 | 40 | Gold | 10 |
| ECS9SAO | 2.7 | 40 | Oak | 10 |

ZIG ZAG Carpet to Tile Strip

- Aluminium metal edging, which provides a neat transition between tiles and carpeted areas.
- Available in 2 colours; matt silver and gold.
- Self-adhesive.





| Stock Code. | Length m | Finish | Box Qty |
|----------------|-------------|--------|---------|
| ZZC3A | 0.9 | Silver | 10 |
| ZZC3G | 0.9 | Gold | 10 |
| TXM33.9A | 2.7 | Silver | 10 |
| TXM33.9G | 2.7 | Gold | 10 |

Heavy Duty Stair Nosing

- Fitted onto the nose of each step, these help to clearly define the steps on a stair to prevent slips, falls and oversteps.
- Complies with Document M of Building Regulations 2000.
- Other finishes available on request, please ask the sales team for more information.



| Stock Code. | Width mm | Depth mm | Finish |
|----------------|-------------|-------------|--------------|
| NTC10.16* | 55 | 10 | Black |
| NTC10.43* | 55 | 10 | Dolphin Grey |
| NTC10.47* | 55 | 10 | Yellow |
| NTC12.16* | 55 | 12 | Black |
| NTC12.43* | 55 | 12 | Dolphin Grey |
| NTC12.47* | 55 | 12 | Yellow |

Self-adhesive Stair Nosing

- · A one-piece stair nosing with a long riser, providing decoration and robust protection for the floor covering.
- Available in 3 colours; silver, gold and oak.



| Stock Code. | Length m | Finish | Box Qty |
|----------------|-------------|--------|---------|
| M74P3AMA | 0.9 | Silver | 10 |
| M74P3GMA | 0.9 | Gold | 10 |
| M74P3WOA | 0.9 | Oak | 10 |
| M74.9AMA | 2.7 | Silver | 10 |
| M74.9GMA | 2.7 | Gold | 10 |
| M74.9WOA | 2.7 | Oak | 10 |

ATRIM Heavy Duty Round Edge Stair Trim 2.5m

• Aluminium protective round stair edge with a ribbed top to aid grip.



| | Internal Height mm | Length m |
|------|-----------------------|-------------|
| 4932 | 10 | 2.5 |

 $\ensuremath{\bigstar}$ Product has a lead time, please check with our sales team

PVC Stair Edge 2.5m

- PVC profile for finishing and protecting tiled step edges.
- Ribbed rubber tread with a 16mm visible width.
- Does not comply with Document M of Building Regulations




| | | Length m | Finish |
|------------|----|-------------|--------|
| NIB106.16 | 10 | 2.5 | Black |
| NIB126.16* | 12 | 2.5 | Black |

Quantum

Coloured and Stone Finished Straight Edge Trims 2.5m

- A comprehensive range of profiles designed to protect edges of tiles. Available in different materials colours, finishes, these modern profiles offer a practical and aesthetic solution, ideal for walls and floors.
- Supplied with transparent protective film offering added protection during transport, storage and installation.











| Stock Code. | Colour | Depth mm |
|----------------|--------------|-------------|
| 6082 | Limestone | 8 |
| 6093 | Limestone | 10 |
| 6104 | Limestone | 12 |
| 6083 | Sandstone | 8 |
| 6094 | Sandstone | 10 |
| 6105 | Sandstone | 12 |
| 6081 | Granite | 8 |
| 6092 | Granite | 10 |
| 6103 | Granite | 12 |
| 6080 | Basalt | 8 |
| 6091 | Basalt | 10 |
| 6102 | Basalt | 12 |
| 4366 | Gloss Black | 8 |
| 4367 | Gloss Black | 10 |
| 4368 | Gloss Black | 12 |
| 6085 | Matt Black | 8 |
| 6096 | Matt Black | 10 |
| 6107 | Matt Black | 12 |
| 4515 | Bright White | 8 |
| 4516 | Bright White | 10 |
| 4517 | Bright White | 12 |





Aluminium Coloured Straight Edge Trims 2.5m

- A comprehensive range of profiles designed to protect edges of tiles. Available in different materials, colours and finishes, these modern profiles offer a practical and aesthetic solution, ideal for walls and floors.
- Supplied with transparent protective film offering added protection during transport, storage and installation.

Bright Brass





Bright Copper



Brushed Copper



Bronze



| Stock Code. | Colour | Depth mm |
|----------------|----------------|-------------|
| 6088 | Bright Brass | 8 |
| 6099 | Bright Brass | 10 |
| 6110 | Bright Brass | 12 |
| 6087 | Brushed Brass | 8 |
| 6098 | Brushed Brass | 10 |
| 6109 | Brushed Brass | 12 |
| 6090 | Bright Copper | 8 |
| 6101 | Bright Copper | 10 |
| 6112 | Bright Copper | 12 |
| 6089 | Brushed Copper | 8 |
| 6100 | Brushed Copper | 10 |
| 6111 | Brushed Copper | 12 |
| ESA100.89 | Bronze | 10 |
| ESA120.89 | Bronze | 12 |

Tiling Trims & Movement Joints

PANEL PROFILES

Quantum

- The perfect finish to your PVC wall cladding.
- Installation has never been easier with our large, continuous profiles with a dry installation.
- Our range of panel profiles are available in a variety of finishes & sizes, creating the perfect solution to PVC wall cladding.

PXA External Corner 2.4m



| | | Depth mm | Finish |
|-----------|----|-------------|---------------|
| PXA118.91 | 30 | 11.50 | Bright Silver |

PHA H Joint 2.4m



| | : | Depth mm | Finish |
|-----------|----|-------------|---------------|
| PHA118.91 | 11 | 11.50 | Bright Silver |

PBA Base Seal 2.4m



| | : | Depth mm | Finish |
|-----------|----|-------------|---------------|
| PBA108.91 | 14 | 10.75 | Bright Silver |

PIA Internal Corner 2.4m



| | : | Depth mm | Finish |
|-----------|----|-------------|---------------|
| PIA118.91 | 15 | 11.50 | Bright Silver |

PRA Retro Fit Edging 2.4m



| Stock Code. | Width mm | Depth mm | Finish |
|----------------|-------------|-------------|---------------|
| PRA258.91 | 25 | 25 | Bright Silver |

PSA Scotia Retro Fit 2.4m



| | | Depth mm | Finish |
|-----------|----|-------------|---------------|
| PSA308.91 | 30 | 19 | Bright Silver |

PUA End Cap Profile 2.4m



| Stock Code. | Width mm | Depth mm | Finish | |
|----------------|-------------|-------------|---------------|----------|
| PUA118.91 | 6 | 11.50 | Bright Silver | ········ |



| DURABASE CI++ MATTING | 24 |
|------------------------------|-------|
| DUKKABOARD MOVEMENT MATTINGS | 24-26 |
| DUKKABOARD SOUNDPROOFING | 26 |
| CORNERS & DRAIN MANCHETS | 27 |

Movement and Waterproof Matting

Movement and Waterproof Matting

DURABASE CI++ Matting

Quantum

The Durabase Cl++ matting is a multi-purpose solution designed to provide a one-step underlayment system for use within floor tiling. Thanks to its 3-layer construction, this matting system provides a variety of benefits, including decoupling, crack-bridging and optimised shearing force protection.

- Suitable for use on most substrates including timber floors and cracked concrete.
- Can be stuck down with a standard flexible tile adhesive
- Designed to cope with multi-directional lateral substrate movement.
- Only 3mm thick.

| Stock Code. | Roll Width m | Roll Length m |
|----------------|-----------------|------------------|
| QMP5 | 1 | 5 |
| QMP30 | 1 | 30 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

DUKKABOARD Deco Matting

This matting is a one-step underlayment system which can be used on the most common substrates, including timber floors and cracked concrete, although as it is a multi-purpose movement matting it is compatible with all floor tile types.

- Very durable, lightweight and easy to fit.
- Suitable for use on most substrates including timber floors and cracked concrete.
- Can be stuck down with standard flexible tile adhesive.
- It is manufactured using 70% recycled materials, meaning it is kinder to the environment than many alternative forms of movement mattings.
- · Only 3mm thick.

| Stock Code. | Roll Width m | Roll Length m | | | | |
|----------------|-----------------|------------------|--|------------|--|--|
| 4983 | 1 | 5 | | The second | The same of the sa | |
| 4984 4984 | | 30 | | | | |
| | | | | | | |

DUKKABOARD Isomat Movement Matting

The Dukkaboard Isomat movement matting is an innovative crack bridging, decoupling membrane that will provide brilliant protection from problem substrates, including timber, concrete and heated floors. As a versatile matting solution, it is compatible with all types of tiles and natural stone, whilst being lightweight, ultrathin and very easy to install.

- A crack bridging, decoupling membrane.
- Suitable for use on most substrates including timber floors & concrete.
- Superior protection against problem substrates.
- Innovative design, rot proof and durable.
- Ultra thin, with a thickness of less than 1mm.

| Stock | Roll Width | Roll Length |
|-------|------------|-------------|
| Code. | m | m |
| 4997 | 1 | 50 |
| | | |
| | | |

DUKKABOARD Iso-Shield Movement Matting

- Innovative 3-ply waterproof membrane.
- Minimal height build-up of just 0.87mm.
- Superior protection from substrate movement.
- Suitable for use on most substrates including timber floors & concrete.
- · Suitable for use with underfloor heating.
- Tested to BS / EN Standards.

| Stock Code. | Roll Width m | Roll Length m |
|----------------|-----------------|------------------|
| | 1 | 30 |
| | | |

Movement and Waterproof Matting

DUKKABOARD Deco-Shield Matting

Quantum

- Deco-Shield matting is a special waterproofing fabric, designed for ceramic tile substrates.
- Suitable for both walls and floors and provides a great pull strength.
- Minimal height build-up iof just 0.48mm.
- Suitable for use with underfloor heating.

| Stock Code. | Roll Width m | Roll Length m | |
|----------------|-----------------|------------------|--|
| 4978 | 1 | 30 | |
| | | | |

DUKKABOARD Soundproofing Acoustic-SR

- Acoustic insulation matting designed for reducing footfall noise.
- Manufactured using rubber and cork granules bound with polyurethane, to offer up to 21dB reduction in impact sound transmission
- Suitable for use under ceramic tiles, stone, laminate, parquet and hardwood floors.
- Good thermal insulation properties, and it can be used with underfloor heating.
- Adhere with JM400 Adhesive.

| Stock | Roll Width | Roll Length | |
|-------|------------|---|--|
| Code. | m | m | |
| 5199* | 1 | morleys w JM 400 Multi-Purposs Adhesive | |

DUKKABOARD Deco-Shield Corners


• For waterproofing corners and niches.

| Stock Code. | Description | |
|----------------|-----------------------------------|------|
| 1979* | Deco-Shield external corner piece | |
| 1980 * | Deco-Shield internal corner piece | |
| 4 | 979 | |
| | | |
| • | | 4980 |

DUKKABOARD Deco-Shield Drain Manchets

 $\bullet \ \ \text{For waterproofing walls and floors where a pipe penetrates the substrate or tiled surface.}\\$

| Stock Code. | Size mm | | | |
|----------------|------------|--|--|--|
| 4981* | 125 x 125 | | | |
| 4922* | 450 x 450 | | | |





| BASEBOARD PANELS | 30 |
|---------------------------------|-------|
| BASEBOARD SHOWER TRAYS | 31 |
| BASEBOARD ACCESSORIES & FIXINGS | 32-33 |
| AQUABOARD ECO PANELS | 34-35 |

Tile Backer Board

Tile Backer Board

Cement coated building board - Used for creating a waterproof surface suitable for fixing wall and floor tiles.



Description Length

1200

1200

1200

1200

1200

2500

2500

600

600

600

600

600

600

600

Width Thickness Unit

10

20

10

12

Qty

15 pcs / Carton

10 pcs /

Carton

10 pcs /

Carton

10 pcs / Carton

10 pcs /

Carton

10 pcs /

Carton

10 pcs /

Carton

BASEBOARD **Panels**

Quantum

The Baseboard tile backer board systems are innovative boards which can be used to create a waterproof surface, that is suitable for use when fixing wall and floor tiles. The system is designed to be used instead of chipboard, ply or plasterboard, where it works to prevent water reaching the surface beneath the board.

These panels are cement coated and include a strengthened fibre glass mess, which ensures they are suitable for use on metal, timber stud work and existing walls and floors. The result will be a strengthened and stabilised level surface which is ready for tiling.

Stock

Code.

BB1005

BB1010

BB1015

BB1020

BB1030

BB1035

BB1004* Panel

Panel

Panel

Panel

Panel

Panel

Panel

| (~) |
|------------|
| |

WATERPROOF

TOTALLY IMPERVIOUS TO MOISTURE, PROVIDING A STABLE AND READY TO TILE SUBSTRATE.



INSULATING

HIGH THERMAL INSULATION PROPERTIES ENSURING MINIMAL HEAT TRANSFER TO ADJACENT SURFACES.



LIGHTWEIGHT

NO EXTRA LOAD REQUIREMENTS. EASY TO HANDLE AND CUT.




VERSATILE

SUITABLE FOR USE ON TIMBER AND METAL STUDWORKS, CONCRETE AND TIMBER FLOORS.



UNDERFLOOR HEATING

SUITABLE FOR USE BENEATH UNDERFLOOR HEATING.



| 2 | k Droduct | hac a | load | timo | nlasca | chock wi | ith our s | ales team |
|---|-----------|-------|-------|---------|---------|----------|-----------|-----------|
| | · Product | nas a | iead. | time. I | blease. | cneck wi | ith our s | aies team |

BASEBOARD Shower Trays


The Baseboard shower tray range incorporates a wide variety of shapes and sizes, which makes it possible to create a level access walk-in shower area.


Each tray has a preformed fall to the drain location.

Coated with cement, and strengthened with fibreglass mesh, the Baseboard shower trays are ready for the application of

Compatible with electric underfloor heating.

| Stock Code. | Description | Length A | Width B | Thickness mm | Drain Position | |
|----------------|-------------------------------------|---------------|-----------------|--------------------------------|---|--|
| BB2115 | Rectangular Tray | 1200 | 900 | 20 | Centre | |
| BB2120 | Rectangular Tray | 1200 | 900 | 20 | Offset - 450mm from edge on dim A, centred on dim B | |
| BB2125 | Rectangular Tray | 1200 | 800 | 20 | Offset - 450mm from edge on dim A, centred on dim B | |
| BB2130 | Rectangular Tray | 1500 | 900 | 20 | Offset - 450mm from edge on dim A, centred on dim B | |
| BB2135 | Rectangular Tray | 1800 | 900 | 20 | Offset - 450mm from edge on dim A, centred on dim B | |
| BB2140 | Rectangular Tray | 1200 | 1000 | 25 | Offset - 450mm from edge on dim A, centred on dim B | |
| BB2145 | Rectangular Tray | 1500 | 800 | 25 | Offset - 450mm from edge on dim A, centred on dim B | |
| BB2205 | Square Tray | 800 | 800 | 20 | Centre | |
| BB2210 | Square Tray | 900 | 900 | 20 | Centre | |
| BB2215 | Square Tray | 1000 | 1000 | 20 | Centre | |
| BB2220 | Square Tray | 1200 | 1200 | 20 | Centre | |
| BB2405 | Channel/Linear Drain Tray | 900 | 900 | 30 | Offset - 450mm from edge on dim A, centred on dim B | |
| BB2410 | Channel/Linear Drain Tray | 1200 | 900 | 30 | Offset - 450mm from edge on dim A, centred on dim B | |
| BB2415 | Channel /Linear Drain Tray | 1500 | 900 | 30 | Offset - 450mm from edge on dim A, centred on dim B | |
| Please Note | e: Products listed above are suppli | ied c/w waste | and stainless : | steel drain cover _l | plates. | |
| BBD | Standard Waste 120x120mm | | | | | |
| BBLD | Channel/Linear Waste 600x70mm | | | | | |





BASEBOARD Dowel Fixings


Suitable for fixing Baseboard panels to masonry walls or tiled surfaces.

Ideal for use in wet areas.

Tile Backer Board

Use 12 dowels per 1200X600mm board.

| Stock Code. | Description | Length A | Box Qty |
|----------------|-------------|-------------|------------|
| MIA860 | Aluminium | 60 | 50 |
| MIA890 | Aluminium | 90 | 50 |
| MIA8110 | Aluminium | 110 | 50 |
| MIA8140 | Aluminium | 140 | 50 |



BASEBOARD Washers

For use in conjunction with fixing screws when securing Baseboard to timber walls and floors.

Use 12 washers per 1200X600mm board.

| Stock Code. | Description | Diameter mm | Box Qty | |
|----------------|-----------------|----------------|------------|--|
| MIAD35 | Aluminium | 35 | 100 | |
| MIAD3566* | Stainless Steel | 35 | 100 | |



Drywall screws

Featuring a sharp point, these zinc plated drywall screws can be used with washers to mechanically fix Baseboard panels to walls and floors.

Use 12 screws per 1200x600mm board.

| Stock Code. | Description | Length A | Box Qty |
|----------------|----------------|-------------|------------|
| 00025DRY | Drywall Screws | 25 | 1000 |
| 00032DRY | Drywall Screws | 32 | 1000 |
| 00038DRY | Drywall Screws | 38 | 1000 |



Alphachem Adhesive

An adhesive which is capable of bonding wood to a wide range of substrates.

- Time to cure 5 minutes.
- Fully waterproof to EN 204 D4 standards, with excellent weathering and aging properties.
- Resistant to chemicals and can be used in temperatures from -30 to +100°C.

| Stock | Size | Box |
|-------|------|-----|
| Code. | ml | Qty |
| 5206 | 310 | 12 |



Screws

Self-countersinking zinc plated screws, designed for the quick and easy installation of Baseboard panels.

- Pozi No. 2 head
- Self-drilling

| _ • | Size mm | Box Qty |
|-------|------------|------------|
| 5210* | 25 | 500 |
| 5211* | 30 | 500 |



Reinforcement Mesh Tape

- \bullet A self-adhesive tape featuring an open-weave fabric mesh.
- $\bullet \ \ \text{Designed to strengthen joints within plasterboard panels to create a seamless and secure connection.}$

| Stock Code. | Roll height mm | Roll Length m |
|----------------|-------------------|------------------|
| 5007 | 80 | 50 |
| 5185 | 1000 | 50 |



Aquaboard Eco is a premium quality light-weight magnesium oxide board, which is ideal for over-boarding chipboard, concrete and stable timber floors.

A PERFECT SUBSTRATE FOR ALL TILE FINISHES

Aquaboard Eco

The Aquaboard Eco boards are a lightweight, incombustible and asbestos-free solution, which can be used to create a solid, stable and moisture resistant surface for fixing wall or floor tiles. The result is a strong and flat surface, which eliminates all problems associated with tiling onto plywood or gypsum.

These moisture resistant boards are able to withstand potential loose and cracked tiles due to wall or floor movement, whilst also preventing rotting timbers, swelling, degradation and mould. In addition, they are an ideal option for overlaying floors where wet underfloor heating is already fitted below the surface.

The fibre mesh boards are between 15-35% lighter than standard cement-based boards, whilst also being much stronger, making these an efficent choice for those looking for cost-effective and easy to install moisture resistant boards.



MOISTURE RESISTANT

THE BOARDS CREATE A SOLID MOISTURE RESISTANT SEGREGATION SYSTEM



SIMPLE INSTALLATION

BOARDS ARE EASY TO CUT AND INSTALL WITH NO SPECIALIST CUTTING TOOLS REQUIRED



LIGHTWEIGHT

THESE MAGNESIUM OXIDE BOARDS ARE EASY TO HANDLE, INCOMBUSTABLE AND ASBESTOS FREE



UNDERFLOOR HEATING

IDEAL FOR LAYING OVER TIMBER FLOORING WHERE UNDERFLOOR HEATING IS ALREADY IN PLACE



PREVENTS LOOSE AND CRACKED TILES

CREATES A STABLE SURFACE TO PREVENT TILING ISSUES

| Stock Code. | Length mm | Width mm | Thickness mm | Pallet Qty |
|----------------|--------------|-------------|-----------------|---------------|
| AQBE126 | 1200 | 600 | 6 | 160 |
| AQBE1212* | 1200 | 600 | 12 | 80 |
| | • | • | - | |





AQUABOARD ECO

EASY TO CUT & FIX IN PLACE

The Aquaboard Eco is available with a variety of complementary products, which allow the boards to be stuck securely to a surface ready for tiling.

Simply score and cut the board to size, apply a small amount of the XL adhesive to the board and manoeuvre into place. Next, use the specially designed XL screws to fix the board in place. Finally, the adhesive can be used along any joints and board edges to create a single solid wall or floor area, which is ready for tiling.







| AQUATANK WATERPROOF TANKING KIT | 38-39 |
|---------------------------------|-------|
| AQUATANK PRIMER | 39 |
| AQUATANK NEO-FLEX MEMBRANE | 40 |
| WATERPROOFING TAPES | 40-41 |
| AQUATANK P.O.S STANDS | 41 |

Waterproofing

Waterproofing

AquaTank is a latex based, water resistant bonding agent and admixture, designed for use in areas which are subject to humidity, dampness and water contact.

4 EASY STEPS TO THE **ULTIMATE AQUATANK**

STEP 1

Quantum

Ensure the application area is clean and dry. Apply **AquaTank Pro-Tile Primer as** instructed on the label.



STEP 2

Once the primer is dry, tape all corners and joints with AquaTank SA Tape+.



STEP 3

Pay particular attention to the corners and any panel joints.



STEP 4

Next, apply AquaTank Neo-Flex Membrane to the entire area, 30 minutes later apply a second coat



BENEFITS

- WATERPROOF
 - AN EXCELLENT RESISTANCE TO WATER AND WATER VAPOUR, WHICH IS ESPECIALLY USEFUL IN DAMP AND HUMID AREAS
- **RESISTANCE**
 - A HIGH LEVEL OF RESISTANCE TO FROST, SALT PERMEATION, SILAGE ACIDS AND MANY OTHER CHEMICALS
- **TOUGH AND FLEXIBLE**
 - IMPROVED TOUGHNESS, FLEXIBILITY, EXTENSIBILITY AND CRACKBRIDGING PROPERTIES
- A COMPLETE KIT
 - THE COMPLETE AQUATANK KIT INCLUDES EVERYTHING REQUIRED TO COMPLETELY WATERPROOF A SURFACE
- **EASY TO USE**
 - THE SYSTEM IS VERY EASY TO USE AND WILL BE DRY AND READY TO TILE ON AFTER JUST 2 HOURS

The Kit Contains:

- 1. AquaTank Neo-Flex Membrane
- 2. AquaTank Pro-Tile Primer
- 3. AquaTank SA Tape+
- 4. Paint brush
- 5. Gloves
- 6. Instructions and application



AquaTank Kit

The AquaTank kit is a complete waterproofing system, designed for the protection of substrates in wet areas, such as beneath ceramic, porcelain, natural stone and mosaic tiles. The kit comes with everything you need to completely waterproof a 5 or 10m sq. wall or floor area ready for tiling. This superior product provides the convenience of an all in one solution with complete waterproof protection.

Complete kit contains: AquaTank Neo-Flex Membrane, AquaTank Pro-Tile Primer, AquaTank SA Tape+, Paint Brush, Gloves and Instruction/Application Guide.

Available in 5m or 10m kits.

| Stock Code. | Size m |
|----------------|-----------|
| 5570 | 5m |
| 5571 | 10m |



AquaTank Pro -Tile Primer Step 1

Professional grade, multi-purpose liquid latex.

For use as a water resistant primer, flexi-additive and bonding agent. Improves the water resistance, flexibility and longterm durability of renders, floor screeds, concrete and patching mortar.

Especially useful in areas subject to high humidity, dampness and continuous water contact. Always use when preparing wall and floor surfaces for tiling.

| Stock Code. | Size ml |
|----------------|------------|
| SBRP05L | 500ml |
| SBR5L | 5 Litres |
| | |





Quantum

AquaTank SA Tape+ is a self-adhesive, flexible tape for use in conjunction with the AquaTank Neo-Flex Membrane. AquaTank SA Tape+ creates an effective waterproof layer in corners, connections between the floor and wall, joints between panels, pipes, balustrade junctions and bathroom outlets. At 750mm wide, the AquaTank SA Tape+ is easy to use and provides totally waterproof joints.

| Stock Code. | Size m |
|----------------|-----------|
| DBSA5 | 5m |
| DBSA10 | 10m |







AquaTank Neo-Flex Membrane Step 4

A flexible liquid tanking membrane for waterproofing substrates or joints between panels when used in conjunction with the AquaTank SA Tape+. Water based and eco-friendly, AquaTank will provide total water-resistance in areas such as bathrooms, showers and wet-rooms.

- Striking colour for indication of completeness of coverage.
- For internal use.
- Coverage: Approx 2m² /kg

| Stock Code. | Size kg |
|----------------|------------|
| DBNF5 | 5kg |
| DBNF10 | 10kg |
| DBNF20 | 20kg |





AquaTank Kit Stand

The AquaTank Kit stand holds 3 tanking kits whilst providing customers with product information and application data.





Waterproof Upstand Tape


Stock Code. Roll height

- Double-sided fleece-coated, highly elastic sealing tape equipped with a self-adhesive butyl strip. The protection strip made
 of smooth NBR rubber under butyl prevents the capillary effect, whilst the fleece coating provides an excellent bond with all
 waterproofing materials used under tiles, such as polymer dispersions, mineral flexible sealing slurries and reaction resin
 seals.
- Creates an effective waterproof layer in corners, connections between the floor and wall, joins between panels, pipes, balustrade junctions and bathroom outlets.

| WJT | 100 | 10 | |
|--------|------------------|-------|--|
| | | Tile | TON THE PROPERTY OF THE PROPER |
| Waterp | proof id tape | Showe | |
| | | SUBS | TRAT |

Roll Length





| CONFLUO FRAMELESS LINE | 44 |
|-----------------------------|----|
| CONFLUO STANDARD DRAINS | 44 |
| CONFLUO SLIM LINE | 45 |
| CONFLUO ANGLED FLOOR DRAINS | 45 |

Confluo Smart Drains

Confluo Smart Drains

Quantum

The Quantum range of Pestan products have been hand-selected to provide a modern, elegant and premium finish to bathrooms.

These designs are ideal for use with "Walk in" showers and wetrooms, which represent an innovative and elegant solution for bathrooms.

CONFLUO **FRAMELESS LINE Drain**

Confluo Frameless Line is the newest model from the Confluo brand, and it is characterised by its modern 'no frame' design, which gives this product a unique and elegant look, especially when used with the 2 in 1 reversible grid system and insert

- Minimum installation height 62mm
- Maximum flow rate 48 l/min
- ALS Anti-Leaking System
- Reversible grid 2 in 1 system
- 360 degrees rotatable self-cleaning S base







| | Length mm | Finish |
|--------|--------------|---------------------------|
| FLD650 | 650 | Stainless Steel / Ceramic |
| FLD850 | 850 | Stainless Steel / Ceramic |
| FLD950 | 950 | Stainless Steel / Ceramic |



CONFLUO **Standard Drains**

This standard drain offered by Pestan features a plastic body with a stainless steel grid design.

- Minimum installation height 56mm
- Maximum flow rate 48l/min
- Rotatable 360 degrees base rotation + 15 degrees angle rotation
- Unlimited levelling of ceramic

| | Size mm | Drain Finish |
|---------|------------|---------------------|
| CBFD15* | 150x150 | Stainless Steel/PVC |
| CPFD15* | 150x150 | Stainless Steel |








CONFLUO Slim Line Drain

Confluo Slim Line is characterised by its minimalist 'Slim' design which incorporates a stainless steel grid to give your bathroom a totally different and modern look. This model has the possibility of grid levelling from 5-20mm, which allows various options when choosing the bathroom surface.

- Minimum installation height 72mm
- Unique and minimalist design of grid
- 360 degrees rotatable self-cleaning S base
- Height adjustable grid 5-20mm
- ALS Anti-Leaking System





| | - | ** ** ** ** ** ** ** ** ** ** ** ** ** |
|----------------|--------------|--|
| Stock Code. | Length mm | Finish |
| SLD650 | 650 | Stainless Steel |
| SLD850 | 850 | Stainless Steel |
| SLD950 | 950 | Stainless Steel |
| SLD1050 | 1050 | Stainless Steel |
| SLD1150 | 1150 | Stainless Steel |



CONFLUO **Angled Floor Drains**

This angled drain offered by Pestan features a plastic body with a stainless steel grid design, and it is a perfect solution for

- Minimum installation height 71mm
- Maximum flow rate 48l/min
- Rotatable 360 degrees base rotation + 15 degrees angle rotation
- Unlimited levelling of ceramic

| | Size mm | Finish |
|---------|------------|-----------------|
| CFAD20* | 200x200 | Stainless Steel |







| LITHOFIN PRODUCTS | 48-54 |
|---------------------------|-------|
| HG PRODUCTS | 55 |
| VULCASEAL GROUT PROTECTOR | 55 |

Cleaners, Sealers & Polishes

Cleaners, Sealers & Polishes

Professional solutions for cleaning, protecting and maintaining stone surfaces.



LITHOFIN Wax-Off

Quantum

- A deep-acting solvent based cleaner for the removal of wax, sealants, grease, tar, oil stains, lacquer and glue.
- Soiling is dissolved and then can be washed off with water.
- Suitable for ceramic and natural or artificial stone.

| Stock Code. | | | Box Qty |
|----------------|---------|------------------------|------------|
| 3612 | 1 litre | 7-15m² / L | 10 |
| 3614* | 5 litre | 7-15m ² / L | 2 |



LITHOFIN Cement - Away

- Very powerful highly active acid-based cleaner for the removal of cement film, mortar residues and stubborn dirt layers
- Suitable for both newly laid and older cement, and artificial concrete, porcelain, quarry and ceramic tiles
- Not suitable for limestone or polished marble
- Ideal for heavy duty outdoor use

| Stock | Size | Coverage | Box |
|-------|---------|------------------------|-----|
| Code. | | Approx | Qty |
| 3600 | 1 litre | 30-50m ² /I | 10 |



LITHOFIN MN Wash and Clean

- A high yielding concentrate for economical cleaning.
- For marble, natural and engineered stone.
- Usage: One 20ml squirt per 10L bucket of water.

| Stock Code. | | Coverage Approx | |
|----------------|---------|--------------------|----|
| 3615 | 1 litre | 30m² / L | 10 |



LITHOFIN

- Multi-purpose acid-free deep cleaner for ceramic, porcelain and natural stone
- Removes oil, grease, wall films, floor polishes and ingrained dirt

| Stock | | Coverage | Box |
|-------|---------|------------------------|-----|
| Code. | | Approx | Qty |
| 3606 | 1 litre | 7-15m ² / L | 10 |



LITHOFIN KF Tile Polish

- A solvent-free multi-purpose polish and ideal sealant for unglazed ceramics and clay slabs.
- · Provides a glossy finish.
- Simple to apply & for indoor use only.

| Stock Code. | | | Box Qty |
|----------------|---------|-------------------------|------------|
| 3664 | 1 litre | 15-20m ² / I | 10 |



LITHOFIN MN Easy Clean

- Multi-purpose general cleaner ideal for kitchen worktops.
- Removes cooking oil, grease and food spills without smearing.
- Ideal for surfaces treated with MN Stain-Stop.
- Easy to use spray bottle.

| Stock Code. | | | Box Qty |
|----------------|-------|--------|------------|
| 3618 | 500ml | 20m²/L | 10 |



LITHOFIN KF Stain Stop

- A very effective sealer that gives long-term protection and prevents the penetration of oil, grease and water.
- Suitable for quarry tiles and unglazed ceramics.
- For indoor/outdoor use, contains solvents.

| Stock Code. | Size | Coverage Approx | Box Qty |
|----------------|---------|------------------------|------------|
| 3670* | 500ml | 7-15m ² / L | 10 |
| 3672 | 1 litre | 7-15m ² / L | 10 |
| 3674* | 5 litre | 7-15m ² / L | 2 |



LITHOFIN KF Mildew-Away

- Fast acting cleaner that removes black spots, mildew, mould, fungus, algae and other organic discolourations in sanitary areas.
- Effective on tiles, silicone, cement joints, plaster, stone and masonry.
- Easy to use spray bottle.
- · Contains chlorine.

| Stock Code. | | | Box Qty |
|----------------|-------|-------------------------|------------|
| 3652 | 500ml | 3m ² / 500ml | 10 |



Cleaners, Sealers & Polishes

LITHOFIN Multi-Seal

Quantum

- Satin topcoat sealant for all types of stone after impregnation.
- Water-based emulsion that produces a surface which is resistant to oil, grease and water.
- Contains high-quality natural waxes and is suitable for many types of rough stone and terracotta.
- Internal use only.

| Stock Code. | | | Box Qty |
|----------------|---------|------------------------|------------|
| 3640 | 1 litre | 7-12m ² / L | 10 |



LITHOFIN Anti-Slip Set

- A permanent anti-slip treatment.
- Consists of a Basic Cleaner 250ml, Anti-slip fluid 250ml, 2 sponges, gloves and an instruction booklet.
- Ideal for ceramic tiles and natural stone - not suitable for marble.
- Suitable for balconies, terraces and stairs etc.
- Safe and easy to use.

| | | Box Qty |
|------|---------|------------|
| 3645 | 6m² / L | 10 |



LITHOFIN **KF Cement Residue Remover**

- Powerful cleaner for removing cement, grout and mortar residues, rust, lime and hardened dirt layers.
- Suitable for use indoors on ceramic, fully vitrified tiles, quarry tiles, clay slab.
- Contains acid, odourless and very fast acting.

| Stock Code. | | | Box Qty |
|----------------|---------|-------------|------------|
| 3646 | 1 litre | 15-30m² / L | 10 |



LITHOFIN **KF Tile Restorer**

- · Very strong solvent-free intensive cleaner, designed especially for Victorian ceramic tiles.
- Removes ingrained dirt, encrusted floor care products and self-gloss films.

| Stock Code. | | Coverage Approx | |
|----------------|---------|------------------------|----|
| 3698 | 1 litre | 10-30m ² /L | 10 |



LITHOFIN **KF Grout Cleaner**

- Restores joints of wall and floor tiled surfaces to their original
- Effective on tiles, silicone, cement, plaster, stone and masonry.

| Stock Code. | | | Box Qty |
|----------------|-------|-------------|------------|
| 3656 | 500ml | 3m² / 500ml | 10 |



LITHOFIN **FZ Protective Impregnator**

- An invisible water-based protective impregnator for the initial treatment of new floors with polished and sensitive surfaces, including polished porcelain.
- Prevents penetration of water and oil, whilst protecting against stains and dirt to make care easier.
- Does not form layers.

| Stock Code. | | Coverage Approx | Box Qty |
|----------------|---------|-------------------------|------------|
| 3675 | 500ml | 30-40m ² / L | 10 |
| 3676 | 1 litre | 30-40m ² / L | 10 |



LITHOFIN **KF Ceramic Clean**

- Maintenance cleaner ideal for sanitary areas.
- Removes limescale, rust, grease deposits and soap scum within tiles, baths and showers.
- Cleans chrome, ceramics and stainless-steel.
- · Not suitable for acid-sensitive surfaces.

| Stock | | Coverage | Box |
|-------|---------|----------|-----|
| Code. | | Approx | Qty |
| 3660 | 1 litre | 100m²/L | 10 |



LITHOFIN **KF Grout Protector**

- A ready to use invisible grout sealer, which protects against greasy dirt and spots. Ideal for kitchen and bathroom areas.
- For use on joints in ceramic tiling.
- Contains no solvents.

| Stock | | Coverage | Box |
|-------|-------|----------|-----|
| Code. | | Approx | Qty |
| 3678 | 500ml | 10m² / L | 10 |



Cleaners, Sealers & Polishes

LITHOFIN FZ Intensive Cleaner

Quantum

- Extra strong solvent free cleaner for use on ceramic and porcelain.
- Removes dirt, oil and grease from ceramic surfaces.
- For occasional or regular use on floors which are subjected to heavy wear.

| Stock Code. | | Coverage Approx | Box Qty |
|----------------|---------|-------------------------|---------|
| 3686 | 1 litre | 10-15m ² / L | 10 |



LITHOFIN FZ Conditioning Cleaner

- A mildly alkaline, wax-free cleaner, which is designed to be a regular use maintenance cleaner for both rough and polished surfaces.
- Provides surfaces with an attractive gleam and improves dirt resistance.
- Does not form layers and gives a high yield.

| Stock Code. | | Coverage Approx | Box Qty |
|----------------|---------|--------------------|---------|
| 2602 | 1 litro | 20m² / 10l | 10 |



LITHOFIN MN Po<u>wer Clean</u>

 A powerful acid-free cleaner for the removal of grout residues, greasy dirt, gloss films, and general soiling from natural stones, polished marble and limestone.

| Stock Code. | | Coverage Approx | Box Qty |
|----------------|---------|-------------------------|------------|
| 3703* | 500ml | 10-30m ² / L | 10 |
| 3704 | 1 litre | 10-30m² / L | 10 |



LITHOFIN MN Builder's Clean

- Very powerful acid cleaner for removing cement film, encrusted dirt residues, blooms, rust and rust discolourations.
- Acts to prevent rust in hard stones which contain iron.
- Suitable for use on granite, gneiss, quartzite and other natural and artificial stones.
- Not suitable for polished marble or limestone.

| Stock Code. | | | Box Qty |
|----------------|---------|-------------------------|------------|
| 3708 | 1 litre | 30-50m ² / L | 10 |



LITHOFIN MN Stain-Stop

- An effective, invisible sealer that gives long-term protection and prevents the penetration of oil, grease and water, making maintenance easier.
- Suitable for limestone, marble, natural stone, terrazzo and travertine (including polished surfaces).
- Ideal for kitchen and bathrooms and suitable for indoor/ outdoor use.

| Stock Code. | Size | Coverage Approx | Box Qty |
|----------------|---------|------------------------|------------|
| 3711* | 250ml | 7-15m ² / L | 20 |
| 3712* | 500ml | 7-15m ² / L | 10 |
| 3714 | 1 litre | 7-15m ² / L | 10 |
| 3716* | 5 litre | 7-15m ² / L | 2 |



LITHOFIN Stain-Stop W

- A water based, solvent-free, invisible impregnator that protects stone surfaces against the penetration of oil, grease, dirt and water to prevent staining.
- Suitable for unglazed
- ceramic, terracotta and many types of natural/ artificial stone - ideal for dense, hard granite.
- Facilitates easy maintenance, odourless and provides long term protection.

| Stock Code. | Size | Coverage Approx | Box Qty |
|----------------|---------|-------------------------|------------|
| 3718 | 1 litre | 10-20m ² / L | 10 |
| 3719* | 5 litre | 10-20m ² / L | 2 |



LITHOFIN Stain-Stop Plus

- This combined impregnator and colour intensifier makes stone surfaces oil and water repellent, whilst enhancing the colour structure and preventing staining.
- Suitable for all absorbent surfaces such as natural, polished and artificial stone, quarry tiles and terracotta, ideal for vanity tops and granite worktops.
- Suitable for indoor/outdoor use.

| Stock Code. | Size | Coverage Approx | Box Qty |
|----------------|---------|--------------------|------------|
| 3723* | 500ml | 15-20m² / L | 10 |
| 3724 | 1 litre | 15-20m² / L | 10 |
| 3725* | 5 litre | 15-20m² / L | 2 |



LITHOFIN MN Slate-Seal

- An effective sealer which forms a shiny protective layer and intensifies the colour structure of rough/ honed natural stone, especially slate.
- Facilitates easy maintenance.
- For indoor use only, but not suitable for bathrooms or wet rooms.
- Can be applied in several coats.

| Stock Code. | Size | Coverage Approx | Box Qty |
|----------------|---------|-------------------------|------------|
| 3726 | 1 litre | 10-20m ² / L | 10 |
| 3728* | 5 litre | 10-20m ² / L | 2 |



HG (tiles

Cleaners, Sealers & Polishes

LITHOFIN MN Colour Intensifier

Quantum

- Very effective solvent containing products that invigorate the colours, accentuate the structure, and altogether improve the appearance of natural and artificial stone surfaces, such as marble and travertine.
- Ready to use, suitable for indoor/outdoor use and can be applied in several coats.

| Stock | | Coverage | Box |
|-------|---------|------------------------|-----|
| Code. | | Approx | Qty |
| 3720 | 1 litre | 7-15m ² / L | 10 |



LITHOFIN **Easy-Care**

- A regular-use maintenance cleaner that beautifies and protects the seal of stone surfaces.
- Keeps surfaces hygienically clean and improves the colour structure of the stone.
- · Does not form layers, solvent free and non-bleaching.

| Stock Code. | | Coverage Approx | |
|----------------|---------|--------------------|----|
| 3628 | 1 litre | 20m² / 10L | 10 |



LITHOFIN **MN Care-Seal**

- A water based product which creates a shiny protective film and strengthens colour and gloss, designed to renew worn out areas of seal on rough/honed natural stone floors.
- For initial treatment of new rough surfaced yorkstone and
- Contains no solvents and for indoor use only.

| Stock | | Coverage | Box |
|-------|---------|----------|-----|
| Code. | | Approx | Qty |
| 3732 | 1 litre | 20m² / L | 10 |



LITHOFIN MN Care-Sheen

- An occasional-use solvent-free sheen restorer for polished marble and other stone floors.
- Forms a fine surface film and is the ideal additional care for all shiny floor surfaces.
- · Contains wax, suitable for indoor use only.

| Stock Code. | | | Box Qty |
|----------------|---------|----------|------------|
| 3738 | 1 litre | 20m² / L | 10 |



VULCASEALA range of innovative products for sealing natural stone, tiles,

VULCASEAL **Grout Protector**

Vulcaseal Grout Protector is a VOC compliant, solvent based formula that penetrates into absorbent wall and floor grout joints, providing an effective protection from water and staining for up to 20 years.

- Seals all pores and capillaries in grout with an invisible film that prevents dirt from attaching onto the surface
- Easy spray on application
- Fast drying, giving instant protection
- Suitable for all types of grout joints

| Stock Code. | Size | | Box Qty |
|----------------|--------|------|------------|
| 2737 | 500 ml | 15m² | 6 |



Impregnating Protector

Impregnating sealer which helps to prevent stains on unpolished, unglazed porous tiles and flagstones.

- Contains no silicones and can be applied both indoors and outdoors
- Product number 13
- Coverage approx 8-10m²/L

| Stock | | Coverage | Box |
|-------|---------|------------------------|-----|
| Code. | | Approx | Qty |
| 3412 | 1 litre | 8-10m ² / L | 6 |

Coverage

Approx

500ml 40m² / 750gm 6

Box

Qty



Code.

3536



HG tiles

flooring & grout.

Power Cleaner

Heavy duty cleaner/stripper.

- For the removal of stubborn dirt, soiled polishes and old wax layers
- Product number 19
- Coverage approx 20-40m²/L

| Stock Code. | | | Box Qty |
|----------------|---------|-------------------------|------------|
| 3404 | 1 litre | 20-40m ² / L | 6 |

HG Protective Coating Satin Finish

Unique removable polish for quarry tiles.

- Gives a fabulous satin gloss · Protects against stains and stubborn soiling
- Product number 14
- Coverage approx 35-70m²/L

| Stock Code. | Size | | Box Qty |
|----------------|---------|-------------------------|------------|
| 3418 | 1 litre | 35-70m ² / L | 6 |

HG Cement & Grout Film Remover

Powerful acid-based cleaner, which safely removes cement grout film without affecting grout joints.

- Biodegradable
- Suitable to remove limescale and rust stains
- Product number 11
- Coverage approx 40m²/L

| Stock Code. | | | Box Qty |
|----------------|---------|------------------------|------------|
| 3400 | 1 litre | 8-10m ² / L | 6 |

Extreme Power Cleaner

Specially developed for the fast and easy removal of grease and ingrained dirt.

- Suitable for use on marble and other types of calciferous natural stone such as travertin, limestone, granite and terrazzo
- Product number 20
- Coverage approx 35-70m²/L

| Stock Code. | Size | | Box Qty |
|----------------|---------|-------------------------|------------|
| 3407 | 1 litre | 35-70m ² / L | 6 |



HG tiles



| TILE NIPPERS, KNIVES, BLADES & SCRAPERS | 58-59 |
|---|-------|
| TILE SPACERS AND WEDGES | 60-61 |
| LEVTEC LEVELLING SYSTEM | 62-63 |
| TILING TROWELS | 64-66 |
| GROUT FLOATS & GROUT RAKES | 65-67 |
| WASHBOY SETS AND SPONGES | 68-69 |
| KNEE PADS | 70 |
| ADHESIVE WHISKS & BUCKETS | 71 |
| SPIKED ROLLER | 72 |
| CLEANING PADS AND HOLDERS | 72 |
| GENERAL TOOLS AND ACCESSORIES | 73-74 |
| FORTE MOSAIC MESH AND TILE MAGNETS | 75 |

Tiling Tools & Accessories

and Accessories

FORTE

Tile Nippers

Quantum

- Tungsten carbide tipped nippers for nibbling and shaping ceramic tiles.
- Curved tile nippers are especially ideal for intricate shapes and mosaics.

| Stock | Description | Length | Box |
|-------|-------------|----------|-----|
| Code. | | mm/in | Qty |
| 1050 | Straight | 215/81/2 | 12 |



MONTOLIT Tile Nippers

- Professional tile nippers with an open cutting jaw, which is specifically designed for extra hard tiles, ceramic & porcelain. Ideal for cutting small strips from whole tiles & for finishing work.
- Made of high-quality forged steel, the nippers offers outstanding hardness & service life.
- PVC covered handle for a sure & comfortable grip.

| Stock Code. | |
|----------------|---|
| ART33 | 6 |

MONTOLIT Mosaic, Glass and Tile Nibbler

- This professional Mosaic, Glass and Tile Nibbler is made of high-quality forged steel, and features two tungsten carbide cutting wheels with a titanium nitride coating. Perfect for cutting small strips off hard porcelain, glass and mosaic tile materials.
- · Made of high-quality forged steel, the nibbler offers outstanding hardness & service life.
- PVC covered handle for a sure & comfortable grip.

Stock Box Code. Qty **ART33W** 6



MONTOLIT Mosaic Nippers

- Professional Tile Mosaic Nippers, specifically designed for extra hard tiles, ceramic & Gres porcelain. They are extremely useful for making classic & artistic mosaics, small finishing touches for angles & special shapes.
- Made of high-quality forged steel, this tool has two tungsten carbide cutting wheels with a titanium nitride coating. The highly effective lever combined with the concentrated points of contact between the material & the cutting edges guarantees extremely high cutting forces & accurate results.

| Stock | Box |
|-------|-----|
| Code. | Qty |
| | 6 |

FORTE Heavy Duty Scrapers

- Multi-purpose scraper with die cast head and replaceable
- · Robust tubular metal handle with 'comfort' grip.



| Stock Code. | Description | Length mm | Blade Width mm/in |
|----------------|-------------------------------------|--------------|----------------------|
| 1130 | Heavy Duty Scraper | 304/12 | 100/4 |
| 1132 | Replacement blades for 1130 (pk 10) | - | 100/4 |
| 1134 | Heavy Duty Scraper | 450/18 | 150/6 |
| 1136 | Replacement blades for 1134 (pk 5) | - | 150/6 |

FORTE Double Tile Tool Stand

The Forte double tool free standing mechanise unit showcases the variety of Forte products within shop showrooms, aiding customers in the selection of products.



FORTE Handled Scraper

Plastic scraper with blade cover.

| Code. | Blade Width mm/in |
|-------|----------------------|
| | 60/2.45 |
| | |



Replacement Blade

Stanley type.

Stock Blade Box Size mm Qty **DASX0010** 60mm



DART Knife

Stock

Red satin knife, with a quality metal retractable blade.

Code. Size mm DASX3600

Budget Knife

A budget retractable knife with metal slider.

Stock Blade Size mm DASX34 60mm

Blade



 $f{\star}$ Product has a lead time, please check with our sales team

Quantum

FORTE Tile Spacers

Quantum

- Strong and durable tile spacers, used to ensure a regular joint width and for a quick and accurate alignment of wall and floor tiles.
- If needed, spacer legs can be snapped to leave a smooth L or T shape.
- Spacers can be grouted

| Stock Code. | Spacer Width mm | Spacer Per Pack | Box Qty (Packs) |
|----------------|--------------------|--------------------|--------------------|
| 1210 | 1 | 250 | 100 |
| 1215 | 1.5 | 500 | 100 |
| 1225 | 2 | 250 | 100 |
| 1230 | 2 | 500 | 100 |
| 1245 | 3 | 250 | 100 |
| 1250 | 3 | 500 | 100 |
| 1255 | 4 | 250 | 50 |
| 1265 | 5 | 200 | 100 |
| 1270 | 8 | 100 | 100 |
| 1271 | 10 | 100 | 100 |



| Long Leg | | | | |
|----------------|--------------------|--------------------|--------------------|--|
| Stock Code. | Spacer Width mm | Spacer Per Pack | Box Qty (Packs) | |
| 1272 | 2 | 250 | 100 | |
| 1274 | 2 | 500 | 50 | |
| 1277 | 3 | 500 | 50 | |
| 1274B2 | 2 | 2000 | Bucket | |
| 1277B2 | 3 | 2000 | Bucket | |
| 1274B5 | 2 | 5000 | Bucket | |
| 1277B5 | 3 | 5000 | Bucket | |

Wooden Tile Wedges

- · Very strong and durable beech wedges.
- Ideal for the straight alignment of irregular and skirting tiles.
- 250 Wedges per pack.

| | Width mm | Туре | Box Qty (Packs) |
|------|-------------|------|--------------------|
| 1290 | Up to 8 | 500 | 100 |



Plastic Tile Wedges

- · Very strong and durable plastic wedges.
- Ideal for the straight alignment of irregular & skirting tiles.
- 250 Wedges per pack.

| Stock Code. | mm | Туре | Box Qty (Packs) | |
|----------------|----------|---------|--------------------|--|
| 1288 | Up to 5 | Plastic | 100 | |
| 1292 | Up to 11 | Plastic | 100 | |
| | | | | |

FORTE Spacer Pegs

- Strong and durable.
- Can be removed easily once tiles are set .
- Peg width: 2mm.



FORTE 'T' Spacers

• T spacers used if a brickwork effect or random pattern

FORTE Levelling Kit

• A fast and effective tile • Clip acts as a 1.5mm levelling system which is designed to create a perfectly level and lippage free finish.

Description

Stock

Code.

- spacer.
- Suitable for use with tile thicknesses between 3-12mm.

| ouc. | |
|------|--|
| 203 | Kit includes 100 Clips, 100 Wedges and 1 Aptool. |
| | |
| | |

Quick Level Spin System

- Featuring a cylinder and screw this quick and simple levelling system will remove inconsistencies.
- Scratch proof discs allow a secure installation without scratching the surface of the tiles.

| Stock Code. | Description | Pack Qty |
|----------------|---------------|----------|
| 4400DK | Cylinder head | 50 |
| 4401DK | 1mm Screw | 100 |
| 4402DK | 2mm Screw | 100 |



FORTE Clips & Wedges

- Suitable for use with tile thicknesses between 3-12mm
- Clips act as a 1.5mm spacer

| Stock Code. | Туре | Box Qty (Packs) |
|----------------|--------|--------------------|
| 2200 | Clips | 500 |
| 2201 | Wedges | 250 |
| | | |

Levelling System Application Tool

- Designed to reduce laying time, with a perfect, lippage-free finish every time.
- For use with the Forte Levelling System Clips & Wedges

| Stock Code. | | Box Qty (Packs) |
|----------------|------------------|--------------------|
| 2202 | Application Tool | 1 |

Hexagonal Spacers

- Designed for use with hexagonal tiles.
- · Long leg design.

| Stock | Width | | Box Qty |
|---------|-------|-----|---------|
| Code. | mm | | (Packs) |
| 161E200 | 3 | 200 | 40 |



'Y' Spacers

- Designed for use with octagonal tiles
- · Long leg design.

| Stock | Width | Spacers | Box Qty |
|---------|-------|----------|---------|
| Code. | mm | Per Pack | (Packs) |
| 161Y200 | 3 | 200 | 40 |



Quantum



LEVTEC THERE IS NO SIMPLER WAY TO ENSURE PERFECT TILING

The range includes clips, wedges and pliers which lock tiles in place to prevent slumping during drying, while also removing substrate imperfections. Their interlocking design holds the tiles together, while eliminating the effects of adhesive shrinkage and gravity issues. This unique system will enable professional tilers to set floor and wall tiles without lippage, until the adhesive is fully dry.

The clips are simple and quick to use thanks to their beveled clip edges, with a strong and flexible design which does not suffer from accidental breakages. Unlike other clip and wedge-based levelling systems, the breakpoint is below the base plate, allowing total expansion once removed. In addition, the reinforced reusable wedges are designed to provide complete accuracy, so every tiling project benefits from a faultless surface.

Standard clip designed for tiles with a thickness between 3 and 12mm - 1.5mm tile spacer. A tall clip is also available for tile thicknesses between 12 and 20mm.

HOW TO CREATE A

PERFECT FINISH

Step 1

Spread the tile adhesive and lay the tile, then position the LevTec clips beneath the edge of the tile. The clip will act as 1.5mm spacer when pressed firmly against the tile.

Step 2

Set the adjacent tile firmly into the adhesive, and butt against the LevTec clip. Then slide the LevTec wedge through the clip until both tiles are firmly levelled.

Step 3

Once the tiles are locked in place, the clips and wedges need to stay in position until the adhesive sets. The joint width can be adjusted slightly during setting, without disrupting the height of the tiles.

Step 4

Once the adhesive is set, the wedges can be removed using a rubber mallet. The clips should be hit in the direction of the tile joint, where they will dislodge from the breakpoint below the tile, ready for grouting.

Levelling System Kit

Description

A complete levelling system floor kit.



| Stock |
|-------|
| Code. |
| |
| I TCK |

Levelling System Floor Kit includes 100 Clips, 100 Wedges and 1 pair of Floor Pliers.



LEVTEC Stand

The LevTec merchandise free standing unit showcases the LevTec Levelling System, aiding customers with their purchase.





Levelling System Tall Clips

Size Qty

mm

LTTC500 1.5 500 pack

Stock Code.

• Snaps off leaving the tiles ready to grout.

• Designed for tiles with thicknesses between 12 and 20mm.

LEVTEC **Levelling System Clips**

- Designed for tiles with thicknesses between 3 and 12mm.
- Snaps off leaving the tiles ready to grout.

| _ | Size mm | Qty | |
|---------|------------|-----------|---------------------------------------|
| LTC100 | 1.5 | 100 pack | 4 3 3 7 |
| LTC500 | 1.5 | 500 pack | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| LTC2000 | 1.5 | 2000 pack | All Magas |
| | | | |
| | | 4 | |

LEVTEC **Levelling System Wedges**

Stock

• Offers precisely spaced joints, making these the optimum system for levelling tiles and for the avoidance of lippage.

| Code. | |
|-------|----------|
| | 250 pack |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Qty



LEVTEC **Levelling System Pliers**

• Allows wedges to be inserted through clips easily, to ensure level floors and walls.

Stock Code.

LTP



Tiling Tools and Accessories

FORTE California Pattern Notched Trowel

Quantum

- · Comfortable open handle design, riveted 4 times onto
- Strong steel blade; 280mm x 130mm.

| Stock Code. | Notch Size mm | Box Qty |
|----------------|------------------|------------|
| 1303 | 3x3x3 | 12 |
| 1306 | 6x6x6 | 12 |
| 1308 | 8x8x8 | 12 |
| 1310 | 10 x 10 x 10 | 12 |
| 1313 | 13 x 13 x 13 | 12 |



FORTE Economy Notched Trowel

- · Robust steel blade trowel.
- · Closed plastic handle design.

| Stock Code. | | Notch Size mm | Box Qty | |
|----------------|-------|------------------|------------|--|
| | | 6 x 6 x 6 | 12 | |
| | 1328* | 8 x 8 x 8 | 12 | |



FORTE 'V' Notched California Pattern Trowel

- Quality tradesman's trowel with steel blade and wooden handle.
- · 255mm in length.

64


Stock Notch Size Box

| Code. | | Qty |
|-------|---|-----|
| 1354* | | 12 |
| | | |
| | 1 | |

FORTE Stainless Steel Notched Trowel

- High-quality trowel with a stainless-steel blade.
- · 'Comfort' soft grip handle.
- Blade Size 278x112mm.

| Code. | Notch Size mm | Box Qty |
|-------|------------------|------------|
| 1329* | 4 x 4 x 4 | 12 |
| 1331 | 6 x 6 x 6 | 12 |
| 1332 | 8 x 8 x 8 | 12 |
| 1333 | 10 x 10 x 10 | 12 |
| 1334 | 12 x 12 x 12 | 12 |
| 1336 | 15 v 15 v 15 | 12 |



FORTE Dual-Notched Metal Trowel

- Strong steel blade trowel with a plastic handle.
- 6mm notches to one side and 10mm notches to the other.

| | | Box Qty |
|-------|------|------------|
| 1335* | 6/10 | 12 |



FORTE 'U' Notched California Pattern Trowel

- Quality tradesman's trowel with steel blade and wooden handle.
- 255mm in length.

Stock Notch Size Box

| Code. | mm | Qty |
|-------|----|-----|
| 1352* | | 12 |
| | | |

FORTE Plastic Trowel with 'V' Notch

- Very economically priced, versatile plastic trowel.
- Dual notches 6mm U and 6mm V notches.

| Stock Code. | mm | Box Qty |
|----------------|-----------|------------|
| | 280 x 100 | 20 |
| i | No. | |

FORTE 5-Way Spreader

- Ideal for spreading tile adhesive on small areas.
- 6mm spreader on one side with 2mm slots.

| Stock Code. | | Box Qty |
|----------------|----------|------------|
| 1386 | 125 x 84 | 18 |



FORTE **Margin Trowel**

- · Steel blade and hardwood handle.
- · Ideal for use in restricted areas.

| Stock Code. | | Box Qty |
|----------------|----------|------------|
| 1392 | 125 x 50 | 12 |
| | | |



FORTE Plastic Trowel

- Very economically priced, versatile plastic trowel.
- Dual notches 6mm and 10mm square.

| tock | Size | Box |
|------|-----------|-----|
| ode. | mm | Qty |
| 341* | 280 x 100 | 20 |
| | | |



FORTE Lightweight Finishing Trowel

- Quality tradesman's finishing trowel with steel blade and riveted handle
- For latex, concrete and plaster finishing

| Stock Code. | Length mm |
|----------------|--------------|
| 1370 | 290 |
| | |



FORTE Margin Grout Float

- Long gum corner float with wooden handle.
- Dense rubber pad, aluminium base with bevelled edges.
- Ideal for working in restricted areas.

| Stock | Length | Box |
|-------|--------|-----|
| Code. | mm | Qty |
| 1422 | 127 | |



* Product has a lead time, please check with our sales team


Quantum

Tiling Tools and Accessories

FORTE **Gauging Trowel**

Quantum

• Multi-purpose tool with steel blade & hardwood handle.



FORTE Bucket Trowel

- High-quality, multi-purpose trowel with stainless steel blade and wooden handle.
- Flat end is ideal for cleaning out the bottom of buckets.

| Stock Code. | Туре | Blade Length mm | |
|----------------|-------|--------------------|--|
| 1397 | Small | 160 | |

FORTE Quality Floor Grouter

- High-quality grouter with non-scratching plastic base.
- Long tapered design ideal for floor grouting.
- Dense rubber pad with bevelled edges.



Marshalltown **Grouting Float**

- Lightweight, aluminium base with bevelled edges, white non-marking dense rubber pad and plastic handle
- Premium grade grouting tool
- 225 x 100mm Pad

| Stock Code. | Box Qty | |
|----------------|------------|--|
| 1400 | | |
| | | |

FORTE Premium Grouting Float

• Lightweight rubber faced tile grouter with aluminium base and bevelled edges.

| Stock Code. | mm | Qty |
|----------------|-----------|-----|
| 1410 | 225 x 100 | 12 |
| | | • |
| | | |

Ragni Long Grouting Float

- Lightweight, white non-marking dense rubber pad and plastic handle.
- · Aluminium base with bevelled edges.
- · High-quality Italian made long grouter.

Marshalltown **Long Grouter**

66

• Lightweight, aluminium base with bevelled edges, white non-marking dense rubber pad and plastic handle.



FORTE Hydro-Sponge

- Premium quality highly absorbent sponge.
- Ideal for cleaning tiles after grouting.
- Size 165 x 110 x 65mm.



| Stock | Box |
|-------|-----|
| Code. | Qty |
| 1475 | 50 |

FORTE Heavy Duty Grout Rake

• For the fast removal of old grout from tile joints.

| Stock Code. | Description | Box Qty |
|----------------|---------------------------------------|---------|
| 1486* | Heavy duty grout rake | 12 |
| 1488* | Spare blade for heavy duty grout rake | 12 |



FORTE Pentagon Grout Rake

• The stainless-steel blade can be rotated as the side wears.

| Stock Code. | Description | Box Qty |
|----------------|-------------------------------------|------------|
| 1489 | Pentagon grout rake | 12 |
| 1491* | Spare blade for Pentagon grout rake | 12 |



Tile **Grouters**

- · Value tile grouters.
- · Moulded wooden handle with rubber blade.
- · Non-marking white version available.

| Stock Code. | Blade Width mm | Colour of Rubber | Box Qty |
|----------------|-------------------|---------------------|------------|
| 1435* | 203 | Black | 25 |
| 1440* | 300 | Black | 25 |
| 1445* | 178 | White | 10 |



FORTE Floor Squeegees

- Use for spreading grout in large areas.
- Metal galvanised frames and wooden poles.
- Foam/rubber squeegees.

| Stock Code. | Description | Size mm |
|----------------|----------------------------|------------|
| 1455* | Black rigid rubber | 560 wide |
| 1460* | Black folded foam rubber | 450 wide |
| 1465* | Pole for 1455 rigid above | 1200 long |
| 1466* | Pole for 1460 folded above | 1200 long |



* Product has a lead time, please check with our sales team

Tiling Tools and Accessories

FORTE Washboy Bucket Set

- Quality bucket set with twin rollers, plastic base grid, castors, sponge and holder.
- Size 512 x 275 x 265mm.

Quantum



FORTE Washboy Sponge & Handle

- 280mm x 140mm x 30mm (1, 2 & 3 roller).
- · Velcro cut-squared sponges & holders.
- Ergonomic white handled version.



| Stock Code. | | |
|----------------|---------------------------|----|
| 1640 | Washboy sponge and handle | 50 |
| 1645 | Replacement sponge | 50 |

* Product has a lead time, please check with our sales team

Velcro Sponge & Holder

- 300mm x 150mm x 35mm (2 and 3 roller).
- · Velcro cut-squared sponges & holders.



| Stock Code. | Description | Box Qty |
|----------------|--|------------|
| 1670 | Velcro cleaning sponge with black handle holder | 50 |
| 1675 | Velcro cleaning sponge only for black handle model | 50 |

Alphachem Contact Spray

- 500ml Contact adhesive for sticking replacement washboy sponges onto holders.
- · Easy to use, and quick drying application.




| | | Box |
|---------|-----|-----|
| Code. | ml | Qty |
| SCA500M | 500 | 12 |

RAIMONDI Pedalo Washboy Set

High capacity washboy set for the fast cleaning of large areas with a foot operated sponge cleaning system, to reduce fatigue, backache and worn knees.

- For cleaning grout from floors and walls.
- The pole sponge enables you to work in an upright position on both floors and walls.





RAIMONDI Skipper Washboy Set

- Premium quality 13L/3.4 gal bucket set.
- Lightweight, impact resistant plastic bucket.
- Highly absorbent "Sweepex' uncut sponge and holder.
- The twin rollers have wear resistant sockets and the wheels are fixed to strong axles.
- · Carry handle and internal grid.



RAIMONDI Quick Change Handle for Skipper Sponges

• Durable quick change handle for skipper sponges.



Sweepex Sponge

- High-quality sponge with scourer pad.
- For removing stubborn dirt without scratching the tile.




'Sweepex' standard size sponge for Skipper - 300 x 130 mm

Tiling Tools and Accessories

FORTE Knee Pads

Quantum

- Independently removable over-trousers design.
- Easy-to-fit velcro fastening.
- Wide, easy-to-adjust straps for comfort.
- Non-marking white outer caps.
- Hard but non-brittle caps make for comfortable and easy use.



G3 Water Resistant **Gel Knee Pads**

- Ideal for concrete, flooring Two adjustable straps hold & general construction use.
- Water resistant, quick and easy to clean.
- Flat front for walking on knees.
- Slip resistant rubber caps are also scuff resistant on most surfaces.
- Air injected gel core for extra comfort.
- · Moisture wicking neoprene lining keeps knees dry and cool while you work.

Stock Code. 2040*



the knee pad securely and

comfortably in place.

• Quick release

buckle fastener.

Soft Yellow Knee Pads

• An economical comfort pad, non-slip design and with double straps.

Stock Code.

2032



Tiling Sandals

- Spiked shoes for walking over adhesive.
- Removable spikes and adjustable
- straps allow for any shoe size.
- · Not to be used with underfloor heating.

| Stock Code. | Size |
|----------------|------|
| 09355 | 26mm |



FORTE Adhesive Whisks

- Quality whisks with a highly durable finish.
- To be used with an electric drill for the fast and efficient mixing of powdered adhesives and grouts.

| Stock Code. | Туре | Size mm | Shaft Ø mm | Box Qty | |
|----------------|----------|------------|---------------|------------|--|
| 2010 | Standard | 60 x 400 | 8 | 12 | |
| 2011 | Medium | 100 x 590 | 10 | 12 | |
| 2012 | Large | 120 x 590 | 10 | 12 | |
| | | | | | |

SOUDAL Skeleton Caulking Gun

- Quality caulking gun.
- Suitable for 310ml cartridges.

| | Integral Length mm/in |
|-------|--------------------------|
| SG400 | 250/10 |



Flextubs

- Robust and flexible general purpose PVC tub in 3 sizes.
- Especially useful for mixing adhesives.

| Stock Code. | L | |
|----------------|----|--|
| 1597 | 25 | |
| 1598 | 40 | |
| 1599 | 55 | |

PVC Bucket

• Robust PVC 14 litre bucket with handle.


| Stock |
|-------|
| Code. |
| 1593 |



Extreme **Spiked Rollers**

Quantum

• For aerating and spreading self-levelling compound, releases trapped air and prevents bubbles forming on the surface.



| Stock No. | Roller Width mm/in |
|--------------|-----------------------|
| 1168 | 300/12 |
| 1169 | 500/18 |

Vinyl Gloves

- Disposable ambidextrous latex gloves, which stretch to size for either the left or right hand.
- Ideal for use with normal grout and adhesive.
- · Powdered.



| Stock No. | | Box Qty (Pairs) |
|--------------|-------|--------------------|
| 1535 | Large | 50 |

Pad & Pad Holders

| Velcro pad holder. | | |
|--------------------|-----------|------------|
| Stock Code. | | Box Qty |
| 1500 | 230 x 110 | 20 |







| • | Pad | holder | and | pole. | |
|---|-----|--------|-----|-------|--|
| | | | | p | |

| SLUCK | SIZE | D |
|-------|-----------|---|
| Code. | mm | Q |
| 1505 | 1300 long | 1 |



| Black for scrubbing. |
|-----------------------|
| Black for scrabbling. |

| Qty |
|-------|
| 20 25 |
| |



• White for polishing & epoxy grout.

| Stock | Size | Box |
|-------|----------------|-----|
| Code. | mm | Qty |
| 1510 | 250 x 115 x 20 | 25 |

• Green for epoxy grout.

1525 230 x 150 x 7

Stock Size



| Stock | Approx |
|--------|------------------------|
| Code. | Size m/ft |
| PDS129 | 3.6m x 2.7m / 12' x 9' |

DART **Premium Tape Measures**

Professional, robust tape measures with a 30% thicker blade that triples the

- Magnetic ended hook making it easy to use when working with metal, enabling the user to take a measurement single handedly.
- Rubber casing reduces breakage on impact.
- The matt finish of the tape makes it much easier to read measurements.
- II Accuracy Mark (Roman Numeral 2). This marker will give any site foreman confidence of the accuracy when using these tapes on site.

| Stock Code. | Length m | Box Qty |
|----------------|-------------|------------|
| ATP05 | 5 | 1 |
| ATP08 | 8 | 1 |

Polyethene Dust Sheets

• Heavy duty polyethene dust sheets.

Cotton Dust Sheets

• Cotton twill dust sheet



| Stock Code. | Size m/ft |
|----------------|------------------------|
| CDS129 | 3.6m x 2.7m / 12' x 9' |

PROFESSIONAL CARRESTON

COTTON **DUST SHEET Genuine Cotton Twill** 12ft x 9ft

Tiling Tools and Accessories

TIMCO **Protective Film**

• Window - Blue.

Quantum

- Carpet Yellow.
- Hard Surface Green.

| Stock Code. | Size m | Application |
|----------------|-----------|--------------|
| 50WP | 50 x 0.6 | Window |
| 50CP | 50 x 0.6 | Carpet |
| 50HP | 50 x 0.6 | Hard Surface |




Tile Trim Cutter, Spare Blades & Mitre Blocks

- Trim cutters with replaceable blade, designed specifically for cutting and mitering PVC trim.
- Premium version (4317) takes a replaceable knife
- blade and gives a very neat cut.
- Plastic and cast metal mitre blocks for use with hacksaws.

| Stock Code. | Description |
|---|---|
| 4314* | Spare Clamping Guide for above 6 pairs |
| 4340* | Spare Clamping Guide for above 12 pairs |
| | |
| 4315* | Trim Cutter - Standard* |
| 4316* | Spare Blade - Trim Cutter |
| 4317* | Trim Cutter - Premium Quality |
| *************************************** | |
| 4318 | Mitre Block - Plastic |
| 4319* | Mitre Block - Metal |








FORTE Mosaic Mesh

Self-adhesive mesh to make mosaic tiles rigid and very simple to handle.

- Easy to cut with a knife or scissors.
- High-grip self-adhesive backing.
- Box consists of 10 packs of 11 sheets.
- Comes in a retail box when ordering full box quantities.

| Stock Code. | Sheet Size mm | Box Qty | Before |
|----------------|---------------|-----------------------|--------|
| 1295 | 300x300 | 10 packs of 11 sheets | |
| | | | After |



Tile Magnets

- For removable access panels.
- Set consists of 4 high-quality magnets and 4 counter plates.
- Very versatile product.





| TIGR BLADES | 78 |
|-----------------------------------|-------|
| MONTOLIT BLADES & GRINDING WHEELS | 78-79 |
| DART RED TEN BLADES | 79 |
| DIAMOND3 BLADES | 79 |

Diamond Blades

TIGR PRO TILE RANGE

TIGR TTE115 Blade

Quantum

- Ultra-thin, turbo diamond blades for porcelain cutting.
- Suitable for use on thin marble and granite.
- Dry cutting.

| Stock Code. | Blade Ø mm | |
|----------------|---------------|--|
| TTE115 | 115mm | BEST SELLER |
| | | |
| | | TIGH LONG STORE ST |
| | | ADE 719R |
| | | GRAWIE |

MONTOLIT **Turmont Continuous Rim Blade**

- Continuous rim diamond blade suitable for cutting porcelain stoneware, marble and ceramic.
- For both wet and dry use.
- Can be used with angle grinders, wet tile cutters and table sawing machines.

| Stock Code. | Size mm | |
|----------------|------------|--|
| TCS85 | 85mm | |
| TCS115R | 115mm | |
| | O O | |

MONTOLIT CGX Blade

- For dry and wet use.
- Suitable to use on porcelain, stoneware and hard ceramic.

| Stock Code. | Size mm |
|----------------|------------|
| CGX100 | 100mm |
| CGX115 | 115mm |
| CGX125 | 125mm |



115mm Diamond Disc Blade

- L15ST Suitable for cutting hard materials such as porcelain, ceramic and granite.
- Max RPM: 13300

| Code | Size mm |
|------|------------|
| 6416 | 115mm |



MONTOLIT STL Diamond Grinding Wheel

- STL Disc is an innovative multi-purpose diamond cup designed for finished tiles; bevelling, small cuts, grinding, rounding and shaping edges/corners.
- Suitable for porcelain, stoneware, ceramic and marble.
- For both wet & dry use. Can be used with any standard

| Stock Code. | Size mm |
|----------------|------------|
| STL115GF | 115mm |
| STL125GF | 125mm |
| | |

MONTOLIT TutorCut

- Easily maintains accuracy and reduces chipping
- · Can be used with any grinder.
- Increases blade life by eliminating tension

| Stock | Size |
|-------------|-------|
| Code. | mm |
| TUTORCUT115 | 115mm |



DART Red Ten RT-10 Smooth Cut Diamond Ceramic Blade

Smooth and effective ceramic tile

- · Continuous rim for a very smooth
- Suitable for all tiles including ceramic, porcelain and marble.

DART Red Ten ST-10 Super Thin Diamond Tile Blade

Pro performance super-thin porcelain

- Super-thin and super-fast diamond
- Suitable for all tiles including ceramic, porcelain and marble.

DIAMOND3 Yellow Blade

Premium quality diamond wet blade with continuous rim.

• Suitable for porcelain tiles.









| Stock Code. | Blade Ø mm | Bore mm | Seg. Height |
|----------------|---------------|------------|----------------|
| DB01660 | 100 | 16 | 8 |
| DB01670 | 115 | 22 | 8 |
| DB01680 | 125 | 22 | 8 |
| DB01685 | 150 | 22 | 8 |
| DB01690 | 180 | 22 | 8 |
| DB01700 | 200 | 22 | 8 |
| DB01710 | 230 | 22 | 8 |
| DB01711 | 250 | 22 | 8 |
| DB01720 | 300 | 20 | 8 |
| DB01721 | 300 | 22 | 8 |
| DB01723 | 300 | 30 | 8 |
| DB01730 | 350 | 25 | 8 |

| Stock Code. | Blade Ø mm | Bore mm | Seg. Height |
|----------------|---------------|------------|----------------|
| DB01580 | 100 | 16 | 10 |
| DB01590 | 115 | 22 | 10 |
| DB01600 | 125 | 22 | 10 |
| DB01601 | 150 | 22 | 10 |
| DB01610 | 180 | 22 | 10 |
| DB01611 | 180 | 25 | 10 |
| DB01620 | 200 | 22 | 10 |
| DB01630 | 230 | 22 | 10 |
| DB01631 | 250 | 22 | 10 |
| DB01632 | 250 | 25 | 10 |
| DB01640 | 300 | 20 | 10 |
| DB01641 | 300 | 22 | 10 |
| DB01642 | 300 | 25 | 10 |
| DB01650 | 350 | 20 | 10 |

| Stock | Blade | Bore | Seg. |
|-------|-------|------|--------|
| Code. | Ø mm | mm | Height |
| 6298 | 250 | 25.4 | 10 |



| MONTOLIT TILE CUTTERS | 82-83 |
|-------------------------------|---------|
| MONTOLIT P.O.S STAND | 84 |
| MONTOLIT MOSAKIT MOSAIC MAT | 84 |
| SIGMA TILE CUTTERS | 85-86 |
| SPARE CUTTING WHEELS | 84 & 86 |
| DRILL BITS | 87 |
| MONTOLIT DIAMOND HOLE CUTTERS | 87 |

Tile Cutters

<u> (Puantum</u>

Tile

Cutters

The Masterpiuma Power 5 range is the lightest among professional tile cutters, and it can cut all types of tile, with thicknesses of 0-22m, quickly and accurately.

Multifunction, power and precision are the main features of this innovative tile cutter which is engineered for easy cutting of all types of ceramic, porcelain & glass tiles, including glass mosaic.

- Features a structured modular frame manufactured using light aluminium, which is supported by reinforcement brackets and ribs.
- A multifunctional gonimetrical square features an oversized design, so that it can easily rotate to both the left and right at a 45-degree angle.
- There are many excellent features which indicate the improved strength of the new Masterpiuma P5 range. including a tungsten carbide engraving wheel, a double trestle splitting system, integrated lubricant and accurate incision handle.
- Depending on the cutter size, the new P5 machines feature either an expanded support surface or robust die-cast aluminium wings which are integrated perfectly into the strong frame. This provides improved support to diagonal cuts on large format tiles, without having to leave the profile of the machine.



| Stock Code. | Size cm | Max Diagonal Cutting Length cm | Weight kg |
|----------------|------------|-----------------------------------|--------------|
| ART63P5 | 63cm | 44x44 | 11kg |
| ART75P5 | 75cm | 53x53 | 14kg |
| ART93P5 | 93cm | 66x66 | 15kg |
| ART131P5 | 131cm | 92x92 | 25kg |
| ART161P5 | 161cm | 113x113 | 29kg |



Art. 63P5 63cm (24,5")



Art. 75P5 75cm (29")



93cm (36")



131cm (51,5")



Art. 161 P5 161cm (63,5")







MONTOLIT (FL3) Flash Line 3

- An innovative porcelain slab cutter featuring a rotating cutting head with 3 incision wheels.
- Unique international patented grip system removing the need for suckers or clamps.
- · Integrated lubrication.
- Quick change cutting wheel.
- Tungsten carbide cutting wheel with titanium coating for fine quality scoring.
- Kit contains: 3 x 120cm guide bars, 1 x breaking device, 1 x cart with cutting wheel and 1 x carry bag.

| | Max Cutting | Max Tile | Weight |
|----------|-------------|--------------|--------|
| | length cm | Thickness mm | kg |
| 300FLEVO | 340cm | 10mm | 9kg |



Tile **Cutters**

Quantum

MONTOLIT MasterPiuma Display Stand

Professional shop display designed to showcase different types of Montolit MasterPiuma cutters within shop showrooms.



MONTOLIT Mosakit Mosaic Mat

The Montolit Mosakit Pad is a specially designed rubber mat that upgrades your manual tile cutter into one that cuts mosaic tiles too. Produces perfect results even on the most fragile and most expensive lightweight glass mosaic.

- Pad dimensions: 11-3/4" x 13-3/4", which is easily attached to the tile cutter.
- For use on up to 14" mosaic tiles.
- Printed lines on the pad make 45-degree cuts easy.
- Exceptional cushioning during scribing & splitting action.
- Works with porcelain, ceramic, glass & mixed mosaic tiles.
- Use in combination with Masterpiuma tile cutters when cutting mosaic tiles.

| Code. | cm |
|-------|-------|
| ART58 | 330cm |
| | |

MONTOLIT **Spare Cutting Wheels**

- These new incision wheels are coated in Titanium which ensures a long life, perfect cuts, efficiency and fluidity, reducing all
- ART.245T cuts tiles to 2cm thickness and can be used on all kind of ceramic materials, whether smooth or rough.

| Stock Code. | Description | |
|----------------|--|---------|
| ART245T | Titanium replacement wheel for Masterpiuma cutters | ART240T |
| ART240T | Titanium replacement wheel for Flashline Cutter ART245T | |

All Sigma tile cutters come with a 5-year manufacturer's warranty -New series 4 arriving soon

Sigma 3B4

- · Sprung beds, double thickness height adjustment.
- Swivelling bar, 45°-0°-45°.
- · Pull cut handle.
- 1050kg breaking pressure.
- · Maximum cutting length 670mm.



Sigma 3D4

- Sprung beds, double thickness adjustment.
- Swivelling bar, 45°- 0°- 45°.
- · Tile support bracket.
- 1050kg breaking pressure.
- Maximum cutting length 950mm.
- · Pull cut handle.



Sigma 3C3M MAX


- Maximum cutting length 725mm
- 20mm Maximum cutting thickness
- Scoring wheel is vibration dampened to score thicker tiles with minimum effort.
- Easy grip Max push handle design
- · 1300kg breaking pressure.





Sigma 3C2

- Sprung beds, double thickness height adjustment.
- Swivelling bar, 45°- 0°- 45°.
- Tile support bracket.
- 1050kg breaking pressure.
- Maximum cutting length 770mm.




Sigma 3B4M MAX

- Maximum cutting length 625mm
- 20mm Maximum cutting thickness
- Scoring wheel is vibration dampened to score thicker tiles with minimum effort.
- Easy grip Max push handle design
- 1300kg breaking pressure.
- * Tile support arm is an optional extra



Sigma 3D4M MAX

- Maximum cutting length 905mm
- 20mm Maximum cutting thickness
- Scoring wheel is vibration dampened to score thicker tiles with minimum effort.
- Easy grip Max push handle design
- 1300kg breaking pressure.






^{*} This stand has a lead time, please check with our sales team

Tile **Cutters**

Quantum

Sigma 3E4M MAX

- Maximum cutting length 1270mm
- 20mm Maximum cutting thickness
- Scoring wheel is vibration dampened to score thicker tiles with minimum effort.
- Easy grip Max push handle design
- 1300kg breaking pressure.



Sigma Spare Cutting Wheels

| Stock Code. | Product No. | Description |
|----------------|----------------|--|
| 0280 | 14A | 12mm Ø for 3B4, 3C2, 3D4 |
| 0281 | 14T | 12mm Ø Titanium wheel for long life on hard materials |
| 0285 | 14C | 16mm Ø for 2C, 2D and Klick Klock cutters (these cutters are discontinued) |
| 0300 | 14MX | 19mm Ø for use with all MAX cutters |










Sigma 3F4M MAX

- Maximum cutting length 1560mm
- 20mm Maximum cutting thickness
- Scoring wheel is vibration dampened to score thicker tiles with minimum effort.
- Easy grip Max push handle design
- 1300kg breaking pressure.



Sigma Product **Comparison Chart**

| | Product Name | | Max Tile Thickness mm | | Spare Wheel Stock No. |
|------|-----------------|------|-----------------------------|------|--------------------------------|
| 0231 | 3B4 | 670 | 20 | 1050 | 0280/0281 |
| 0232 | 3C2 | 770 | 20 | 1050 | 0280/0281 |
| 0233 | 3D4 | 950 | 20 | 1050 | 0280/0281 |
| 0201 | 3B4M | 625 | 20 | 1300 | 0300 |
| 0234 | 3C3M | 725 | 20 | 1300 | 0300 |
| 0203 | 3D4M | 905 | 20 | 1300 | 0300 |
| 0204 | 3E4M | 1270 | 20 | 1300 | 0300 |
| 0237 | 3F4M | 1560 | 20 | 1300 | 0300 |



Wax Filled Drill Bits

• Very effective method for drilling hard materials such as porcelain. The melting wax reduces friction which therefore prolongs the life of the drill bit.

| Stock Code. | Drilling Ø mm | |
|----------------|------------------|------|
| DDTD5 | 5 | |
| DDTD6 | 6 | |
| DDTD7 | 7 | |
| DDTD8 | 8 | 1 |
| DDTD10 | 10 | 2600 |
| DDTD12 | 12 | |
| DDTD15 | 15 | |
| | | |
| | | |

MONTOLIT FPU Diamond Drilling Bits

- FPU is a versatile drilling bit designed to enlarge, shape or round bevel existing holes in porcelain, hard ceramic, granite and marble, for both dry & wet use.
- FPU is also suitable for easily creating round side indentations necessary to accommodate pipes or electric
- No adaptors needed, can be used with any standard grinder.

| | | mm | mm |
|-------|----|-----|----|
| FPU10 | 10 | | 50 |
| FPU20 | 20 | M14 | 50 |
| | | | |
| | | | |

MONTOLIT Mondrillo

- For dry and wet use.
- Suitable for all types of ceramics, Gres porcelain, terracotta tiles, granite, marble, and glass.
- For furniture and bathroom fittings, electric and plumbing installation.

| Stock Code. | Size mm |
|----------------|------------|
| FAJ05 | 5 |
| FAJ06 | 6 |
| FAJ08 | 8 |
| FAJ010 | 10 |
| JAV12 | 12 |
| | |





DART Spear Shaped Drill Bits

· Specifically for glass drilling.

| Stock Code. | Drilling Ø mm | |
|----------------|------------------|--|
| DC06 | 6 | |
| DC08 | 8 | |
| TDC10 | 10 | |
| | | |

MONTOLIT Diamond Hole Cutters

- 1/2 inch BSP Thread.
- Proven range of high-quality laser welded diamond hole cutters for use on very hard ceramics, natural stones and porcelain. (Wet Cutting)
- Connected to drill via the water-fed swivel connector (sold separately).
- Pump action pressure tanks and drilling guides are available to assist in trouble-free drilling.

| Stock Code. | Drilling Ø mm |
|----------------|------------------|
| couc. | 9 111111 |
| FT-S20 | 20 |
| FT-S27 | 27 |
| FT-S35 | 35 |
| FT-S40 | 40 |
| FT-S43 | 43 |
| FT-S50 | 50 |
| FT-S55 | 55 |
| FT-S60 | 60 |
| FT-S65 | 65 |
| FT-S70 | 70 |
| | |



* Product has a lead time, please check with our sales team



| MIXERS & MIXING DRILLS | 90 |
|-------------------------------------|-------|
| RAIMONDI TILE SAWS | 90 |
| MONTOLIT TILE CUTTERS | 91-93 |
| DIAMOND3 TILE CUTTERS & ACCESSORIES | 94-95 |

Electric Tile Saws

Electric Tile Saws

Quantum

Rubimix 9 1200w 2 Speed Mixer

- 2 mechanical speeds; 0-430rpm and 0-570rpm.
- Heavy duty mixer-drill with electronic speed control.
- Soft grip handles.
- Strong steep paddle with M14 thread.

| Stock Code. | Voltage V |
|----------------|--------------|
| 7031 | 110 |
| 7032 | 230 |
| 7034 | Spare paddle |



• Particular attention has been paid to the redesigned handle, with 'comfort' grip zones ensuring on a minimum of fatigue during operation.

| Stock Code. | Voltage V | Power input W | No load variable speed | Weight kg |
|----------------|--------------|------------------|------------------------------|--------------|
| F7860-110* | 110 | 1300 | 180 up to 700 rpm | 6 |




RAIMONDI

RAIMONDI **Eco 92**

- · Powerful, robust Italian tile saw.
- · Stainless steel table.
- Table top dimensions: 420 x 400mm.
- Tilts for mitering.
- Extendable cutting guide.
- Detachable base for easy cleaning.
- · Diamond blade included.

| | mm | Cutting Depth mm | Blade Diameter mm | Voltage V | Motor W/HP | Weight KG |
|-------|----|------------------------|-------------------------|--------------|---------------|--------------|
| 6812* | 25 | 35 | 200 | 110 | 650/0.87 | 20* |
| | | | | | | |





MONTOLIT Toprofile

 This profiling system for ceramic and porcelain tiles, as well as any stoneware, allows easy processing of edges, making cuts, bevelling, chamfering, and rounding profiles, easily and safely.





| Stock | Motor | Voltage | Weight |
|---------------|-------|---------|--------|
| Code. | W/HP | V | KG |
| Toprofile-115 | 800 | 115 | 54.7 |

MONTOLIT **Moto Flashline**

• Cut porcelain tiles and slabs up to 20mm thick. The machine itself has all the advantages of the manual Flash Line (easy to transport, light, precise, patented locking system without the use of suction cups), with the addition of a motorised head with a professional diamond blade for ceramic and porcelain tiles.



| Stock Code. | Cutting Depth mm | Blade Diameter mm | Motor W/HP | Voltage V | Weight KG |
|-------------------|---------------------|----------------------|---------------|--------------|--------------|
| Moto-300-FL-PU115 | 200 | 150 | 1600 | 115 | 6.9 |
| Moto-300-FL-115v | 200 | 150 | 1600 | 115 | 12.8 |

Quantum

MONTOLIT Wet Table Saw F1 Brooklyn

F1 Brooklyn is the latest line of wet table saws from Montolit, designed to provide tilers with the highest precision, combined with a light and reliable tool.

- For use with ceramic and porcelain tiles.
- A light but corrosion proof aluminium frame, with all metal zinc-plated before painting.
- Includes a DNA (SCX250) Diamond blade.
- The supporting system of the bridge is completely foldable, and features two extendable legs making it ideal for uneven surfaces.
- Includes the Montolit classic patented protractor square, which allows tilers to keep the correct measure for different angles.

| Stock Code. | Voltage V | Motor HP | Cutting Depth mm | Cutting Length cm | Blade Diameter mm | | Weight KG |
|----------------|--------------|-------------|---------------------|----------------------|----------------------|------|--------------|
| F1-101-115V | 115 | 2 | 50 | 101 | 250 | 25.4 | 75 |
| F1-131-115V | 115 | 2 | 50 | 131 | 250 | 25.4 | 85 |
| F1-151-115V | 115 | 2 | 50 | 151 | 250 | 25.4 | 100 |
| F1-181-115V | 115 | 2 | 50 | 181 | 250 | 25.4 | 112 |





MONTOLIT Side Extension Table

*For use with the Montolit F1 Brooklyn Wet Table Saw

A side extension table designed to provide additional support when cutting large format tiles.

Stock Code. ART.1051



Quantum

DIAMOND3 259 Wet Saw Tile Cutter

A durable machine designed to deliver fast and chip-free cutting on porcelain, glass, marble and granite tiles up to 90cm.

- Integrated plunge cutting and mitre cutting capabilities.
- Bridge designed to prevent debris build up.
- Manufactured using high-quality stainless steel.

| Code. | | Voltage V | Motor W |
|-------|-----|--------------|------------|
| 6875* | 900 | 110 | 1500 |



DIAMOND3 Wet Saw Tile Cutter

A range of durable machines designed to deliver fast and chip-free cutting on porcelain, glass, marble and granite tiles.

- Includes 2 small wheels for quick and easy transportation.
- Integrated plunge cutting and mitre cutting capabilities.
- Bridge designed to prevent debris build up.
- Manufactured using high-quality stainless steel.

| Stock Code. | Product Name | Cutting Length mm | Voltage V | Motor W |
|----------------|-----------------|----------------------|-----------|---------|
| 6906* | 2512 | 1200 | 110 | 1500 |
| 6907* | 2515 | 1500 | 110 | 1500 |
| 6909* | 2518 | 1800 | 110 | 1500 |



DIAMOND3 ST Stainless Steel Side Table

A side table designed to extend the cutting bed.

- Can be used with all Diamond3 saws.
- Features a squaring arm and leg to improve stability and accuracy.

| Stock Code. | Depth mm | Length mm |
|----------------|----------|-----------|
| 6900* | 400 | 400 |



DIAMOND3 Stainless Steel Side Roller Table

A side roller table designed for use with Diamond3 wet saws.

Easy connection to water bin.

| Stock Code. | Depth mm | Length mm |
|----------------|----------|-----------|
| C004+ | 200 | C 4 2 |



DIAMOND3 Water Pump

Replacement water pump for use with Diamond3 wet saws.

* Product has a lead time, please check with our sales team

| Stock Code. | Voltage V |
|----------------|-----------|
| 6921* | 240 |
| 6924* | 110 |



94



| POLISHERS & GRINDERS | 98 |
|-----------------------|---------|
| SANDING DISCS & PADS | 100-101 |
| COOLING WAX | 101 |
| MARBLE ACCESSORIES | 102 |
| MONTOLIT SANDING PADS | 103 |

Marble, Granite & Stone Products

Marble, Granite & Stone Products

FLEX Universal Polishers

- Industrial grade lightweight polishing machines with VR electronic speed control.
- Excellent torque even at low speed.
- Variable speed and small enough to use single-handedly.
- M14 spindle.

Quantum

| Stock Code. | Grinding Pad Ø Max mm/in | Speed rpm | Weight kg | Voltage |
|----------------|-----------------------------|--------------|--------------|---------|
| 9000* | 125/5 | 1100-3700 | 1.9 | 110v |
| 9005* | 125/5 | 1100-3700 | 1.9 | 230v |



FLEX High Speed Polisher/Grinder

- Industrial grade lightweight polishing machines with VR electronic speed control.
- Excellent torque even at low speed.
- · Variable speed and small enough to use single-handedly.
- M14 spindle.

| Stock Code. | Grinding Pad Ø Max mm/in | Speed rpm | Weight kg | Voltage |
|----------------|-----------------------------|--------------|--|---------|
| | 125/5 | 2100-7500 | · · · · · · · · · · · · · · · · · · · | 110v |
| | | | | ı |

FLEX Wet-Stone Grinder & Polisher

- Quick release coupling for 1/2" water hose.
- Spindle lock.

98

• Industrial grade lightweight polishing machines with water feed for 'wet' polishing/grinding.

| Stock Code. | Grinding Pad Ø Max mm/in | Speed rpm | Power Watts | Weight kg | Voltage | | | 77 |
|----------------|-----------------------------|--------------|----------------|--------------|---------|------|---|---------|
| | 115/4½ | 3600 | 800 | 2.5 | 110v | | - | ff) |
| 9022* | 178/7 | 800-2400 | 1800 | 4.3 | 110v 🚄 | | - | انا |
| | | | | | | FLEX | | |
| | | | | | | | | |

Silicon Carbide Paper Discs

- Use with rubber backing pads.
- For the sanding and polishing of marble and stone.

| Stock Code. | Grit | Dia mm/in | Box Qty |
|-------------|------|-----------|---------|
| 9106* | 60 | 125/5 | 50 |
| 9108* | 80 | 125/5 | 50 |
| 9112* | 120 | 125/5 | 100 |
| 9122* | 220 | 125/5 | 100 |
| 9132* | 320 | 125/5 | 100 |
| 9140* | 400 | 125/5 | 100 |
| 9150* | 500 | 125/5 | 100 |
| 9160* | 600 | 125/5 | 100 |
| 9180* | 800 | 125/5 | 100 |
| 9190* | 1000 | 125/5 | 100 |
| 9200* | 1200 | 125/5 | 100 |

| Velcro Backed | | | | | | |
|---------------|------|-----------|---------|--|--|--|
| Stock Code. | Grit | Dia mm/in | Box Qty | | | |
| 9206* | 60 | 125/5 | 50 | | | |
| 9208* | 80 | 125/5 | 50 | | | |
| 9212* | 120 | 125/5 | 100 | | | |
| 9222* | 220 | 125/5 | 100 | | | |
| 9232* | 320 | 125/5 | 100 | | | |
| 9240* | 400 | 125/5 | 100 | | | |
| 9260* | 600 | 125/5 | 100 | | | |
| 9280* | 800 | 125/5 | 100 | | | |
| 9300* | 1000 | 125/5 | 100 | | | |
| 9320* | 1200 | 125/5 | 100 | | | |



Adhesive for Silicon Carbide Paper Discs

• Adhesive for adhering plain backed paper discs to rubber pads.


| Stock Code. | Size |
|----------------|-------|
| 9325* | 500ml |



Fibre Sanding Discs

- Use with nylon backing pads.
- For grinding and polishing terrazzo.
- Pack quantity: 25

| Stock Code. | Grit | Dia mm/in | |
|----------------|------|--------------|----|
| 9510* | 36 | 125/5 | |
| 9550* | 36 | 180/7 | |
| 9515* | 60 | 125/5 | |
| 9555* | 60 | 180/7 | |
| 9520* | 80 | 125/5 | |
| 9560* | 80 | 180/7 | |
| 9525* | 120 | 125/5 | |
| 9565* | 120 | 180/7 | 14 |



Rubber Backing Pads

- High-quality backing pads used in conjunction with electric polishers for sanding operations.
- 100mm versions have centre holes and can be used with the diamond wet discs.

| Stock Code. | Туре | Pad mm | Max rpm |
|----------------|---------------------|-----------|------------|
| 9050* | Plain Backed | 125 | 8600 |
| 9055* | Velcro Backed | 100 | 8600 |
| 9060* | Velcro Backed | 125 | 8600 |
| 9062* | Tough Velcro Backed | 100 | 8600 |



VTS Bull-Nose Grinder

- Premium quality 'Inox' Bull-nose grinder forms a 15mm demi Bull-nose profile on most types of natural stone.
- Use wet to prolong life.
- Use with a variable speed polisher.

| Stoc | k |
|------|----|
| Code | е. |
| 9476 | 5* |




Marble, Granite & Stone Products

Resin Bonded Diamond Pads

- Use with Velcro backing pads.
- Flexible resin bonded diamond disc used for polishing marble & granite.
- Use wet to prolong life.

Quantum

| | Dia mm/in | Grit |
|-------|--------------|------|
| 9400* | 100/4 | 60 |
| 9405* | 100/4 | 100 |
| 9410* | 100/4 | 200 |
| 9415* | 100/4 | 400 |
| 9420* | 100/4 | 800 |
| 9425* | 100/4 | 1500 |
| 9430* | 100/4 | 3500 |



Electroface Diamond Pads

- Use with rubber Velcro backing pad.
- Premium quality Electroface diamond pads used 'wet' for polishing marble and granite.
- Very aggressive cutting action.

| Stock Code. | Disc Ø mm/in | Grade | Grit |
|----------------|-----------------|--------|------|
| 9355* | 100/4 | Coarse | 50 |
| 9360* | 100/4 | Medium | 100 |
| 9365* | 100/4 | Smooth | 200 |
| 9370* | 100/4 | Fine | 400 |
| 9375* | 100/4 | Fine | 600 |



Semi Flexible Discs

- For use with Nylon Backing Pads.
- For the grinding down of natural stone & terrazzo.
- Also know as triple coated discs.
- Pack quantity: 5

| Stock Code. | Grit | Dia mm/in |
|----------------|------|--------------|
| 9655* | 24 | 125/5 |
| 9680* | 24 | 180/7 |
| 9660* | 36 | 125/5 |
| 9685* | 36 | 180/7 |
| 9665* | 60 | 125/5 |
| 9690* | 60 | 180/7 |



Dry Polishing Diamond Pads

- Use with Velcro-backed backing pads.
- Premium quality long lasting 'dry' diamond pads used for polishing marble and granite.
- For slow speed polishers, max speed 2500 rpm.

| Stock Code. | Disc Ø mm/in | Colour | Grit |
|----------------|-----------------|------------|-----------------------|
| 9440* | 100/4 | Green | 50 |
| 9441* | 100/4 | Red | 100 |
| 9442* | 100/4 | Yellow | 200 |
| 9443* | 100/4 | Blue | 400 |
| 9444* | 100/4 | Dark green | 800 |
| 9445* | 100/4 | Orange | 1500 |
| 9446* | 100/4 | Lilac | 3000 |
| 9447* | 100/4 | Black | 10000 = buffing grade |
| 9448* | 100/4 | White | 10000 = buffing grade |



DynaCross Superpads

- High-quality 24mm thick floor pads for rotating machines.
- Box Quantity: 5

| Stock Code. | Pad Ø mm/in | Colour | Material | Fibre | Use To |
|----------------|----------------|--------|-----------|---------------|---------------|
| 9920* | 380/15 | White | Polyester | Soft | Polish |
| 9922* | 380/15 | Green | Nylon | Abrasive | Clean-scour |
| 9924* | 380/15 | Black | Nylon | Very abrasive | Scour-scratch |
| 9926* | 380/15 | Red | Polyester | Semi-soft | Spread-wax |
| 9930* | 406/16 | White | Polyester | Soft | Polish |
| 9932* | 406/16 | Green | Nylon | Abrasive | Clean-scour |
| 9934* | 406/16 | Black | Nylon | Very abrasive | Scour-scratch |
| 9936* | 406/16 | Red | Polyester | Semi-soft | Spread-wax |
| 9940* | 430/17 | White | Polyester | Soft | Polish |
| 9942* | 430/17 | Green | Nylon | Abrasive | Clean-scour |
| 9944* | 430/17 | Black | Nylon | Very abrasive | Scour-scratch |
| 9946* | 430/17 | Red | Polyester | Semi-soft | Spread-wax |



Sigma Cooling Wax

- A cooling wax designed to extend the life of diamond drill bits.
- For use when dry drilling to cool the bit, whilst also acting as a lubricant for faster drilling.

| tock ode. | Size |
|--------------|------|
| RT.053G | 30ml |



Wire Rods

Used for the fixing of marble cladding.

- 3m lengths
- Stainless steel

| | Ø mm | | |
|----------------|------|--|--|
| 9735* 9740* | 3 | | |
| | 6 | | |

MONTOLIT Mondrillo Performer Cooling Gel

Cooling fluid for optimal performance of diamond core bits (diameters up to 12mm) during drilling switch the machine off and sink the core bits into fluid for a couple of seconds.



 $f{\star}$ Product has a lead time, please check with our sales team

Marble, Granite & Stone Products

Electroface Diamond Hand Pads

- Diamond faced pads for sanding/polishing natural stone products.
- Fine grit versions are resin bonded.
- Size: 100 x 55mm.

Quantum

| Stock Code. | Colour | Grade | Grit |
|----------------|--------|--------------|---------|
| 9450* | Green | Extra coarse | 50 |
| 9455* | Black | Coarse | 100 |
| 9460* | Red | Medium | 200 |
| 9465* | Yellow | Smooth | 400 |
| 9470* | White | Fine | 800/RB |
| 9475* | Blue | Super fine | 1800/RB |



Filler/ Adhesives

- Ideal for bonding, filling and repairing marble and other natural stone product
- Supplied with hardener.
- · Can be smoothed & polished once hard
- Use with base colours to create the colour required.
- 1kg container and box quantity of 12
- Vertical for walls.

| repairing ne products. once hard. te | FIRE HERMER VE TAŞ YAPŞTRIĞÜ + MAST |
|--|-------------------------------------|
| | 750111 |
| ty of 12. | 750mL |

| Stock Code. | Description | Colour |
|-----------------------|----------------|-------------|
| 9800* | Vertical | Transparent |
| 9805* | Vertical | Straw |
| 9810* Vertical | | White |
| 9815* | Vertical | Black |
| 9850* | Spare hardener | |
| 9855* | Base colour | Blue |
| 9860* | Base colour | Brown |
| 9865* | Base colour | Red |
| 9870* | Base colour | Green |
| 9875* | Base colour | Yellow |
| 9880* | Base colour | Black |
| 9885* | Base colour | White |

VTS Pads

- Use with Velcro backing pads.
- Very aggressive diamond VTS pads for sanding and smoothing granite and marble.

| Code. | Disc Ø mm/in | | |
|-------|-----------------|----|--|
| | 100/4 | 30 | |
| 9751* | 100/4 | 50 | |

Pasta Abrasive

- For polishing marble or granite.
- White for lighter coloured materials.

| Code. Per Box |
|--------------------------|
| 9337* White 30 |
| 337* White 30 |
| |
| |

Poteen Powder

- A crystallising powder for marble and other calciferous stones.
- When used with a polishing machine a high-polish finish is quickly achieved.



| Stock | Size Bag kg |
|-------|----------------|
| 9964* | 2 |

102

Safety Strip

- Anti-slip carborundum self-adhesive strip, ideal for marble or tiled staircases.
- It is advisable to use contact adhesive at the edges.
- Also suitable for use on wood.



| Code. | | Roll Length m | Box Qty |
|-------|-----|------------------|------------|
| 3161* | | 18 | 42 |
| 3162* | | 10 | 24 |
| 3164* | 100 | 18 | 12 |

MONTOLIT Mastertech Diamond Hand Pads

Diamond hand pads for smoothing edges.





| Stock Code. | Grade |
|----------------|--------------------------------------|
| DT262* | Blister: 1 art. DT060 + 1 art. DT200 |
| DT606* | Box: 6 art. DT060 - Medium |
| DT620* | Box: 6 art. DT200 - Fine |

| Stock Code. | Colour | Grit |
|----------------|--------|-----------|
| DF60* | Green | Grit 60 |
| DF120* | Black | Grit 120 |
| DF200* | Red | Grit 200 |
| DF400* | Yellow | Grit 400 |
| DF500 | White | Grit 500 |
| DF1500 | Blue | Grit 1500 |
| DF3000 | Orange | Grit 3000 |

MONTOLIT Diamond Pads

- Diamond resin polishing pads with Velcro coupling for grinding and polishing.
- Porcelain stoneware, granite, marble and glass.

| Stock Code. | Grade | | | - Character Marie |
|----------------|--|----------|-------------------|-------------------|
| PDR* | Support for diamond resin polishing pads - M14 | MONTOLIT | SSITTION | MONTOLIT |
| PDR 0* | Step '0' | | 2888HHE888 | |
| PDR 1* | Step '1' | 1 | | |
| PDR 2* | Step '2' | 1 | 机胶。或用用 | 3 |
| PDR 3* | Step '3' | | \$\$\$\$#\$\$\$\$ | |
| PDR Kit* | Step '1+2+3' | | XXXIIII XXX | |
| M | ONTOLO | | | |

MONTOLIT FPS Diamond Countersink Tool

- Diamond bit for a smooth, high-end finish.
- Very useful to reduce the risk of cracking with standard and large format tiles subjected to tension.
- Very useful if improving the edge finishing of exposed holes.

| Stock Code. | Size mm |
|----------------|------------|
| FPS35 | 35 |
| FPS75 | 75 |



* Product has a lead time, please check with our sales team



| PYTHON ADHESIVES & GROUTS | 106-107 |
|---------------------------|---------|
| SILICONES & SEALANTS | 107 |

Adhesives, Grouts & Sealants

Adhesives,

Quantum

A premium range of tiling adhesives and grouts

Python SL Levelling Compound

Python SL is a fast setting, protein free, cement based levelling compound used to level out rough and uneven floors and screed in preparation for laying floor coverings. Python SL can be applied up to 12mm in one coat and up to 25mm

when mixed with additional aggregate.

- Fast setting, it will accept light foot traffic after 4 hours.
- Ceramic tiles can be applied after 8
- · Simply mix with water.

| Stock Code. | | Colour | Pallet Qty |
|----------------|------|--------|---------------|
| 2621 | 25KG | Grey | 40 |



PYTHON

ADHESIVES

Python LR Levelling Compound High Flex

Python LR is a free flowing, fast setting, fibre reinforced, protein free, shrinkage compensated cement based formulation, designed for smoothing and levelling sub-floors prior to the installation of floor

• Apply from featheredge to 50mm in

- Single part,
- Ideal for un plywood.
- Light foot t
- Thick reinfo spiked rolle

| t, no additives required. nderfloor heating and | PAGE 1 TO A TRANSPORT OF THE PAGE 1 TO A TRAN | NONTY | MACHINERAL | NOHTY |
|--|--|--|--|---------------|
| traffic after 3 hours. forcement - Not suitable for ers. | THON THE PARTY OF | THE PARTY OF THE P | THE THE PARTY OF T | WHEN WITH THE |
| | | CE COMMENTS OF THE PROPERTY OF | | Title Control |

Stock Size Colour Pallet **2620** 25KG White 40

Python CS Tile Grout High Flex

A highly versatile wall and floor grout specially formulated to give a smooth, creamy, controlled workability. Python CS has been developed for use on surfaces subject to limited movement and/or vibration such as plywood overlay and plasterboard. For grouting joints between 2-15mm.

- Ideal in showers, wet rooms & areas subject to prolonged wet conditions.
- Unaffected by frost, suitable for interior and exterior use.
- · Class CG2.

| Stock Code. | Size | Colour |
|----------------|------|------------|
| 2650 | 3 KG | White |
| 2651 | 3 KG | Jasmine |
| 2654 | 3 KG | Light Grey |
| 2656 | 3 KG | Mid Grey |



Python RS Tile Adhesive Flexible - Rapid Set

A polymer modified, flexible, cement based floor and wall tile adhesive. Python RS has been developed for fixing a large variety of tiles to surfaces subject to limited movement and/or vibration.

- Flexible, rapid setting formula, ideal for plywood overlay.
- Suitable for natural stones, porcelain and underfloor heating.
- Essential for areas of movement.
- · Class C2FT S1.





Python FS Tile Adhesive Low Flex - Standard Set

A polymer modified, flexible, cement based floor and wall tile adhesive. Python FR has been developed for fixing a large variety of tiles to well prepared surfaces subject to limited movement and/or vibration.

- Standard setting formula with extended open time.
- Excellent workability and non-slip properties.
- · Ideal in showers, wet rooms & areas subject to prolonged wet conditions.

| Stock Code. | Size | Colour | Pallet Oty |
|----------------|-------|--------|---------------|
| 2617 | 20 KG | White | 48 |



SOUDAL **Skeleton Caulking Gun**

- · Quality caulking gun.
- · Suitable for 310ml cartridges.

| Stock | Integral |
|-------|--------------|
| Code. | Length mm/in |
| SG400 | 250/10 |



ALPHACHEM Alpha Grip Solvent Free

- · Solvent free AlphaGrip is a grab adhesive that offers an instant, strong and tough bond on virtually any surface, whether porous or non-porous.
- Once cured it provides a bond that is hard to break.
- Excellent gap filling properties.

| Stock | Size | Colour | Box |
|----------|------|--------|-----|
| Code. | ml | | Qty |
| ALGRIPSF | 350 | White | 12 |



ALPHACHEM Pure Anti-Mould Silicone

- A superior quality, waterproof anti-mould 100% silicone, suitable for most sanitary sealing and areas of high
- Fast curing, Pure Anti Mould Silicone comes with a 10year guarantee to keep black mould at bay, ensuring the product stays bright and clean for many years.

| Stock Code. | Size ml | Colour | Box Qty |
|----------------|------------|--------|------------|
| PUREWE | 310 | White | 25 |
| PURECL | 310 | Clear | 25 |





ALPHACHEM MP & Sanitary Silicone

- A high performance, quick curing acetoxy silicone ideal for general sealing, sanitary and glazing applications.
- Offering a permanently flexible and water tight seal, that is ideal for use in areas of high humidity.
- Suitable for gap sealing and internal and external weather proofing applications.

| Stock Code. | Size ml | Colour | Box Qty |
|----------------|------------|--------|------------|
| SILGPWE | 295 | White | 25 |
| SILGPC | 295 | Clear | 25 |
| SILGPBK | 295 | Black | 25 |
| SILPBN | 295 | Brown | 25 |



ALPHACHEM Sanitary Silicone 808

- A premium sanitary grade waterproof sealant with an added powerful anti-fungal additive to prevent unsightly mould growth.
- Specifically designed to work in areas of high humidity with excellent adhesion to sanitary plastics, ceramics, glass, melamine laminates, anodised aluminium and lacquered

| Stock Code. | Size ml | Colour | Box Qty |
|----------------|------------|--------|------------|
| SSILW | 300 | White | 25 |
| SSILC | 300 | Clear | 25 |







| MONTOLIT TILE HANDLING RANGE | 110-112 |
|------------------------------|---------|
| MONTOLIT SUCTION CUPS | 111 |
| FORTE SUCTION CUPS | 113 |
| DART GLOVES | 113 |

Tile Handling

Tile Handling

MONTOLIT Superstick

Quantum

Modular system for the handling of slabs.

| Stock Code. | Description | Weight kg | |
|----------------|--------------------------------------|--------------|----------------|
| ART. 300-70 | Superstick - Full Kit. Max Load 80kg | 32kg* | |
| | | 1 | |
| | | | 33 33 33 |
| | | | |

MONTOLIT Table-One

Montolit has created this work bench for large tiles based on daily contact with both tile setters and porcelain slabs manufacturers

The cross bars, with anti-scratch rubber inside can be easily moved sideways and/or slide back and forth as needed. Also the height of the worktop is adjustable in three positions to adapt to the height of the installer and operations needs.

| Stock Code. | Description | Weight kg |
|----------------|-------------|--------------|
| | | |





MONTOLIT Battile

 $Thumping \ suction \ cup \ for \ tiles \ and \ slabs \ suitable \ for; \ ceramics, \ porcelain \ stoneware, \ granite, \ marble \ and \ glass.$

Powered with lithium ion-battery, the BATTILE is a compact and light-weight item that is projected to remove by vibration any air bubbles from the glued tiles right after they have been installed. In addition, its suction cup is able to lift up and easily lay small and medium tiles.

If you are facing big slabs, the BATTILE is essential to ensure perfect glue adherence, and to avoid annoying and dangerous "voids" that could cause breakage in the immediate future.

The intensity of vibrations is adjustable from 5000 to 18000 vibrations per minute, using the power regulator located near the handle.

| Stock Code. | Voltage V | Weight kg | | |
|----------------|--------------|--|---------|--|
| BATTILE-GB | 8.4 | 0.95 | | |
| | | | | |
| | | 0 | | |
| | | | (S. 18) | |
| | | The state of the s | | |

MONTOLIT Battile Pro

Thumping suction cup for tiles and slabs suitable for; ceramics, porcelain stoneware, granite, marble and glass.

Powered by a 16 V lithium ion battery, the BATTILE PRO can be used for indoor and outdoor installation. It replaces the traditional manual operation and helps to avoid problems due to the incorrect distribution of the adhesive under tiles and big slabs.

It is very compact and light, and also allows the positioning of the tile through the suction cup (possible to lift up to 25 kg). In addition, thanks to the vibration it removes residual air bubbles that, if trapped between the adhesive and the tile, could cause potential breakages. The intensity of the vibration is adjustable to three different frequencies.

| Stock | Voltage | Weight |
|-------------|---------|--------|
| Code. | V | kg |
| BATTILE-PRO | 16 | 1.35 |





^{*} Product has a lead time, please check with our sales team

Tile Handling

MONTOLIT **Goal Evo**

Quantum

Multi-purpose bogie for the transport and processing of slabs.

Weight **ART. 300-85** 20kg





MONTOLIT Suction Cup

Suction Cup for big tiles.

Stock ART.300-76





FORTE

FORTE **Single Suction Cup**

- Ideal for the safe handling of marble and granite tiles.
- For the removal of misplaced or cracked tiles.
 Code 2005 is heavy duty version.

| Stock | Cap | Lift Capacity |
|-------|------|---------------|
| Code. | Ø mm | kg |
| 2004 | 118 | 35 |



FORTE **Double Suction Cup**

- Ideal for the safe handling of marble and granite tiles.
- For the removal of misplaced or cracked tiles.

| Stock Code. | | Lift Capacity kg |
|----------------|-----|---------------------|
| 2006 | 118 | 70 |



FORTE Triple Suction Cup

- Ideal for the safe handling of marble and granite tiles.For the removal of misplaced or cracked tiles.

| | Cap Ø mm | Lift Capacity kg |
|------|-------------|---------------------|
| 2008 | 115 | 100 |



DART

Orange Latex Builders Glove

A flexible latex coating provides excellent grip in wet and dry conditions for safe handling.

- Seamless knitted cotton liner provides exception comfort and reduces hand fatigue.
- Suitable for general handling, construction, automotive, warehousing, horticulture, utilities, refuse collection.
- Back of glove is uncoated allowing the hand to breathe.

DART.

| Stock Code. | Size |
|----------------|---------|
| OREGON_M | |
| OREGON_L | L (9) |
| OREGON_XL | XL (10) |





























Here at Quantum, we are always looking for new ways to meet the changing and developing requirements of our customers. This is why we are pleased to introduce our new range of tiles, which are available throughout the UK and Ireland.

The range is provided by Navarro Tiles, a supplier of luxurious ceramic and porcelain tiles. Founded in 2020, the team behind Navarro Tiles has many years of industry experience and a passion for sourcing unique tiles with a natural finish. As a result, our Navarro range is quickly becoming a source of inspiration for stockists across the UK and Ireland.

As an experienced team of industry professionals, we are ideally positioned to offer the full range of tiles from Navarro, which are perfect for all types of projects. We are pleased to offer tiles from some of the best manufacturers in Europe, which enables us to provide our customers with cutting edge designs at great prices.

Our customers are important to us – we strive to offer the best products available combined with expert advice and we are extremely proud of the range we offer.

We are committed to helping your business succeed, which means alongside our innovative tile ranges we also provide extensive marketing support. Whether you are looking for a modern point of sale display solution or tile samples to provide customers, our team will ensure you have everything you need to showcase our range.

If there is specific marketing support that your business requires, please let our team know and we will always do our best to accommodate your requests.

Our range of tiles is available on a trade only basis throughout the UK and Ireland. For more information about our wholesale tiling solutions, please contact the Quantum team.

IF YOU ARE A STOCKIST OF TILES IN THE UK OR IRELAND, **WE WOULD LIKE TO PARTNER** WITH YOU.













Stock Code Index

Quantum

| Stock Code Page No. 0201 85 0203 85 0204 85 0231 85 0232 85 0233 85 0234 85 0280 86 0281 86 0285 86 0288 86 1050 58 1110 59 1132 59 1134 59 1136 59 1168 72 1169 72 1210 60 1225 60 1225 60 1225 60 1225 60 1225 60 1225 60 1225 60 1225 60 1225 60 1271 60 1272 60 1281 60 1282 60 <t< th=""><th></th><th></th></t<> | | |
|---|------------|----------|
| 0203 85 0204 85 0231 85 0232 85 0233 85 0237 86 0280 86 0281 86 0285 86 0288 86 1050 58 1110 59 1130 59 1134 59 1136 59 1136 59 1168 72 1210 60 1225 60 1230 60 1245 60 1250 60 1270 60 1271 60 1272 60 1274 60 1275 60 1271 60 1272 60 1281 60 1282 60 1283 60 1292 60 1292 60 1292 60 1292 | Stock Code | Page No. |
| 0204 85 0231 85 0232 85 0233 85 0237 86 0280 86 0281 86 0285 86 0288 86 1050 58 1110 59 1132 59 1134 59 1136 59 1168 72 1169 72 1210 60 1225 60 1230 60 1245 60 1250 60 1270 60 1271 60 1272 60 1274 60 1281 60 1282 60 1283 60 1292 60 1292 60 1292 60 1295 75 1303 64 1310 | 0201 | 85 |
| 0231 85 0232 85 0233 85 0237 86 0280 86 0281 86 0282 86 0288 86 1050 58 1110 59 1130 59 1132 59 1134 59 1136 59 1168 72 1169 72 1210 60 1225 60 1230 60 1245 60 1250 60 1255 60 1270 60 1271 60 1272 60 1274 60 1281 60 1282 60 1283 60 1292 60 1292 60 1292 60 1292 60 1295 75 1303 64 1310 | 0203 | 85 |
| 0232 85 0233 85 0237 86 0280 86 0281 86 0285 86 0288 86 1050 58 1110 59 1130 59 1132 59 1134 59 1136 59 1168 72 1210 60 1225 60 1230 60 1245 60 1250 60 1255 60 1270 60 1271 60 1272 60 1273 60 1274 60 1281 60 1282 60 1283 60 1284 60 1288 60 1292 60 1295 75 1303 64 1306 64 1313 64 1313 | 0204 | 85 |
| 0233 85 0234 85 0280 86 0281 86 0285 86 0288 86 1050 58 1110 59 1130 59 1132 59 1134 59 1136 59 1168 72 1169 72 1210 60 1225 60 1230 60 1245 60 1250 60 1255 60 1270 60 1271 60 1272 60 1274 60 1281 60 1282 60 1283 60 1284 60 1292 60 1292 60 1292 60 1292 60 1292 60 1292 60 1292 60 1292 | 0231 | 85 |
| 0234 85 0237 86 0280 86 0281 86 0285 86 0288 86 1050 58 1110 59 1132 59 1134 59 1136 59 1136 59 1168 72 1169 72 1210 60 1225 60 1230 60 1245 60 1250 60 1255 60 1270 60 1271 60 1272 60 1274 60 1281 60 1282 60 1283 60 1284 60 1292 60 1292 60 1292 60 1292 60 1292 60 1292 60 1292 60 1303 | 0232 | 85 |
| 0237 86 0280 86 0281 86 0285 86 0288 86 1050 58 1110 59 1130 59 1132 59 1134 59 1136 59 1168 72 1169 72 1210 60 1225 60 1230 60 1245 60 1250 60 1255 60 1270 60 1271 60 1272 60 1274 60 1281 60 1282 60 1283 60 1284 60 1288 60 1290 60 1292 60 1295 75 1303 64 1310 64 1313 64 1313 64 | 0233 | 85 |
| 0280 86 0281 86 0285 86 0288 86 1050 58 1110 59 1130 59 1132 59 1134 59 1136 59 1168 72 1169 72 1210 60 1215 60 1225 60 1230 60 1245 60 1250 60 1255 60 1270 60 1271 60 1272 60 1274 60 1281 60 1282 60 1283 60 1284 60 1292 60 1292 60 1292 60 1292 60 1295 75 1303 64 1310 64 1313 64 1313 | 0234 | 85 |
| 0281 86 0285 86 0288 86 1050 58 1110 59 1130 59 1132 59 1134 59 1136 59 1168 72 1169 72 1210 60 1225 60 1230 60 1245 60 1250 60 1255 60 1270 60 1271 60 1272 60 1274 60 1277 60 1281 60 1282 60 1283 60 1284 60 1292 60 1292 60 1295 75 1303 64 1310 64 1313 64 1326 64 | 0237 | 86 |
| 0285 86 0288 86 1050 58 1110 59 1130 59 1132 59 1134 59 1136 59 1168 72 1210 60 1215 60 1225 60 1230 60 1245 60 1250 60 1255 60 1270 60 1271 60 1272 60 1274 60 1277 60 1281 60 1282 60 1283 60 1284 60 1290 60 1292 60 1292 60 1295 75 1303 64 1310 64 1313 64 1313 64 1326 64 | 0280 | 86 |
| 0288 86 1050 58 1110 59 1130 59 1132 59 1134 59 1136 59 1168 72 1169 72 1210 60 1225 60 1230 60 1245 60 1250 60 1255 60 1270 60 1271 60 1272 60 1274 60 1281 60 1282 60 1283 60 1284 60 1288 60 1292 60 1292 60 1292 60 1295 75 1303 64 1310 64 1313 64 1313 64 1313 64 | 0281 | 86 |
| 1050 58 1110 59 1130 59 1132 59 1134 59 1136 59 1168 72 1169 72 1210 60 1215 60 1225 60 1230 60 1245 60 1250 60 1255 60 1270 60 1271 60 1272 60 1274 60 1281 60 1282 60 1283 60 1284 60 1290 60 1292 60 1295 75 1303 64 1306 64 1310 64 1313 64 1326 64 | 0285 | 86 |
| 1110 59 1130 59 1132 59 1134 59 1136 59 1168 72 1169 72 1210 60 1215 60 1225 60 1230 60 1245 60 1250 60 1255 60 1270 60 1271 60 1272 60 1274 60 1281 60 1282 60 1283 60 1284 60 1288 60 1290 60 1292 60 1295 75 1303 64 1310 64 1313 64 1326 64 | 0288 | 86 |
| 1130 59 1132 59 1134 59 1136 59 1168 72 1169 72 1210 60 1215 60 1225 60 1230 60 1245 60 1250 60 1255 60 1270 60 1271 60 1272 60 1274 60 1281 60 1282 60 1283 60 1284 60 1288 60 1290 60 1292 60 1295 75 1303 64 1310 64 1313 64 1326 64 | 1050 | 58 |
| 1132 59 1134 59 1136 59 1168 72 1169 72 1210 60 1215 60 1225 60 1230 60 1245 60 1250 60 1255 60 1270 60 1271 60 1272 60 1274 60 1281 60 1282 60 1283 60 1284 60 1288 60 1290 60 1292 60 1295 75 1303 64 1306 64 1310 64 1313 64 1326 64 | 1110 | 59 |
| 1134 59 1136 59 1168 72 1169 72 1210 60 1215 60 1225 60 1230 60 1245 60 1250 60 1255 60 1270 60 1271 60 1272 60 1274 60 1281 60 1282 60 1283 60 1284 60 1288 60 1290 60 1292 60 1295 75 1303 64 1306 64 1310 64 1313 64 1326 64 | 1130 | 59 |
| 1136 59 1168 72 1169 72 1210 60 1215 60 1225 60 1230 60 1245 60 1250 60 1255 60 1270 60 1271 60 1272 60 1274 60 1281 60 1282 60 1283 60 1284 60 1290 60 1292 60 1295 75 1303 64 1306 64 1310 64 1313 64 1326 64 | 1132 | 59 |
| 1168 72 1169 72 1210 60 1215 60 1225 60 1230 60 1245 60 1250 60 1255 60 1270 60 1271 60 1272 60 1274 60 1281 60 1282 60 1283 60 1284 60 1288 60 1290 60 1292 60 1295 75 1303 64 1306 64 1310 64 1313 64 1326 64 | 1134 | 59 |
| 1169 72 1210 60 1215 60 1225 60 1230 60 1245 60 1250 60 1255 60 1270 60 1271 60 1272 60 1274 60 1281 60 1282 60 1283 60 1284 60 1290 60 1292 60 1295 75 1303 64 1306 64 1310 64 1313 64 1326 64 | 1136 | 59 |
| 1210 60 1215 60 1225 60 1230 60 1245 60 1250 60 1255 60 1270 60 1271 60 1272 60 1274 60 1277 60 1281 60 1282 60 1283 60 1284 60 1290 60 1292 60 1295 75 1303 64 1306 64 1310 64 1313 64 1326 64 | 1168 | 72 |
| 1215 60 1225 60 1230 60 1245 60 1250 60 1255 60 1265 60 1270 60 1271 60 1272 60 1274 60 1277 60 1281 60 1282 60 1283 60 1284 60 1290 60 1292 60 1295 75 1303 64 1306 64 1310 64 1313 64 1326 64 | 1169 | 72 |
| 1225 60 1230 60 1245 60 1250 60 1255 60 1265 60 1270 60 1271 60 1272 60 1274 60 1277 60 1281 60 1282 60 1283 60 1284 60 1288 60 1290 60 1292 60 1295 75 1303 64 1306 64 1310 64 1313 64 1326 64 | 1210 | 60 |
| 1230 60 1245 60 1250 60 1255 60 1265 60 1270 60 1271 60 1272 60 1274 60 1281 60 1282 60 1283 60 1284 60 1288 60 1290 60 1292 60 1303 64 1306 64 1310 64 1313 64 1326 64 | 1215 | 60 |
| 1245 60 1250 60 1255 60 1265 60 1270 60 1271 60 1272 60 1274 60 1281 60 1282 60 1283 60 1284 60 1290 60 1292 60 1295 75 1303 64 1306 64 1310 64 1313 64 1326 64 | 1225 | 60 |
| 1250 60 1255 60 1265 60 1270 60 1271 60 1272 60 1274 60 1281 60 1282 60 1283 60 1284 60 1290 60 1292 60 1295 75 1303 64 1306 64 1310 64 1313 64 1326 64 | 1230 | 60 |
| 1255 60 1265 60 1270 60 1271 60 1272 60 1274 60 1277 60 1281 60 1282 60 1283 60 1284 60 1290 60 1292 60 1295 75 1303 64 1306 64 1310 64 1313 64 1326 64 | 1245 | 60 |
| 1265 60 1270 60 1271 60 1272 60 1274 60 1281 60 1282 60 1283 60 1284 60 1288 60 1290 60 1292 60 1295 75 1303 64 1306 64 1310 64 1313 64 1326 64 | 1250 | 60 |
| 1270 60 1271 60 1272 60 1274 60 1277 60 1281 60 1282 60 1283 60 1284 60 1290 60 1292 60 1295 75 1303 64 1306 64 1310 64 1313 64 1326 64 | 1255 | 60 |
| 1271 60 1272 60 1274 60 1277 60 1281 60 1282 60 1283 60 1284 60 1290 60 1292 60 1295 75 1303 64 1306 64 1310 64 1313 64 1326 64 | 1265 | 60 |
| 1272 60 1274 60 1277 60 1281 60 1282 60 1283 60 1284 60 1290 60 1292 60 1295 75 1303 64 1306 64 1310 64 1313 64 1326 64 | 1270 | 60 |
| 1274 60 1277 60 1281 60 1282 60 1283 60 1284 60 1288 60 1290 60 1292 60 1295 75 1303 64 1306 64 1310 64 1313 64 1326 64 | 1271 | 60 |
| 1277 60 1281 60 1282 60 1283 60 1284 60 1288 60 1290 60 1292 60 1295 75 1303 64 1306 64 1310 64 1313 64 1326 64 | 1272 | 60 |
| 1281 60 1282 60 1283 60 1284 60 1288 60 1290 60 1292 60 1295 75 1303 64 1306 64 1308 64 1310 64 1313 64 1326 64 | 1274 | 60 |
| 1282 60 1283 60 1284 60 1288 60 1290 60 1292 60 1295 75 1303 64 1306 64 1308 64 1310 64 1313 64 1326 64 | 1277 | 60 |
| 1283 60 1284 60 1288 60 1290 60 1292 60 1295 75 1303 64 1306 64 1310 64 1313 64 1326 64 | 1281 | 60 |
| 1284 60 1288 60 1290 60 1292 60 1295 75 1303 64 1306 64 1308 64 1310 64 1313 64 1326 64 | 1282 | 60 |
| 1288 60 1290 60 1292 60 1295 75 1303 64 1306 64 1308 64 1310 64 1313 64 1326 64 | 1283 | 60 |
| 1290 60 1292 60 1295 75 1303 64 1306 64 1308 64 1310 64 1313 64 1326 64 | 1284 | 60 |
| 1292 60 1295 75 1303 64 1306 64 1308 64 1310 64 1313 64 1326 64 | 1288 | 60 |
| 1295 75 1303 64 1306 64 1308 64 1310 64 1313 64 1326 64 | 1290 | 60 |
| 1303 64 1306 64 1308 64 1310 64 1313 64 1326 64 | 1292 | 60 |
| 1306 64 1308 64 1310 64 1313 64 1326 64 | 1295 | 75 |
| 1308 64 1310 64 1313 64 1326 64 | 1303 | 64 |
| 1310 64 1313 64 1326 64 | 1306 | 64 |
| 1313 64 1326 64 | 1308 | 64 |
| 1326 64 | 1310 | 64 |
| | 1313 | 64 |
| 1328 64 | 1326 | 64 |
| | 1328 | 64 |

| Stock Code | Page No. | Stock Code | Pag |
|------------|----------|------------|-----|
| 1329 | 64 | 1638 | |
| 1331 | 64 | 1639 | |
| 1332 | 64 | 1640 | |
| 1333 | 64 | 1645 | |
| 1334 | 64 | 1670 | |
| 1335 | 64 | 1675 | |
| 1336 | 64 | 1680 | |
| 1340 | 65 | 1684 | |
| 1341 | 65 | 1685 | |
| 1352 | 64 | 2004 | |
| 1354 | 64 | 2006 | |
| 1370 | 65 | 2008 | |
| 1386 | 65 | 2010 | |
| 1392 | 65 | 2011 | |
| 1393 | 66 | 2012 | |
| 1397 | 66 | 2029 | |
| 1400 | 66 | 2032 | |
| 1402 | 66 | 2040 | |
| 1410 | 66 | 2200 | |
| 1415 | 66 | 2201 | |
| 1422 | 65 | 2202 | |
| 1428 | 66 | 2203 | |
| 1435 | 67 | 2610 | |
| 1440 | 67 | 2611 | |
| 1445 | 67 | 2617 | |
| 1455 | 67 | 2620 | |
| 1460 | 67 | 2621 | |
| 1465 | 67 | 2650 | |
| 1466 | 67 | 2651 | |
| 1475 | 66 | 2654 | |
| 1486 | 67 | 2656 | |
| 1488 | 67 | 2737 | |
| 1489 | 67 | 3000 | |
| 1491 | 67 | 3161 | |
| 1500 | 72 | 3162 | |
| 1505 | 72 | 3164 | |
| 1510 | 72 | 3400 | |
| 1515 | 72 | 3404 | |
| 1520 | 72 | 3407 | |
| 1525 | 72 | 3412 | |
| 1535 | 72 | 3418 | |
| 1593 | 71 | 3536 | |
| 1597 | 71 | 3600 | |
| 1598 | 71 | 3606 | |
| 1599 | 71 | 3612 | |
| 1632 | 68 | 3614 | |
| 1636 | 69 | 3615 | |
| 1637 | 69 | 3618 | |
| | | | |

| ge No. Stock Code 69 3628 69 3640 68 3645 68 3646 68 3652 68 3656 69 3660 69 3664 69 3670 113 3675 71 3678 71 3686 70 3692 70 3698 70 3698 70 3703 61 3704 61 3708 61 3711 61 3712 106 3714 106 3718 104 3719 104 3720 106 3723 106 3725 106 3726 55 3728 75 3732 102 3738 |
|--|
| 69 3628 69 3640 68 3645 68 3646 68 3652 68 3656 69 3660 69 3664 69 3670 113 3672 113 3675 71 3676 71 3678 71 3686 70 3692 70 3698 70 3703 61 3704 61 3708 61 3711 61 3712 106 3714 106 3718 104 3719 104 3720 106 3724 106 3726 55 3728 75 3732 |
| 69 3640 68 3645 68 3646 68 3652 68 3656 69 3660 69 3664 69 3670 113 3672 113 3674 113 3675 71 3676 71 3678 71 3686 70 3692 70 3698 70 3703 61 3704 61 3708 61 3711 61 3712 106 3714 106 3716 107 3718 104 3720 106 3723 106 3724 106 3725 106 3726 55 3728 75 3732 |
| 68 3645 68 3646 68 3652 68 3656 69 3660 69 3664 69 3670 113 3672 113 3674 113 3675 71 3678 71 3686 70 3698 70 3698 70 3703 61 3704 61 3708 61 3711 61 3714 106 3714 107 3718 104 3719 106 3723 106 3724 106 3726 55 3728 75 3732 |
| 68 3646 68 3652 68 3656 69 3660 69 3664 69 3670 113 3672 113 3674 113 3675 71 3676 71 3678 71 3686 70 3698 70 3703 61 3704 61 3708 61 3711 61 3714 106 3714 106 3716 107 3718 104 3719 104 3720 106 3724 106 3725 106 3726 55 3728 75 3732 |
| 68 3652 68 3656 69 3660 69 3664 69 3670 113 3672 113 3674 113 3675 71 3676 71 3678 71 3686 70 3692 70 3698 70 3703 61 3704 61 3704 61 3712 106 3714 106 3716 107 3718 104 3720 106 3723 106 3724 106 3726 55 3728 75 3732 |
| 68 3656 69 3660 69 3664 69 3670 113 3672 113 3674 113 3675 71 3678 71 3686 70 3692 70 3698 70 3703 61 3704 61 3708 61 3711 61 3712 106 3714 106 3716 107 3718 104 3719 104 3720 106 3724 106 3725 106 3726 55 3728 75 3732 |
| 69 3660 69 3664 69 3670 113 3672 113 3674 113 3675 71 3676 71 3678 71 3686 70 3692 70 3698 70 3703 61 3704 61 3708 61 3711 61 3714 106 3714 107 3718 104 3719 104 3720 106 3724 106 3724 106 3726 55 3728 75 3732 |
| 69 3664 69 3670 113 3672 113 3674 113 3675 71 3676 71 3678 71 3686 70 3692 70 3698 70 3703 61 3704 61 3708 61 3712 106 3714 106 3716 107 3718 104 3719 104 3720 106 3724 106 3725 106 3726 55 3728 75 3732 |
| 69 3670 113 3672 113 3674 113 3675 71 3678 71 3686 70 3698 70 3703 61 3704 61 3708 61 3711 61 3712 106 3714 106 3716 107 3718 104 3720 106 3723 106 3724 106 3726 55 3728 75 3732 |
| 113 3672 113 3674 113 3675 71 3676 71 3686 70 3692 70 3698 70 3703 61 3704 61 3711 61 3712 106 3714 107 3718 104 3719 104 3720 106 3724 106 3725 106 3726 55 3728 75 3732 |
| 113 3674 113 3675 71 3676 71 3678 71 3686 70 3692 70 3698 70 3703 61 3704 61 3708 61 3711 61 3714 106 3716 107 3718 104 3720 106 3723 106 3724 106 3726 55 3728 75 3732 |
| 113 3675 71 3676 71 3678 71 3686 70 3692 70 3698 70 3703 61 3704 61 3711 61 3712 106 3714 106 3716 107 3718 104 3720 106 3723 106 3724 106 3726 55 3728 75 3732 |
| 71 3676 71 3678 71 3686 70 3692 70 3698 70 3703 61 3704 61 3708 61 3711 61 3712 106 3714 106 3718 107 3718 104 3719 105 3723 106 3724 106 3725 106 3726 55 3732 |
| 71 3678 71 3686 70 3692 70 3698 70 3703 61 3704 61 3708 61 3711 61 3712 106 3714 106 3716 107 3718 104 3720 106 3723 106 3724 106 3726 55 3728 75 3732 |
| 71 3686 70 3692 70 3698 70 3703 61 3704 61 3708 61 3711 61 3712 106 3714 106 3716 107 3718 104 3720 106 3723 106 3724 106 3725 106 3726 55 3728 75 3732 |
| 70 3692 70 3698 70 3703 61 3704 61 3708 61 3711 61 3712 106 3714 106 3716 107 3718 104 3719 104 3720 106 3723 106 3724 106 3725 106 3726 55 3728 75 3732 |
| 70 3698 70 3703 61 3704 61 3708 61 3711 61 3712 106 3714 106 3716 107 3718 104 3720 106 3723 106 3724 106 3725 106 3726 55 3728 75 3732 |
| 70 3703 61 3704 61 3708 61 3708 61 3711 61 3712 106 3714 106 3716 107 3718 104 3719 104 3720 106 3723 106 3724 106 3725 106 3726 55 3728 75 3732 |
| 61 3704 61 3708 61 3708 61 3711 61 3712 106 3714 106 3716 107 3718 104 3719 104 3720 106 3723 106 3724 106 3725 106 3726 55 3728 75 3732 |
| 61 3708 61 3711 61 3712 106 3714 106 3716 107 3718 104 3719 104 3720 106 3723 106 3724 106 3725 106 3726 55 3728 75 3732 |
| 61 3711 61 3712 106 3714 106 3716 107 3718 104 3719 104 3720 106 3723 106 3724 106 3725 106 3726 55 3728 75 3732 |
| 61 3712 106 3714 106 3716 107 3718 104 3719 104 3720 106 3723 106 3724 106 3725 106 3726 55 3728 75 3732 |
| 106 3714 106 3716 107 3718 104 3719 104 3720 106 3723 106 3724 106 3725 106 3726 55 3728 75 3732 |
| 106 3716 107 3718 104 3719 104 3720 106 3723 106 3724 106 3725 106 3726 55 3728 75 3732 |
| 107 3718 104 3719 104 3720 106 3723 106 3724 106 3725 106 3726 55 3728 75 3732 |
| 104 3719 104 3720 106 3723 106 3724 106 3725 106 3726 55 3728 75 3732 |
| 104 3720 106 3723 106 3724 106 3725 106 3726 55 3728 75 3732 |
| 106 3723 106 3724 106 3725 106 3726 55 3728 75 3732 |
| 106 3724 106 3725 106 3726 55 3728 75 3732 |
| 106 3725 106 3726 55 3728 75 3732 |
| 106 3726 55 3728 75 3732 |
| 55 3728 75 3732 |
| 75 3732 |
| |
| 102 3738 |
| 3730 |
| 102 4013 |
| 102 4014 |
| 55 4015 |
| 55 4018 |
| 55 4021 |
| 55 4023 |
| |
| 55 4024 |
| 55 4025 |
| 55 4025 48 4028 |
| 55 4025 48 4028 48 4030 |
| 55 4025 48 4028 |
| 55 4025 48 4028 48 4030 |
| 55 4025 48 4028 48 4030 48 4031 |

Page No.

| Stock Code | Page No. |
|------------|----------|
| 4162 | 12 |
| 4163 | 12 |
| 4164 | 12 |
| 4165 | 12 |
| 4170 | 12 |
| 4171 | 12 |
| 4172 | 12 |
| 4173 | 12 |
| 4174 | 12 |
| 4175 | 12 |
| 4181 | 12 |
| 4182 | 12 |
| 4183 | 12 |
| 4184 | 12 |
| 4185 | 12 |
| 4256 | 11 |
| 4287 | 10 |
| 4314 | 74 |
| 4315 | 74 |
| 4316 | 74 |
| 4317 | 74 |
| 4318 | 74 |
| 4319 | 74 |
| 4320 | 10 |
| 4340 | 74 |
| 4341 | 6 |
| 4342 | 6 |
| 4343 | 6 |
| 4344 | 6 |
| 4354 | 6 |
| 4358 | 6 |
| 4360 | 11 |
| 4361 | 11 |
| 4362 | 11 |
| 4363 | 11 |
| 4364 | 6 |
| 4365 | 10 |
| 4366 | 18 |
| 4367 | 18 |
| 4368 | 18 |
| 4370 | 6 |
| 4371 | |
| 4372 | 6 |
| 4373 | 6 |
| 4377 | 6 |
| 4379 | 9 |
| 4383 | 6 |
| 7303 | U |

| Stock Code | Page No. | Stock Code | Page No. |
|------------|----------|------------|----------|
| 4385 | 9 | 4483 | 8 |
| 4394 | 9 | 4484 | 7 |
| 4408 | 8 | 4485 | 7 |
| 4410 | 8 | 4486 | 7 |
| 4412 | 8 | 4487 | 8 |
| 4415 | 8 | 4488 | 7 |
| 4417 | 8 | 4490 | 7 |
| 4420 | 8 | 4492 | 7 |
| 4422 | 8 | 4493 | 7 |
| 4425 | 8 | 4500 | 7 |
| 4432 | 8 | 4504 | 7 |
| 4434 | 8 | 4505 | 7 |
| 4444 | 8 | 4507 | 7 |
| 4445 | 6 | 4508 | 7 |
| 4446 | 8 | 4510 | 7 |
| 4447 | 6 | 4512 | 7 |
| 4448 | 8 | 4515 | 18 |
| 4449 | 6 | 4516 | 18 |
| 4450 | 8 | 4517 | 18 |
| 4451 | 8 | 4521 | 8 |
| 4452 | 8 | 4526 | 10 |
| 4453 | 8 | 4528 | 10 |
| 4454 | 8 | 4530 | 10 |
| 4455 | 8 | 4532 | 10 |
| 4456 | 8 | 4533 | 12 |
| 4457 | 8 | 4534 | 12 |
| 4458 | 8 | 4535 | 10 |
| 4460 | 8 | 4536 | 10 |
| 4462 | 8 | 4538 | 10 |
| 4463 | 7 | 4540 | 10 |
| 4465 | 7 | 4542 | 10 |
| 4466 | 7 | 4543 | 10 |
| 4467 | 8 | 4544 | 10 |
| 4468 | 7 | 4545 | 10 |
| 4469 | 8 | 4547 | 8 |
| 4470 | 7 | 4549 | 7 |
| 4471 | 8 | 4551 | 7 |
| 4472 | 7 | 4552 | 7 |
| 4473 | 9 | 4553 | 7 |
| 4474 | 9 | 4567 | 12 |
| 4475 | 7 | 4577 | 12 |
| 4476 | 9 | 4602 | 13 |
| 4477 | 7 | 4604 | 13 |
| 4478 | 8 | 4605 | 13 |
| 4479 | 8 | 4609 | 13 |
| 4480 | 7 | 4629 | 15 |
| 4481 | 8 | 4631 | 15 |
| 4482 | 7 | 4663 | 15 |
| | | | |

| Stock Code | Page No. |
|------------|----------|
| 4664 | 15 |
| 4686 | 13 |
| 4687 | 13 |
| 4743 | 14 |
| 4746 | 14 |
| 4749 | 14 |
| 4752 | 14 |
| 4753 | 14 |
| 4754 | 14 |
| 4760 | 14 |
| 4764 | 14 |
| 4749 | 14 |
| 4752 | 14 |
| 4753 | 14 |
| 4754 | 14 |
| 4760 | 14 |
| 4764 | 14 |
| 4765 | 14 |
| 4766 | 14 |
| 4767 | 14 |
| 4770 | 14 |
| 4791 | 13 |
| 4793 | 14 |
| 4794 | 14 |
| 4795 | 14 |
| 4796 | 14 |
| 4797 | 14 |
| 4799 | 14 |
| 4801 | 14 |
| 4804 | 14 |
| 4805 | 15 |
| 4811 | 10 |
| 4813 | 10 |
| 4814 | 10 |
| 4815 | 10 |
| 4816 | 10 |
| 4817 | 10 |
| 4844 | 15 |
| 4845 | 15 |
| 4847 | 15 |
| 4848 | 15 |
| 4865 | 12 |
| 4866 | 12 |
| 4932 | 17 |
| 4960 | 8 |
| 4961 | 8 |
| 4962 | 8 |
| 4963 | 8 |

Quantum

| Stock Code | Page No. |
|------------|----------|
| | |
| 4967 | 8 |
| 4968 | 8 |
| 4969 | 8 |
| 4972 | 25 |
| 4978 | 26 |
| 4979 | 27 |
| 4980 | 27 |
| 4981 | 27 |
| 4982 | 27 |
| 4983 | 24 |
| 4984 | 24 |
| 4997 | 25 |
| 5007 | 33 |
| 5185 | 33 |
| 5199 | 26 |
| 5206 | 33 |
| 5210 | 33 |
| 5211 | 33 |
| 5570 | 39 |
| 5571 | 39 |
| 6080 | 18 |
| 6081 | 18 |
| 6082 | 18 |
| 6083 | 18 |
| 6085 | 18 |
| 6087 | 19 |
| 6088 | 19 |
| 6089 | 19 |
| 6090 | 19 |
| 6091 | 18 |
| 6092 | 18 |
| 6093 | 18 |
| 6094 | 18 |
| 6096 | 18 |
| 6098 | 19 |
| 6099 | 19 |
| 6100 | 19 |
| 6101 | 19 |
| 6102 | 18 |
| 6103 | 18 |
| 6104 | 18 |
| 6105 | 18 |
| 6107 | 18 |
| 6109 | 19 |
| 6110 | 19 |
| 6111 | 19 |
| 6112 | 19 |
| 6298 | 79 |

| Stock Code | Page No. |
|------------|----------|
| 6416 | 78 |
| 6812 | 90 |
| 6875 | 94 |
| 6891 | 95 |
| 6900 | 95 |
| 6906 | 94 |
| 6907 | 94 |
| 6909 | 94 |
| 6921 | 95 |
| 6924 | 95 |
| 7031 | 90 |
| 7032 | 90 |
| 7034 | 90 |
| 7716 | 12 |
| 7717 | 12 |
| 7718 | 12 |
| 7719 | 12 |
| 7720 | 12 |
| 7721 | 12 |
| 7722 | 12 |
| 7723 | 12 |
| 7724 | 12 |
| 7725 | 12 |
| 7726 | 12 |
| 7727 | 12 |
| 7728 | 12 |
| 7729 | 12 |
| 7730 | 12 |
| 7731 | 12 |
| 7732 | 12 |
| 7733 | 12 |
| 9000 | 98 |
| 9005 | 98 |
| 9010 | 98 |
| 9020 | 98 |
| 9022 | 98 |
| 9050 | 99 |
| 9055 | 99 |
| 9060 | 99 |
| 9062 | 99 |
| 9106 | 99 |
| 9108 | 99 |
| 9112 | 99 |
| 9122 | 99 |
| 9132 | 99 |
| 9140 | 99 |
| 9150 | 99 |
| 9160 | 99 |
| | |

| Stock Code | Page No. |
|------------|----------|
| 9180 | 99 |
| 9190 | 99 |
| 9200 | 99 |
| 9206 | 99 |
| 9208 | 99 |
| 9212 | 99 |
| 9222 | 99 |
| 9232 | 99 |
| 9240 | 99 |
| 9260 | 99 |
| 9280 | 99 |
| 9300 | 99 |
| 9320 | 99 |
| 9325 | 99 |
| 9337 | 102 |
| 9355 | 70 & 100 |
| 9360 | 100 |
| 9365 | 100 |
| 9370 | 100 |
| 9375 | 100 |
| 9400 | 100 |
| 9405 | 100 |
| 9410 | 100 |
| 9415 | 100 |
| 9420 | 100 |
| 9425 | 100 |
| 9430 | 100 |
| 9440 | 100 |
| 9441 | 100 |
| 9442 | 100 |
| 9443 | 100 |
| 9444 | 100 |
| 9445 | 100 |
| 9446 | 100 |
| 9447 | 100 |
| 9448 | 100 |
| 9450 | 102 |
| 9455 | 102 |
| 9460 | 102 |
| 9465 | 102 |
| 9470 | 102 |
| 9475 | 102 |
| 9476 | 99 |
| 9510 | 99 |
| 9515 | 99 |
| 9520 | 99 |
| 9525 | 99 |
| 3323 | 99 |

9550

| Stock Code | Page No. |
|------------|----------|
| 9555 | 99 |
| 9560 | 99 |
| 9565 | 99 |
| 9655 | 100 |
| 9660 | 100 |
| 9665 | 100 |
| 9680 | 100 |
| 9685 | 100 |
| 9690 | 100 |
| 9735 | 101 |
| 9740 | 101 |
| 9750 | 102 |
| 9740 | 101 |
| 9750 | 102 |
| 9751 | 102 |
| 9800 | 102 |
| 9805 | 102 |
| 9810 | 102 |
| 9815 | 102 |
| 9850 | 102 |
| 9855 | 102 |
| 9860 | 102 |
| 9865 | 102 |
| 9870 | 102 |
| 9875 | 102 |
| 9880 | 102 |
| 9885 | 102 |
| 9920 | 101 |
| 9922 | 101 |
| 9924 | 101 |
| 9926 | 101 |
| 9930 | 101 |
| 9932 | 101 |
| 9934 | 101 |
| 9936 | 101 |
| 9940 | 101 |
| 9942 | 101 |
| 9944 | 101 |
| 9946 | 101 |
| 9964 | 102 |
| 00025DRY | 32 |
| 00032DRY | 32 |
| 00038DRY | 32 |
| 1274B2 | 60 |
| 1274B5 | 60 |
| 1277B2 | 60 |
| 1277B5 | 60 |
| 161E200 | 61 |

| Stock Code | Page No. |
|-------------|----------|
| 161Y200 | 61 |
| 300FLEVO | 83 |
| 4400DK | 61 |
| 4401DK | 61 |
| 4402DK | 61 |
| 4595.M.G | 13 |
| 50CP | 74 |
| 50HP | 74 |
| 50WP | 74 |
| AE149SAG | 16 |
| AE149SAO | 16 |
| AE149SAS | 16 |
| AE83SAG | 16 |
| AE83SAO | 16 |
| AE83SAS | 16 |
| AE89SAO | 16 |
| AE89SAG | 16 |
| AE89SAS | 16 |
| ALGRIPSF | 107 |
| AQBE1212 | 34 |
| AQBE126 | 34 |
| ART.300-20 | 110 |
| ART.300-70 | 110 |
| ART.300-76 | 112 |
| ART.300-85 | 112 |
| ART.053G | 101 |
| ART.1051 | 93 |
| ART131P5 | 82 |
| ART161P5 | 82 |
| ART240T | 84 |
| ART245T | 84 |
| ART33 | 58 |
| ART33W | 58 |
| ART44P3 | 82 |
| ART52P3 | 82 |
| ART55W | 58 |
| ART58 | 84 |
| ART63P5 | 82 |
| ART75P5 | 82 |
| ART93P5 | 82 |
| ATP05 | 73 |
| ATP08 | 73 |
| BATTILE-GB | 111 |
| BATTILE-PRO | 111 |
| BB1004 | 30 |
| BB1005 | 30 |
| BB1010 | 30 |
| BB1015 | 30 |


| Stock Code | Page No. | Stock Code | Page No. |
|------------|----------|----------------|----------|
| BB1020 | 30 | DB01700 | 79 |
| BB1030 | 30 | DB01710 | 79 |
| BB1035 | 30 | DB01711 | 79 |
| BB2115 | 31 | DB01720 | 79 |
| BB2120 | 31 | DB01721 | 79 |
| BB2125 | 31 | DB01723 | 79 |
| BB2130 | 31 | DB01730 | 79 |
| BB2135 | 31 | DBNF10 | 40 |
| BB2140 | 31 | DBNF20 | 40 |
| BB2145 | 31 | DBNF5 | 40 |
| BB2205 | 31 | DBSA10 | 40 |
| BB2210 | 31 | DBSA5 | 40 |
| BB2215 | 31 | DDTD10 | 87 |
| BB2220 | 31 | DDTD10 | 87 |
| BB2405 | 31 | DDTD15 | 87 |
| BB2410 | 31 | DDTD5 | 87 |
| BB2415 | 31 | DDTD6 | 87 |
| BBD | 31 | DDTD7 | |
| BBLD | 31 | DDTD8 | 87 87 |
| CBFD15 | 44 | DF120 | 103 |
| CDS129 | 73 | DF1500 | 103 |
| | | | |
| CFAD20 | 45 | DF200 | 103 |
| CGX100 | 78 78 | DF3000 | 103 |
| CGX115 | 78 | DF400 | 103 |
| CPFD15 | 44 | DF500 DF60 | 103 |
| | | | |
| DASX0010 | 59 59 | DT262 DT606 | 103 |
| DASX34 | | | 103 |
| DASX3600 | 59 | DT620 | 103 |
| DB01580 | 79 | ECS3SAGP | 16 |
| DB01590 | 79 | ECS3SAOP | 16 |
| DB01600 | 79 | ECS3SASP | 16 |
| DB01601 | 79 | ECS9SAG | 16 |
| DB01610 | 79 | ECS9SAO | 16 |
| DB01611 | 79 | ECS9SAS | 16 |
| DB01620 | 79 | ESA100.89 | 19 |
| DB01630 | 79 | ESA120.89 | 19 |
| DB01631 | 79 | F1-101-115V | 92 |
| DB01632 | 79 | F1-131-115V | 92 |
| DB01640 | 79 | F1-151-115V | 92 |
| DB01641 | 79 | F1-181-115V | 92 |
| DB01642 | 79 | F7860-110 | 90 |
| DB01650 | 79 | FAJ010 | 87 |
| DB01660 | 79 | FAJ05 | 87 |
| DB01670 | 79 | FAJ06 | 87 |
| DB01680 | 79 | FAJ08 | 87 |
| DB01685 | 79 | FAJVA-N | 87 |
| DB01690 | 79 | FLD650 | 44 |
| | | | |


| Stock Code F | Page No. |
|-----------------|----------|
| FLD850 | 44 |
| FLD950 | 44 |
| FPS35 | 103 |
| FPS75 | 103 |
| FPU10 | 87 |
| FPU20 | 87 |
| FT-S20 | 87 |
| FT-S27 | 87 |
| FT-S35 | 87 |
| FT-S40 | 87 |
| FT-S43 | 87 |
| FT-S50 | 87 |
| FT-S55 | 87 |
| FT-S60 | 87 |
| FT-S65 | 87 |
| FT-S70 | 87 |
| JAV12 | 87 |
| LFA100.86 | 11 |
| LFA100.94 | 11 |
| LFA200.86 | 11 |
| LFA200.94 | 11 |
| LTC100 | 63 |
| LTC2000 | 63 |
| LTC500 | 63 |
| LTP | 63 |
| LTSK | 62 |
| LTTC500 | 63 |
| LTW250 | 63 |
| M74.9AMA | 17 |
| M74.9GMA | 17 |
| M74.9WOA | 17 |
| M74P3AMA | 17 |
| M74P3GMA | 17 |
| M74P3WOA | 17 |
| MIA8110 | 32 |
| MIA8140 | 32 |
| MIA860 | 32 |
| MIA890 | 32 |
| MIAD35 | 32 |
| MIAD35SS | 32 |
| MLT100.16 | 14 |
| MLT100.35 | 14 |
| MLT120.16 | 14 |
| MLT120.35 | 14 |
| Moto-300-FL-115 | v 91 |
| Moto-300-FL-PU1 | 15 91 |
| M-PERFORMER | 101 |
| NIB106.16 | 17 |

| | Stock Code Index | |
|----------|---------------------|--------|
| 8 | | |
| Σ | Stock Code | Page N |
| | NIB126.16 | |
| 100 | NTC10.16 | |
| | NTC10.43 | |
| Y | NTC10.47 | |
| | NTC12.16 | |

| Page No. |
|----------------|
| 17 |
| 17 |
| 17 |
| 17 |
| 17 |
| 17 |
| 17 |
| 113 |
| 113 |
| 113 |
| 20 |
| 103 |
| 103 |
| 103 |
| 103 |
| 103 |
| 103 |
| 73 |
| 20 |
| 21 |
| 21 |
| 21 |
| 21 |
| 107 |
| 107 |
| 20 |
| 24 |
| 24 |
| 39 |
| 39 |
| 68 |
| 71 & 107 |
| 107 |
| 107 |
| 107 |
| 107 |
| 45 |
| 45 |
| 45 |
| 45 |
| 45 |
| 107 |
| 107 |
| 79 |
| 79 |
| 13 |
| 78 |
| 78 78 |
| 78 78 87 |
| |

| Stock Code | Page No. |
|---------------|----------|
| TDC10 | 87 |
| Toprofile-115 | 91 |
| TTE115 | 78 |
| TTMLS10B | 11 |
| TTMLS20B | 11 |
| TUTORCUT115 | 79 |
| TXM33.9A | 16 |
| TXM33.9G | 16 |
| WJT | 41 |
| ZZC3A | 16 |
| ZZC39 | 16 |
| | |





We are continually adding to our product range, if you can't find what you are looking for you can visit our website or call our customer service team.



Ireland

4 Courtauld Way, Campsie, L'Derry N. Ireland, BT47 3DN

+44 (0)28 7131 2064

UK

Target House, Ruthvenfield Road, Perth Scotland, PH1 3EE

+44 (0)28 7131 2064

quantumgroupni.com







